



PCCS12

User Manual



Safety Precautions :

Flying and installation of this speaker cabinet must be carried out by qualified personnel following the approved safety standards.

Do not attempt to clean the plastic enclosure with solvents or petrochemical based cleaners.

Do not place objects which are sources of heat on the speaker cabinet such as lighting equipment or smoke machines.

Do not expose the speaker cabinet to direct rain or stand in water. Liquid getting into the box will risk a short circuit and will be hazardous.

Do not stack the speaker cabinet in a manner that could cause injury should a cabinet become dislodge.

Additional precautions for Auto-amplified devices of the series.

Before installation, ensure that the voltage and frequency of power outlet match the power requirements of the loudspeaker.

Disconnect from main power before to make connections in the loudspeaker.

Make sure that the power-cord is never crimped or damaged by sharp edges. Never let the power-cord come into contact with other cables. Only handle the power-cord by the plug.

In case to replace the fuse, it must be changed by identical rate and dimensions.


Attention

Before connecting or operating your new loudspeaker, please study the accompanying instruction manual paying special attention to the operating precautions and wiring procedure.



This symbol on the product or on its packaging indicates that this product shall not be treated as household waste. Instead it shall be handed over to the applicable collection point for the recycling of electrical and electronic equipment. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. The recycling of materials will help to conserve natural resources. For more detailed information about recycling of this product, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

Panel posterior



Functions

1. Type C Port
2. USB/DSP SET: For inserting the USB drive/DSP drive
3. MUSIC MENU: The loudspeaker integrates the following DSP-based EQ sound presets and control the volume
4. Mode Selection and Playback Control: Use the “Mode” switch to toggle between USB/SD and Bluetooth modes. Use the play/pause, stop, repeat, previous/rewind and next/forward knobs to take full control of your music playback

5. Channel 1 volume controller
6. Signal LED indicates the presence of audio signals at any of the connected inputs
7. Channel 2 volume controller
8. Signal LED indicates the presence of audio signals at any of the connected inputs
9. Channel 3 volume controller
10. Signal LED indicates the presence of audio signals at any of the connected inputs
11. Channel 4 volume controller
12. Signal LED indicates the presence of audio signals at any of the connected inputs
13. Channel 5 volume controller
14. Signal LED indicates the presence of audio signals at any of the connected inputs
15. Mic / Line 1 Input Sensitivity Selector: Use this switch to change the input sensitivity between mic and line. The mic mode is ideal to connect a dynamic microphone.
Note: Do not use a microphone in the line mode. Doing so may damage your equipment.
16. Mic / Line 1: This combo XLR-Jack input accepts both mic and line-level signals from various sources.
17. AUX IN
- 18.19. This is a stereo RCA line input to connect devices such as CD/media players, iPods, MP3 players and DJ mixers etc.
20. This is a stereo RCA line input to connect devices such as CD/media players, iPods, MP3 players and DJ mixers etc.
21. Power Switch: Use this switch to power the speaker ON or OFF.
22. Power Cord Input: Use the supplied cord to power up the speaker. Kindly check and match the Voltage requirement indicated on the rating plate of the unit. Connect the power cord only to a mains socket outlet with a protective earthing connection.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.