



BOSCH



Register your
new appliance
now at MyBosch and
enjoy benefits free of
charge:
[bosch-home.com/
welcome](https://bosch-home.com/welcome)

Air Fryer Double Flex Drawer

Serie | 4


MAFD49...

[en] Information for Use
[ar] دليل المستخدم


Air Fryer
قلاية هوائية

7
15







1

1		MAFD490B1, MAFD490B1G
2		MAFD490B7, MAFD490B7G



2





3





4





5




6




7




8




9




10







11




12




13




14




15




16





17





18




19




20





21




22




23




24



25



								
	✓	✓	✗	✗	✗	✗	✗	✗
	✓	✓	✗	✗	✗	✓	✓	✓
	✓	✓	✗	✗	✗	✓	✓	✓
	✓	✓	✗	✗	✗	✓	✓	✓

- Read this instruction manual carefully.
- Keep the instruction manual and the product information safe for future reference or for the next owner.

Only use this appliance:

- with genuine parts and accessories.
- for warming, cooking, baking and frying with hot air.
- under supervision.
- for normal processing quantities and for normal processing times for domestic use.
- in private households and in enclosed spaces in a domestic environment at room temperature.
- up to an altitude of max. 2000 m above sea level.

The appliance must always be disconnected from the mains after each use, whenever the appliance is unsupervised, before cleaning and in the event of an error.

This appliance may be used by children aged 8 or over and by people who have reduced physical, sensory or mental abilities or inadequate experience and/or knowledge, provided that they are supervised or have been instructed on how to use the appliance safely and have understood the resulting dangers.

Do not let children play with the appliance.

Children must not perform cleaning or user maintenance unless they are at least 8 years old and are being supervised.

Keep children under the age of 8 years away from the appliance and power cable.

- ▶ Never operate a damaged appliance.
- ▶ Never operate an appliance with a cracked or fractured surface.
- ▶ Never pull on the power cord to unplug the appliance. Always unplug the appliance at the mains.
- ▶ If the appliance or the power cord is damaged, immediately unplug the power cord or switch off the fuse in the fuse box.
- ▶ Connect and operate the appliance only in accordance with the specifications on the rating plate.
- ▶ Connect the appliance to a power supply with alternating current only via a properly installed socket with earthing.
- ▶ The protective conductor system of the domestic electrical installation must be properly installed.
- ▶ Never equip the appliance with an external switching device, e.g. a timer or remote control.
- ▶ Repairs to the appliance should only be carried out by trained specialist staff.
- ▶ Only use genuine spare parts when repairing the appliance.
- ▶ If the power cord of this appliance is damaged, it must be replaced by the manufacturer, the manufacturer's Customer Service or a similarly qualified person in order to prevent any risk.
- ▶ Never immerse the appliance or the power cord in water or clean in the dishwasher.
- ▶ Only use the appliance in enclosed spaces.
- ▶ Never expose the appliance to intense heat or humidity.
- ▶ Do not use steam- or high-pressure cleaners to clean the appliance.
- ▶ Never let the power cord come into contact with hot appliance parts or heat sources.
- ▶ Never let the power cord come into contact with sharp points or edges.
- ▶ Never kink, crush or modify the power cord.
- ▶ Never place the appliance on or near hot surfaces.

- ▶ Never place the appliance on or near flammable materials, e.g. curtains or tablecloths.
- ▶ Always maintain a safety distance of at least 10 cm to walls and other objects to avoid a build-up of heat.
- ▶ Never cover the appliance or set other objects down on it.
- ▶ Do not store or deposit objects in the basket or the cooking compartment.
- ▶ Never leave the appliance unattended while it is switched on.
- ▶ Never fill oil or fat into the basket.
- ▶ Never heat food containing high-proof alcohol or other highly flammable constituents in the appliance.
- ▶ Take note of the maximum permitted capacity. Never fill food beyond the upper edge of the basket.
- ▶ Do not use loose pieces of baking paper or lightweight ingredients that could be sucked in by the fan, e.g. dry herbs.
- ▶ If dark smoke comes out of the appliance, disconnect it from the mains immediately. Do not take the basket out until the amount of smoke has decreased.



- ▶ The appliance becomes hot during operation. Never touch the hot surfaces.
- ▶ Allow the appliance to cool down before cleaning or transporting.
- ▶ Never reach into the hot cooking compartment.
- ▶ Never touch the hot grill rack or the hot skewers with bare hands. Use suitable tools and equipment, e.g. potholders or cooking utensils.
- ▶ Be careful when taking out the basket as hot air and steam may escape.
- ▶ Do not lean over the appliance.
- ▶ Always keep your hands and face away from the air outlets.
- ▶ To avoid injuries, only use the appliance for its intended purpose.
- ▶ Take care when handling the skewers.
- ▶ Follow the cleaning instructions.
- ▶ Clean surfaces which come in contact with food before each use.
- ▶ To prevent the development of acrylamide, do not cook the food to the point where it is too dark and remove any burnt residues.
- ▶ Never heat fresh potatoes to over 180 °C.

Avoiding material damage

- ▶ Do not use sharp, pointed or metal cooking utensils. Only use cooking utensils made of wood or heat-resistant plastic.
- ▶ After taking out the food, do not leave the tongs lying in the hot basket or set them down on other hot surfaces.
- ▶ Place the skewers in the basket carefully to avoid scratching or damaging the basket.
- ▶ Never stand the hot basket on heat-sensitive surfaces. Use a heat-resistant base underneath, e.g. a heat or table mat.
- ▶ Never leave the basket part way in the appliance in order to prevent damage caused by intense heat or the basket falling out. Always fully remove the basket and push it all the way back into the appliance.
- ▶ Never fill water or other liquids into the basket.
- ▶ Never use the grill rack or skewers in the microwave.

Familiarising yourself with your appliance

Overview

After unpacking all parts, check for any damage in transit and completeness of the delivery.

→ Fig. 1

A	Main unit
B	Flexi double basket
1	Cooking compartment, right-hand zone
2	Cooking compartment, left-hand zone
3	Control panel
4	Air outlet
5	Power cord
6	Top heating element and fan
7	Basket divider

8	Grid
9	Handle

Model-specific accessories

Other accessories are included in delivery depending on the specific model concerned.

→ Fig. 2

1	Grilling set
2	Kitchen tongs

Control panel

You can find an overview of the control panel here.

Note: Press the buttons with your fingers without wearing rubber/oven gloves. Do not operate buttons with objects, e.g. a wooden spoon.

Display elements and function buttons

	On/Off Switch the appliance on and off
	Start/Pause Starting or pausing cooking
	Select right-hand zone
	Select left-hand zone
	→ " MATCH function", Page 11
SYNC TIME	→ " SYNC function", Page 11
	→ " Display SHAKE ", Page 9

TEMP	Temperature setting Increase the temperature with + or reduce it with —. Settings ranges (depends on the programme): ■ 205-230 °C for 1-30 minutes ■ 85-200 °C for 1-120 minutes ■ 40-80 °C for 1 minute - 24 hours
------	--

TIME	Time setting Increase the cooking time with + or reduce it with —. Settings ranges (depends on the programme): ■ 1-30 minutes at 205-230 °C ■ 1-120 minutes at 85-200 °C ■ 1 minute - 24 hours at 40-80 °C
------	---

Display

The appliance has two separate displays for the left and right cooking zone.

Indicator	Description
	When h:min lights up, the display shows the time in hours and minutes. The colon flashes as long as cooking takes place.
	When °C lights up, the display shows the temperature.

Indicator	Description
	Cooking has finished.
	The basket has been removed.
	Only with activated SYNC function. The zone with the shorter cooking time waits for the automatic start of cooking.

Programme buttons

Symbol	Programme
	French fries
	Poultry
	Roast
	Fish
	Vegetables
	Small pastries
	Defrost
	Reheat
	Keep warm
	→ " Personalised programme MyFry ", Page 11

Display SHAKE

On certain programmes, **SHAKE** flashes after a certain period of time and a signal tone sounds. When the display **SHAKE** flashes for the left or right zone, stir or turn the food on the relevant side of the basket. This ensures that all food in a zone is cooked to the same degree.

→ "**Stir or turn the food**", Page 10

Note: If you do not take the basket out and put it back again, the display will flash until the end of the cooking process and the signal tone will sound roughly every 60 seconds. When using the **French fries** programme, the indicator goes out after approx. 5 minutes.

Flexi double basket

The flexi double basket enables you to cook food in 2 separate cooking zones or in one large cooking zone.

With the basket divider fitted, 2 separate cooking zones are provided to cook different items of food at the same time or smaller amounts of food.

To use the full volume of space in the flexi double basket, remove the basket divider. This will turn the two separate zones into one large cooking zone.

→ "**MATCH** function", Page 11

Before using for the first time

Cleaning the appliance before using it for the first time

1. Remove any packaging material.
2. Remove any stickers or film.
3. In a well-ventilated room, heat up the appliance without food at the highest temperature setting for 30 minutes and then leave to cool down.
4. Clean all parts that come into contact with food before using for the first time.

Note: Slight smoke or odour emission during initial use is normal.

Operation

Preparing the appliance

1. Place the appliance on a stable, horizontal, flat and heat-resistant work surface. Always maintain a safety distance of at least 10 cm to walls and other objects.
 2. Position the basket divider in the guide in the centre of the basket and press it down. Then position the grids in the basket and press them down.
→ Fig. 3
 3. Insert mains plug.
→ Fig. 4
- ✓ A signal tone sounds and the entire control panel lights up briefly.
 - ✓ ① **On/Off** and the symbols for basket selection light up.

Note: If no input is made within approx. 10 minutes, the appliance switches off and ① **On/Off** lights up dimmed. To display basket selection again, press ① **On/Off**.

Starting cooking in one zone

1. Add the food to the basket on the side you want and push the basket fully into the appliance.
→ Fig. 5
Never fill food beyond the upper edge of the basket.
2. To cook food on the grill rack or on 2 levels, proceed as follows.
 - ▶ Place the grid in the basket.
 - ▶ If you wish, place food on the grid.
 - ▶ Place the grill rack in the basket.
 - ▶ Place the food on the grill rack.→ Fig. 6
If you are cooking food on both levels, do not pack the food too tightly on the upper level as this will obstruct the air flow to the lower level. If the food is relatively thin or requires a lower cooking temperature, place it on the lower level.
3. To cook skewers, proceed as follows.
 - ▶ Place the grid in the basket.
 - ▶ If you wish, place food on the grid.
 - ▶ Place the grill rack in the basket.
 - ▶ Place the prepared skewers into the designated recesses.→ Fig. 7

4. Select the relevant zone on the control panel, e.g. the left-hand zone 
→ Fig. 8
- ✓ The symbol for the left-hand zone flashes and the programme symbols light up.
5. To start cooking without a programme, skip programme selection and set the desired values directly.
6. To use a programme, press the required symbol on the control panel, e.g.  **French fries**.
→ Fig. 9
- ✓ The programme symbol flashes and the display alternately shows the preset temperature and the cooking time for the programme.
→ Fig. 10
7. To adjust the preset temperature, select the required value with **TEMP** — or +.
→ Fig. 11
8. To adjust the preset cooking time, select the required value with **TIME** — or +.
→ Fig. 12
9. Start cooking with **▶||Start/Pause**.
→ Fig. 13
- ✓ The display for the left-hand zone alternately shows the target temperature and the remaining cooking time.

Starting cooking in the second zone

You can start cooking other items in the second zone at any time, independently of the food that is already being cooked.

1. Add the food to the basket on the empty side and push the basket fully into the appliance.
→ Fig. 14
2. Select the second zone on the control panel, e.g. the right-hand zone 
→ Fig. 15
- ✓ The symbol for the right-hand zone flashes and the programme symbols light up.
3. Select a programme for the second zone, e.g.  **Roast**, and if required, adjust the values.
→ Fig. 16
The same programme can be selected for the second zone as for the first one, e.g. in order to cook an additional portion with a time delay.

Stir or turn the food

1. When  **SHAKE** flashes for the left-hand or right-hand zone, take the basket out of the appliance.
→ Fig. 17
- ✓ Cooking is paused and the display shows **OPEN** as long as the basket is removed.
2. Stir or turn the food in the displayed zone using cooking utensils made of wood or heat-resistant plastic.
→ Fig. 18
3. Push the basket fully into the appliance.
→ Fig. 19
- ✓ Cooking will continue automatically and the display alternately shows the selected temperature and the remaining cooking time.

Taking cooked food out

1. When cooking has finished in the left-hand or right-hand zone, **End** flashes in the display for the zone and a signal tone sounds.
→ Fig. 20
 2. Remove the basket.
→ Fig. 21
 3. Using cooking utensils, take the food out of the basket in the zone for which **End** is being displayed, e.g. from the left-hand zone. Leave the food in the second zone – which has not finished cooking yet – in the basket.
→ Fig. 22
 4. Push the basket fully back into the appliance.
→ Fig. 23
- ✓ Cooking will continue and the display for the zone that is still active alternately shows the target temperature and the remaining cooking time.

MATCH function

Use the **MATCH** function to utilise both cooking zones or one large cooking zone with the same settings, e.g. to cook large quantities of the same dish or for large items of food.

Using the MATCH function

1. Pull the basket divider up and out.
→ Fig. 24
 2. Add the food to the basket and push the basket fully into the appliance.
→ Fig. 25
 3. Activate the **MATCH** function ■■.
 4. Select a programme, adjust the values if desired and start cooking with ▷|| **Start/Pause**.
- ✓ Both displays alternately show identical values for the temperature and the remaining cooking time.
 - ✓ When cooking has finished, **End** flashes on both displays and an acoustic signal sounds.

Notes

- If the **MATCH** function ■■ is activated after a programme has already been selected and set for one zone, the settings will be applied for the second zone.
- If, during cooking, the values for the temperature or cooking time are changed for one zone, the **MATCH** function will be terminated. Further cooking takes place individually for each zone.

SYNC function

Use the **SYNC** function to synchronise the cooking time for both zones. Different dishes will be ready at the same time.

Using the SYNC function

1. Insert the basket divider and add the food on the left and right. Push the basket fully into the switched-on appliance.

Additional functions

You can find an overview of additional functions here.

2. Select the first zone on the control panel, e.g. the left-hand zone ■□.
 3. Select a programme for the first zone and if desired, adjust the values.
 4. Select the second zone on the control panel, e.g. the right-hand zone ■■.
 5. Select a programme for the second zone and if desired, adjust the values.
 6. Activate the **SYNC** function ^{SYNC}TIME and start cooking with ▷|| **Start/Pause**.
- ✓ The display for the zone with the longer cooking time alternately shows the temperature and the remaining cooking time.
 - ✓ The display for the zone with the shorter cooking time alternately shows the temperature and **Hold**. Cooking is still paused.
 - ✓ Once the same remaining running time has been reached for both zones, cooking will start in the paused zone.
 - ✓ When cooking has finished, **End** flashes on both displays and an acoustic signal sounds.

Note: If the **SYNC** function is active and the same remaining cooking time is shown for both zones, any changes to the cooking time for one zone will end the **SYNC** function.

Personalised programme MyFry

Use **MyFry** to save and retrieve your personalised settings. You can save the settings separately for the left-hand zone ■□, the right-hand zone ■■ and for **MATCH** ■■.

Setting up or adjusting MyFry

Note: When you set up **MyFry** for the first time, there are no default values. If you adjust **MyFry**, the last values saved are displayed.

1. Select **MATCH** ■■ or a zone on the control panel, e.g. the left-hand zone ■□.
- ✓ The symbol for the left-hand zone flashes and the programme symbols light up.
2. Press ☆ **MyFry**.
3. Use **TEMP** — or + to select the desired temperature, and **TIME** — or + to select the desired cooking time.
4. To save the values, press and hold ☆ **MyFry** for at least 2 seconds until a signal tone sounds.

Using MyFry

1. Select the left-hand zone ■□, the right-hand zone ■■ or **MATCH** ■■.
- ✓ The selected symbol flashes and the programme symbols light up.
2. Press ☆ **MyFry**.
- ✓ The display alternately shows the saved values for the temperature and the cooking time.
3. Start cooking with ▷|| **Start/Pause**.

Function	Features
Change values faster	Press and hold — or +.
Cancel cooking in both zones	Press On/Off .
Cancel cooking in one zone	Press and hold or until the relevant display no longer shows any values.
Cancel your choice of zone	Press and hold the flashing zone symbol until the relevant display no longer shows any values.
Change the temperature or cooking time during cooking	The desired values can be adjusted directly for the left-hand or right-hand zone using — or +.
Pause cooking	If only one zone is active or to pause cooking for both zones, press Start/Pause . To pause cooking for only one zone, first press the symbol for the desired zone and then press Start/Pause . To resume cooking when paused, press Start/Pause again.
Deactivate the SYNC function	Press SYNC . Cooking starts for the paused zone and takes place individually for each zone.

Application examples

Your appliance offers 9 different preset programmes. Select a suitable programme depending on the food.

Notes

- The values specified here are recommendations. As foods differ in terms of origin, size, shape, condition and brand, an optimal setting for your food may diverge from these values.
- If you use the large cooking zone, you can cook twice as much food with the same cooking time.

Food	Presetting	Information
Frozen french fries, 10 x 10 mm, 400 g	French fries 180 °C 16 min.	When SHAKE flashes, stir or turn the food
Chicken legs, 4 pcs, each 125 g	Poultry 200 °C 24 min.	When SHAKE flashes, stir or turn the food
Beef steak, 2 pcs, approx. 3 cm thick	Roast 230 °C 16 min.	When SHAKE flashes, stir or turn the food
Salmon fillet, 2 pcs, each weighing 150 g	Fish 160 °C 10 min.	
Grilled vegetables, 350 g	Vegetables 180 °C 14 min.	Cut the vegetables into large pieces and mix with max. 1 tbsp of oil When SHAKE flashes, stir or turn the food
Small cakes or muffins, 4 pcs	Small pastries 150 °C 15 min.	
Defrosting frozen food	Defrost 40 °C 30 min.	
Warming up cooked food	Reheat 150 °C 5 min.	For crispy results, set a temperature above 150 °C.
Keeping cooked food warm	Keep warm 80 °C 30 min.	

Tips

- If the size of the food diverges from those in the table, shorten or lengthen the cooking time.
- If the food is not cooked after the selected cooking time, extend the cooking time or increase the temperature.
- To ensure an even cooking result, stir or turn the food in the basket when **SHAKE** flashes.
- If the food is not as crispy as you would like, apply a little oil to the food before cooking, e.g. with a brush or oil spray. Allow excess oil to drip away or wipe it off.

Overview of cleaning

Clean all parts immediately after use so that residues do not dry on.

- ▶ Do not use cleaning agents containing alcohol or spirits.
- ▶ Do not use sharp, pointed or metal objects.
- ▶ Do not use abrasive cloths or cleaning agents.

Troubleshooting

Fault	Cause and troubleshooting
The appliance is not working.	Appliance has no power supply. ▶ Check whether your appliance is supplied with power.
Cooking does not start or continue and Start/Pause does not appear on the control panel.	Basket has not been properly inserted in the appliance. ▶ Push the basket fully into the appliance. The basket should not protrude from the housing.
Basket cannot be fully pushed into the appliance.	Food or objects in the cooking compartment. ▶ Remove food or objects from the cooking compartment. Food or objects in the cooking compartment become hot during cooking. Use heat-resistant cooking utensils and proceed with care.
An error code appears on the display, e.g. Ex .	The electronics have detected a fault. 1. Pull out the mains plug. 2. Re-insert the mains plug in the socket. 3. If the fault persists, call Customer Service. → "Customer Service", Page 14
White smoke escapes from the appliance.	Dripping fat and residues of fat in the basket or cooking compartment produce white smoke during heating. ▶ Clean the basket, grid and cooking compartment thoroughly after each use to remove all residues of fat. Note: White smoke caused by residues of fat does not affect the cooking result or the appliance.
Water collects in the cooking compartment after food with a high moisture content has been cooked.	Condensation may form for reasons of physics. ▶ After the appliance has cooled down sufficiently, dry the cooking compartment with a cloth. Note: The formation of condensation is normal and harmless.

Disposing of old appliance

- ▶ Dispose of the appliance in an environmentally friendly manner.

Information about current disposal methods are available from your specialist dealer or local authority.

- ▶ Only clean the control panel and the display using a damp microfibre cloth.

Clean the individual parts as indicated in the table.

→ Fig. 26

Cleaning the appliance and parts

1. Clean the main unit with a damp cloth and dry. Use a damp microfibre cloth for the display.
2. If necessary, clean the cooking compartment with warm water and a soft cloth or sponge.
3. Remove remnants of food on the heating element with a soft brush.
4. Remove any excess fat and oil from the basket.
5. If there are stubborn fat residues in the basket, add a little warm water and a few drops of wash-up liquid to the basket to pre-clean it and leave to act.
6. Clean the basket and the grids with detergent solution and a soft cloth or sponge or put in the dishwasher.



This appliance is labelled in accordance with European Directive 2012/19/EU concerning used electrical and electronic appliances (waste electrical and electronic equipment - WEEE).

The guideline determines the framework for the return and recycling of used appliances as applicable throughout the EU.

Customer Service

You can find the information required as per Regulation (EU) 2023/826 online at www.bosch-home.com on the product and service pages for your appliance, in the area of user manuals and additional documents.

- اقرأ هذا الدليل بعناية.
- احتفظ بالدليل وبمعلومات المنتج لغرض الاستخدام اللاحق أو لتسليمها إلى المالك التالي.
- لا تستخدم الجهاز إلا:
- مع الأجزاء والكماليات الأصلية.
- للتسخين والطهي والتجفيف والقلّي بالهواء الساخن.
- تحت الإشراف.
- لمعالجة الكميات ولفترات التشغيل المعتادة في الأغراض المنزلية.
- في المنزل الخاص وفي الأماكن المغلقة من المحيط المنزلي في درجة حرارة الغرفة.
- حتى ارتفاع يبلغ 2000 م فوق سطح البحر.
- يجب فصل الجهاز عن مصدر الطاقة دائماً بعد كل استخدام أو في حالة عدم وجود مراقبة أو قبل التنظيف أو في حالة ظهور خطأ ما.
- يمكن للأطفال بدءاً من عمر 8 سنوات فما فوق، وكذلك للأشخاص الذين يعانون نقصاً في القدرات الجسدية أو الحسية أو العقلية، أو يعانون نقصاً في الإدراك أو المعرفة أو كليهما، استخدام هذا الجهاز، إذا تم ذلك تحت إشرافٍ وبعد اطلاعهم على كيفية التشغيل الآمن للجهاز، وإدراك المخاطر الناتجة.
- لا يجوز للأطفال العبث بالجهاز.
- لا يجوز للأطفال تنظيف الجهاز أو إجراء أعمال الصيانة الممنوعة بالمستخدم ما لم يكونوا في سن 8 سنوات أو أكثر، على أن تتم مراقبتهم أثناء ذلك.
- يجب إبعاد الأطفال دون سن 8 سنوات عن الجهاز وكابل التوصيل.
- لا تشغل أبداً جهازاً متضرراً.
- لا تشغل جهازاً ذا سطح مشقوق أو مكسور.
- لا تشد كابل الكهرباء المتصل بالشبكة كي تفصل الجهاز عن شبكة الكهرباء أبداً. انزع القابس الكهربائي من كابل الكهرباء دائماً.
- إذا كان الجهاز متضرراً أو كابل التوصيل بالشبكة تالفاً، فاسحب على الفور القابس الكهربائي لكابل التيار أو افصل المصدر الموجود في صندوق المصاهر.
- لا توصّل الجهاز وتشغل إلا وفقاً للقيم الموضحة على لوحة الصنع.
- لا توصّل الجهاز إلا بمقبس مركب بطريقة سليمة ومزود بوصلة تارض على أن تكون شبكة الكهرباء ذات تيار متردد.
- يجب أن يكون نظام أسلاك الحماية الأرضية الخاص بتركيبات المنزل الكهربائية مركباً وفقاً للوائح المعنية.
- لا تزود الجهاز أبداً عبر تجهيزة تشغيل خارجية، من قبيل مقياتي أو جهاز تحكم عن بعد.
- وحدهم أفراد الطاقم الفني المدربون من أجل ذلك يُسمح لهم بإجراء إصلاحات على الجهاز.
- لا يُسمح إلا باستخدام قطع الغيار الأصلية لإصلاح الجهاز.
- إذا كان كابل الكهرباء لهذا الجهاز متضرراً، يجب تغييره من قبل الجهة الصانعة أو مركز خدمة العملاء التابع لها أو من قبل فني مؤهل بشكل مماثل، وذلك لتجنب المخاطر.
- لا تغمر الجهاز أو كابل الكهرباء في الماء أو في غسالة الأواني.
- لا تستخدم الجهاز إلا في أماكن مغلقة.
- لا تعرّض الجهاز أبداً للحرارة والرطوبة الشديديتين.
- لا تستخدم أجهزة تنظيف بالضغط العالي أو أجهزة تنظيف بالبخر، كي تنظف الجهاز.
- لا تقم مطلقاً بوضع وصلة الشبكة في وضع تلامس مع أجزاء ساخنة من الجهاز أو مصادر حرارية.
- لا تقم مطلقاً بوضع وصلة الشبكة في وضع تلامس مع أسنان مدببة أو حواف حادة.
- لا تنني أو تسحق أو تغير وصلة الشبكة الكهربائية.
- لا تضع الجهاز أبداً على سطح ساخن أو بالقرب منه.
- لا تضع الجهاز أبداً على مواد قابلة للاحتراق أو بالقرب منها، على سبيل المثال، الستائر أو مفارش المائدة.

- حافظ دائماً على مسافة آمنة لا تقل عن 10 سم من الجدران والأغراض الأخرى لتجنب تراكم الحرارة.
- لا تغطّ الجهاز أبداً أو تضع أغراضاً أخرى فوقه.
- لا تخزن أو تضع أغراضاً في السلة أو في مقصورة الطبخ.
- احرص على مراقبة الجهاز دائماً أثناء تشغيله.
- لا تعبئ زبناً أو دهناً في السلة أبداً.
- لا تسخن في الجهاز مواد غذائية تحتوي على كحول بنسبة عالية أو محتويات أخرى سهلة الاشتعال.
- انتبه إلى مراعاة كمية الملء القصوى المسموح بها. لا تعبئ المواد الغذائية حتى الحافة العلوية للسلة أبداً!
- لا تستخدم ورق خبز سائب ولا مكونات خفيفة، يمكن أن يشفطها الشفاط، من قبيل الأعشاب الجافة.
- إذا تسرب دخان داكن من الجهاز، اسحب كابل الكهرباء على الفور. لا تسحب السلة إلا عندما يخفت تصاعد الدخان.



- الجهاز يسخن في أثناء التشغيل. لا تلمس أبداً الأسطح الساخنة.
- اترك الجهاز يبرد قبل تنظيفه أو نقله.
- لا تمد يديك إلى مقصورة الطبخ الساخنة.
- لا تلمس شبكة الشواء وأسياخ الشوي الساخنة بيدين مجردتين أبداً. استخدم وسائل مساعدة مناسبة، من قبيل الماسك الحراري أو أدوات الطهي.
- تؤخّ الحذر عند انتزاع السلة، إذ قد يتسرب هواء ساخن وبخار ساخن.
- لا تنحن على الجهاز.
- أبق اليدين والوجه بعيدة دائماً عن فتحات التهوية.
- لا تستخدم الجهاز إلا وفقاً للتعليمات لتجنب حدوث إصابات.
- تعامل مع أسياخ الشوي بحذر.
- احرص على مراعاة إرشادات التنظيف.
- نظف الأسطح التي تلامس المواد الغذائية قبل كل استخدام.
- لا تحضر المواد الغذائية إلى درجة سوداء داكنة، وأزل البقايا المحترقة لتجنب تطوّر مادة الأكريلاميد.
- لا تسخن البطاطس الطازجة إلى ما فوق 180 °م.

تجنب الأضرار المادية

A	الجهاز الأساسي
B	السلة المزدوجة المرنّة
1	مقصورة الطبخ، المنطقة اليمنى
2	مقصورة الطبخ، المنطقة اليسرى
3	لوحة الاستعمال
4	منفذ خروج الهواء
5	كابل الكهرباء
6	عنصر تسخين علوي ومروحة
7	مقسم السلة
8	الشبكة السلكية
9	مقبض

ملحقات مرتبطة بالطراز

يشمل نطاق التوريد ملحقات أخرى حسب الطراز.

الشكل 2

1	مجموعة شبكات الشواء
2	ملقط المطبخ

- لا تستخدم أدوات طهي حادة أو مُدببة أو معدنية.
- اقتصر على استخدام أدوات طهي مصنوعة من الخشب أو بلاستيك مقاوم للحرارة.
- لا تترك ملقط المطبخ في السلة الساخنة أو تطرحه على أسطح ساخنة أخرى بعد إخراج الطعام.
- أدخل أسياخ الشواء بحذر في السلة، لتجنب حدوث خدوش أو أضرار في السلة.
- لا تضع السلة الساخنة على أسطح حساسة للحرارة أبداً. استخدم قاعدة غير حساسة للحرارة، من قبيل حامل أوعية.
- لا تترك السلة مفتوحة جزئياً داخل الجهاز لتجنب الأضرار بفعل الحرارة الزائدة أو سقوط السلة. انتزع السلة دائماً كليّة وأعد إزاحتها كليّة في الجهاز.
- لا تعبئ ماءً أو سوائل أخرى في السلة أبداً.
- لا تستخدم شبكة الشواء أو أسياخ الشواء في فرن الميكروويف أبداً.

التعرّف

عرض عام

بعد إخراج كافة القطع من أغلفتها تأكد من خلوها من أضرار النقل وعدم نقصان أي منها.

الشكل 1

لوحة الاستعمال

تجد هنا نظرة عامة على لوحة الاستعمال.

ملاحظة: استعمل الأزرار بالأصابع ودون قفازات المطبخ. لا يمكنك استعمال الأزرار بواسطة أغراض، من قبيل ملعقة الطبخ.

عناصر العرض والأزرار الوظيفية

تشغيل / إطفاء	تشغيل وإطفاء الجهاز	①
Start/Pause	بدء التحضير أو قطعه	▶
اختيار المنطقة اليمنى		□■
اختيار المنطقة اليسرى		■□
← وظيفة "MATCH"، الصفحة 18		■□
← وظيفة "SYNC"، الصفحة 19		SYNC TIME
← "البيان SHAKE"، الصفحة 17		SHAKE

ضبط درجة الحرارة	زيادة درجة الحرارة بواسطة + أو خفضها بواسطة -.	TEMP
نطاقات الضبط (حسب البرنامج):		
■ 205-230 °م لمدة 1-30 دقيقة		
■ 85-200 °م لمدة 1-120 دقيقة		
■ 40-80 °م لمدة دقيقة واحدة - 24 ساعة		
ضبط الوقت	زيادة زمن التحضير بواسطة + أو خفضه بواسطة -.	TIME
نطاقات الضبط (حسب البرنامج):		
■ 1-30 دقيقة عند 230-205 °م		
■ 1-120 دقيقة عند 200-85 °م		
■ دقيقة واحدة - 24 ساعة عند 80-40 °م		

وحدة العرض

يكون الجهاز مُزوَّداً بشاشتين منفصلتين لمنطقة الطهي اليسرى واليمنى.

البيان	الشرح
00:20	عندما يضيء h:min، تعرض الشاشة الوقت بالساعات والدقائق. تومض النقطة المزدوجة، طالما كان التحضير جارياً.
200	عندما يضيء °C، تعرض الشاشة درجة الحرارة.
End	انتهى التحضير.
OPEN	أُنتزعت السلة.
Hold	فقط في حالة تفعيل وظيفة SYNC. تنتظر المنطقة ذات فترة التحضير الأقصر بدء التحضير الأوتوماتيكي.

أزرار البرنامج

الرمز	البرنامج
✋	رقائق البطاطس

الرمز	البرنامج
🍷	الطيور
👂	التحمير السريع
🐟	السلم
🍷	خضراوات
🍰	مخبوزات صغيرة
❄️	إذابة التجمد
🔥	التسخين
🍲	الحفاظ على السخونة
★	← البرنامج الشخصي "MyFry"، الصفحة 19

البيان SHAKE

SHAKE 🌀 يومض مع برامج مُعيَّنة بعد فترة زمنية مُحدَّدة وتصدر إشارة صوتية. عندما يومض البيان **SHAKE** للمنطقة اليسرى أو اليمنى، قلب الطعام على الجانب المناسب من السلة أو اقلبه. تضمن هذه الخطوة أن تتلقّى جميع المواد الغذائية في منطقة معينة درجة الطهي نفسها. ← "تقليب الطعام أو قلبه"، الصفحة 18

ملاحظة: عندما لا تنتزع السلة وتُعيد إدخالها، يومض البيان حتى انتهاء عملية الطهي وتصدر الإشارة الصوتية كل 60 ثانية تقريباً. عند استخدام البرنامج **رقائق البطاطس**، ينطفئ المبين بعد نحو 5 دقائق.

السلة المزدوجة المرنّة

يمكنك باستخدام السلة المزدوجة المرنّة تحضير الطعام في منطقتي طهي منفصلتين أو في منطقة طهي واحدة كبيرة.

عند إدخال فاصل السلة، تتوفر منطقتا طهي منفصلتان لتحضير أطعمة مختلفة في وقتٍ واحد أو بكمياتٍ أقل. للاستفادة من الحجم الكامل للسلة المزدوجة المرنّة، أزل فاصل السلة. تدعم المنطقتان المفردتان من ثم في منطقة طهي واحدة كبيرة. ← "وظيفة MATCH"، الصفحة 18

قبل الاستخدام لأول مرة

تنظيف الجهاز قبل الاستخدام الأول

1. انزع مادة التغليف الموجودة.
2. أزل أي ملصقات أو رقائق عن الجهاز.
3. سخن الجهاز دون مواد غذائية في غرفة جيدة التهوية على أعلى درجة حرارة لمدة 30 دقيقة واتركه يبرد بعدها.
4. نظّف كافة الأجزاء التي تتلامس مع المواد الغذائية، قبل الاستخدام الأول.

ملاحظة: نشوْ قدر ضئيل من الدخان أو الرائحة في أثناء الاستخدام الأول أمرٌ عاديّ.

الاستعمال

تحضير الجهاز

1. ضغ الجهاز على سطح عمل ثابت وأفقي ومستو ومقاوم للحرارة. وحافظ دائماً على مسافة آمنة لا تقل عن 10 سم من الجدران والأغراض الأخرى.

2. ضع فاصلَ السلة في الدليل في المنتصف في السلة واضغط عليها لأسفل، ثم ضع شبكات الشواء في السلة واضغط عليها لأسفل.

الشكل 3

3. قم بتوصيل القابس الكهربائي.

الشكل 4

✓ تصدر إشارة صوتية، وتضيء لوحة الاستعمال لفترة وجيزة بالكامل.

✓ يضيء ① **تشغيل/إطفاء** والرموز لاختيار السلة.

ملاحظة: إذا لم يحدث أي إدخال في غضون نمو 10 دقائق، ينطفئ الجهاز ويضيء ① **تشغيل/إطفاء** يخفوت. ولإعادة عرض اختيار السلة مرة أخرى، اضغط ① **تشغيل/إطفاء**.

بدء التحضير في منطقة واحدة

1. ضع الطعام على الجانب المرغوب في السلة وأزغ السلة بالكامل في الجهاز.

الشكل 5

لا تُعَبِّئ المواد الغذائية حتى الحافة العلوية للسلة أبدًا!

2. لطهي الطعام على شبكة الشواء أو على مستويين، اتبع الخطوات التالية.

◀ ضع الشبكة السلكية في السلة.

◀ ضع الطعام على الشبكة السلكية عند الرغبة.

◀ ضع شبكة الشواء في السلة.

◀ ضع الطعام على شبكة الشواء.

الشكل 6

عندما تُحضّر الطعام على كلا المستويين، لا تضع العناصر متقاربة جدًا على المستوى العلوي، لأن ذلك سيبعيق تدفق الهواء إلى المستوى السفلي. ضع الأطعمة الرقيقة أو التي تتطلب درجة حرارة طهي منخفضة على المستوى السفلي.

3. لإعداد أسياخ الشواء، اتبع الخطوات التالية.

◀ ضع الشبكة السلكية في السلة.

◀ ضع الطعام على الشبكة السلكية عند الرغبة.

◀ ضع شبكة الشواء في السلة.

◀ ضع أسياخ الشواء المُعدة مسبقًا في الفتحات الغائرة المخصصة لها.

الشكل 7

4. اختر المنطقة المناسبة في لوحة الاستعمال، على سبيل المثال المنطقة اليسرى.

الشكل 8

✓ يومض رمز المنطقة اليسرى وتضيء رموز البرامج.

5. لبدء التحضير دون برنامج، تجاوز اختيار البرنامج واضبط القيم المرغوبة مباشرة.

6. لاستخدام برنامج ما، اضغط الرمز المرغوب في لوحة الاستعمال، مثل ② **رقائق البطاطس**.

الشكل 9

✓ يومض رمز البرنامج المُحدّد وتظهر على الشاشة بالتناوب درجة الحرارة المضبوطة مسبقًا ووقت التحضير للبرنامج.

الشكل 10

7. لتعديل درجة الحرارة المضبوطة مسبقًا، اضبط القيمة المطلوبة بواسطة TEMP - أو +.

الشكل 11

8. لتعديل وقت التحضير المضبوط مسبقًا، اضبط القيمة المطلوبة بواسطة TIME - أو +.

الشكل 12

9. ابدأ التحضير بواسطة Start/Pause.

الشكل 13

✓ تظهر على شاشة المنطقة اليسرى بالتناوب درجة الحرارة المضبوطة ووقت التحضير المتبقي.

بدء التحضير في المنطقة الثانية

يمكنك بدء تحضير آخر في المنطقة الثانية في أي وقت بصرف النظر عن التحضير الجاري.

1. ضع الطعام على الجانب الفارغ في السلة وأزغ السلة بالكامل في الجهاز.

الشكل 14

2. اختر المنطقة الثانية في لوحة الاستعمال، على سبيل المثال المثال المنطقة اليمنى.

الشكل 15

✓ يومض رمز المنطقة اليمنى وتضيء رموز البرامج.

3. اختر برنامجًا للمنطقة الثانية، على سبيل المثال ⑤ **التمهير السريع**، وواتم القيم عند الحاجة.

الشكل 16

يمكن اختيار البرنامج نفسه للمنطقة الثانية، كما للمنطقة الأولى، مثلًا لإعداد حصة أخرى في وقت لاحق.

تقليب الطعام أو قلبه

1. عندما يومض ⑥ **SHAKE** للمنطقة اليسرى أو اليمنى، أخرج السلة من الجهاز.

الشكل 17

✓ يتوقف التحضير مؤقتًا وتعرض الشاشة **OPEN**، طالما أن السلة منزوعة.

2. استخدم أدوات طهي مصنوعة من الخشب أو البلاستيك المقاوم للحرارة لتقليب الأطعمة في المنطقة المعروضة أو قلبها.

الشكل 18

3. أزغ السلة بالكامل في الجهاز.

الشكل 19

✓ يُستأنف التحضير تلقائيًا وتظهر على الشاشة بالتناوب درجة الحرارة المضبوطة ووقت التحضير المتبقي.

إخراج الأطعمة الجاهزة

1. عندما ينتهي التحضير في المنطقة اليسرى أو في المنطقة اليمنى، يومض في شاشة عرض المنطقة **End** وتدوي إشارة صوتية.

الشكل 20

2. أخرج السلة.

الشكل 21

3. أخرج الطعام من السلة في المنطقة ذات بيان العرض **End** باستخدام أدوات الطهي، على سبيل المثال، من المنطقة اليسرى. اترك الطعام في المنطقة الثانية، والذي لم يُحضّر بشكل جاهز بعد، في السلة.

الشكل 22

4. أزغ السلة مرة أخرى بالكامل في الجهاز.

الشكل 23

✓ يُستأنف التحضير وتظهر على شاشة المنطقة، التي لا تزال نشطة، بالتناوب درجة الحرارة المضبوطة ووقت التحضير المتبقي.

وظيفة MATCH

استخدم وظيفة **MATCH** لاستعمال كلتا منطقتي الطهي أو منطقة طهي واحدة كبيرة بأوضاع الضبط نفسها، مثلًا تحضير كميات أكبر من الطبق نفسه، أو لأطعمة كبيرة.

استخدام وظيفة MATCH

1. اسحب فاصل السلة لأعلى وانتزعه.

الشكل 24

2. ضغ الطعام في السلة وأزغ السلة بالكامل في الجهاز.

الشكل 25

3. فَعَلْ وظيفة MATCH ■■.

4. اختر برنامجًا، ووائم القيم عند الحاجة، وابدأ التحضير بواسطة Start/Pause.

✓ تعرض كلتا الشاشتين بالتناوب القيم المتطابقة

✓ لدرجة الحرارة ووقت التحضير المتبقي.

✓ عندما ينتهي التحضير، يومض في كلتا الشاشتين End وتدوَّى إشارة صوتية.

ملاحظات

■ عندما تُفعَّل الوظيفة MATCH ■■، بعدما أختير برنامج بالفعل وعُيِّن لمنطقة واحدة، عندئذٍ تُطبق أوضاع الضبط للمنطقة الثانية.

■ عندما تُغيَّر قيم درجة الحرارة أو وقت التحضير لمنطقة مفردة في أثناء التحضير، تُنهَى عندئذٍ وظيفة MATCH. يسير التحضير الآخر بصورة فردية لكل منطقة.

وظيفة SYNC

استخدم وظيفة SYNC لمزامنة وقت التحضير لكلتا المنطقتين. تجهز أطباقٌ مختلفة في الوقت نفسه.

استخدام وظيفة SYNC

1. رُجِّب فاصل السلة وعيِّن المواد الغذائية يسارًا ويمينًا. أزغ السلة كلية في الجهاز المُشغَّل.

2. اختر المنطقة الأولى في لوحة الاستعمال، على سبيل المثال المنطقة اليسرى ■.

3. اختر برنامجًا للمنطقة الأولى، ووائم القيم عند الحاجة.

4. اختر المنطقة الثانية في لوحة الاستعمال، على سبيل المثال المنطقة اليمنى ■.

وظائف إضافية

تجد هنا نظرة عامة على وظائف إضافية.

5. اختر برنامجًا للمنطقة الثانية، ووائم القيم عند الحاجة.
6. فَعَلْ الوظيفة SYNC بواسطة Start/Pause. وابدأ التحضير بواسطة Start/Pause.
- ✓ تعرض شاشة المنطقة ذات وقت التحضير الأطول بالتناوب درجة الحرارة المضبوطة ووقت التحضير المتبقي.
- ✓ تعرض شاشة المنطقة ذات وقت التحضير الأقصر بالتناوب درجة الحرارة و Hold. يظل التحضير متوقفًا.
- ✓ عندما يُبلِّغ الوقت المتبقي نفسه لكلا المنطقتين، يبدأ التحضير في المنطقة المتوقفة.
- ✓ عندما ينتهي التحضير، يومض في كلتا الشاشتين End وتدوَّى إشارة صوتية.

ملاحظة: إذا عُرض وقت التحضير المتبقي لكلا المنطقتين عند تفعيل الوظيفة SYNC، ثم تُغيَّر وقت التحضير لمنطقة واحدة، فسوف تُنهَى الوظيفة SYNC.

البرنامج الشخصي MyFry

استخدم MyFry لحفظ أوضاعك الشخصية للضبط واستدعائها. يمكنك حفظ أوضاع الضبط كل على حدة للمنطقة اليسرى ■ والمنطقة اليمنى ■. ومن أجل MATCH ■■.

إعداد MyFry أو مواءمته

ملاحظة: عندما تُعد MyFry للمرة الأولى، لا تكون هناك قيم مُحدَّدة مسبقًا. عندما توائم MyFry، تُعرض القيم المحفوظة أخيرًا.

1. اختر MATCH ■■ أو منطقة في لوحة الاستعمال، على سبيل المثال المنطقة اليسرى ■.
- ✓ يومض رمز المنطقة اليسرى وتضيء رموز البرامج.
2. اضغط ☆ MyFry.
3. اضبط درجة الحرارة المرغوبة باستخدام TEMP — أو +، ووقت التحضير المرغوب باستخدام TIME — أو +.
4. لحفظ القيم، أبق على ☆ MyFry مضغوطًا لمدة ثانيتين على الأقل، إلى أن تصدر إشارة صوتية.

استخدام MyFry

1. اختر المنطقة اليسرى ■ أو المنطقة اليمنى ■ أو MATCH ■■.
- ✓ يومض المختار وتضيء رموز البرامج.
2. اضغط ☆ MyFry.
- ✓ تعرض الشاشة بالتناوب القيم المحفوظة لدرجة الحرارة ووقت التحضير.
3. ابدأ التحضير بواسطة Start/Pause.

الوظيفة	التنفيذ
تغيير القيم بوتيرة أسرع	استمر في الضغط على — أو +.
إلغاء التحضير في منطقتين	اضغط ① تشغيل/إطفاء.
إلغاء التحضير في منطقة واحدة	استمر في الضغط على ■ أو □. إلى أن تتوقف الشاشة المعنية عن عرض المزيد من القيم.
إلغاء اختيار المنطقة	استمر في الضغط على رمز المنطقة الواضع، إلى أن تتوقف الشاشة المعنية عن عرض المزيد من القيم.
تغيير درجة الحرارة أو وقت التحضير في أثناء عمل التحضير	يمكن موازنة القيم المرغوبة للمنطقة اليسرى أو اليمنى باستخدام — أو + مباشرة.
إيقاف التحضير مؤقتًا	عندما تكون منطقة واحدة نشطة أو لإيقاف التحضير في كلتا المنطقتين مؤقتًا، اضغط Start/Pause.

الوظيفة	التفصيل
إيقاف التحضير في منطقة واحدة فقط مؤقتًا، اضغط أولاً رمز المنطقة المرغوبة، ثم Start/Pause .	لاستئناف تحضير متوقف مؤقتًا، اضغط Start/Pause مرة أخرى.
إيقاف فعالية وظيفة SYNC	اضغط SYNC . يبدأ تحضير المنطقة المتوقف تشغيلها ويسير التحضير بصورة فردية لكل منطقة.

أمثلة تطبيقية

يوفر جهازك 9 برامج مختلفة مُعدّة مسبقًا. اختر البرنامج المناسب حسب نوع الطعام.

ملاحظات

- القيم المذكورة هي توصيات. نظرًا لاختلاف الأطعمة من حيث المنشأ والحجم والشكل والحالة والعلامة التجارية، قد تحيد الإعدادات المثلى لأطعمتك عن القيم المذكورة.
- عندما تستخدم منطقة الطهي الكبيرة، يمكنك تحضير ضعف كمية المواد الغذائية في وقت التحضير نفسه.

المواد الغذائية	الضبط المسبق	إرشادات
رقائق البطاطس المُمجّدة، 10 × 10 مم، 400 جم	🍟 رقائق البطاطس 180 °م 16 دقيقة	عندما يومض SHAKE ، قلب الطعام أو اقلبه.
أوراك دجاج، 4 قطع كلٍّ منها 125 جم	🍗 الطيور 200 °م 24 دقيقة	عندما يومض SHAKE ، قلب الطعام أو اقلبه.
الاستيك البقري، 2 قطع، بسمك 3 سم تقريبًا	🥩 التحمير السريع 230 °م 16 دقيقة	عندما يومض SHAKE ، قلب الطعام أو اقلبه.
شرائح سمك السلمون، 2 قطعة كل منها 150 جم	🐟 السمك 160 °م 10 دقيقة	
الخضراوات المشوية، 350 جم	🥕 الخضراوات 180 °م 14 دقيقة	قطّع الخضراوات إلى قطع كبيرة واخلطها مع ملعقة زيت كبيرة عندما يومض SHAKE ، قلب الطعام أو اقلبه.
قطع كعك أو مافن صغيرة، 4 قطع	🍞 مخبوزات صغيرة 150 °م 15 دقيقة	
إذابة المواد الغذائية المُمجّدة	❄️ إذابة التجمد 40 °م 30 دقيقة	
تدفئة الأطعمة المُحضّرة الجاهزة	🔥 التسخين 150 °م 5 دقيقة	للحصول على نتائج مقرمشة، اضبط درجة الحرارة على ما يزيد عن 150 درجة مئوية.
الحفاظ على سخونة الأطعمة المطهية	🔥 الحفاظ على السخونة 80 °م 30 دقيقة	

نصائح

- إذا كان حجم الطعام يختلف عن المذكور في الجدول، فقصّر أو أطّل وقت الطهي.
- وإذا لم يكن الطعام جاهزًا بعد انتهاء وقت الطهي المحدد، فاطل وقت الطهي أو زدّ درجة الحرارة.
- للحصول على نتيجة طهي متساوية، قلب الأطعمة في السلة أو اقلبها، عندما تومض **SHAKE**.
- إذا لم تحصل الأطعمة على القرمشة المطلوبة، فرش القليل من الزيت على الأطعمة قبل الطهي، على سبيل المثال باستخدام فرشاة أو بخاخ زيت. واطرّك الزيت الزائد يتقاطر أو امسحه.

نظرة عامة على التنظيف

نظّف كافة الأجزاء على الفور بعد الاستخدام، حتى لا تجف البقايا.

- لا تستخدم مواد تنظيف محتوية على الكحول أو الإيثانول.
- لا تستخدم أي أغراض معدنية حادة أو مدببة.
- لا تستخدم أية فوط أو مواد تنظيف خادشة.
- لا تنظّف حقل التشغيل وشاشة العرض إلا باستخدام فوطة رطبة مصنوعة من ألياف صناعية.
- نظّف الأجزاء المفردة كما هو مبين في الجدول.

تنظيف الجهاز والأجزاء

- نظّف الجهاز الأساسي بقطعة قماش ناعمة رطبة، ثم جفّفه.
- استخدم قطعة قماش مُبلّلة من الألياف الدقيقة لتنظيف الشاشة.

2. نظّف حيز الطهي بماءٍ دافئٍ وقطعة قماش ناعمة أو إسفنجة، إذا لزم الأمر.
3. أزل بقايا الطعام من عنصر التسخين بفرشاة ناعمة.
4. أزل الدهون والزيوت الزائدة من السلة.
5. إذا كانت هناك بقايا دهون صعبة الإزالة في السلة، فاملاً السلة بقليل من الماء الدافئ مع بضع قطرات من سائل التنظيف واتركها تؤدي وظيفتها.
6. نظّف السلة والشبكات السلكية بماء الصابون وقطعة قماش ناعمة أو إسفنجة أو ضعها في غسالة الأطباق.

التغلب على الاختلالات

العتل	السبب والتغلب على الأعطال
الجهاز لا يعمل.	الجهاز غير متصل بالكهرباء. ▶ تحقق مما إذا كان جهازك مُزوّدًا بالكهرباء.
التحضير لا يُبدأ أو يُستأنف و ▶ التشغيل الإيقاف لا يُعرض في لوحة الاستعمال.	السلة غير موضوعة بشكل صحيح في الجهاز. ▶ أزع السلة كلية داخل الجهاز. يجب ألا تبرز السلة من جسم الماكينة.
يتعدّى إدخال السلة بالكامل في الجهاز.	هناك أطعمة أو أغراض في حيز الطهي. ▶ أزل الأطعمة أو الأغراض من حيز الطهي. تصبغ الأطعمة أو الأغراض الموجودة في حيز الطهي ساخنة في أثناء التحضير. استخدم أدوات طهي مقاومة للحرارة وتوخّ الحذر.
رمز خطأ يظهر في شاشة العرض، مثل Ex.	اكتشفت الوحدة الإلكترونية وجود خطأ. 1. انزع القابس الكهربائي. 2. أعدّ قيس القابس الكهربائي في المقبس. 3. إذا استمر وجود الخلل، فاتصل بخدمة العملاء.
دخانٌ أبيض يخرج من الجهاز.	تتسبب الدهون المتساقطة وبقايا الدهون في السلة أو في حيز الطهي في ظهور دخان أبيض عند التسخين. ▶ نظّف السلة والشبكة السلكية وحيز الطهي جيدًا بعد كل استخدام لإزالة جميع بقايا الدهون.
بعد طهي الأطعمة ذات محتوى الرطوبة المرتفع، يتجمّع ماءٌ في مقصورة الطبخ.	ملاحظة: الدخان الأبيض الناتج عن بقايا الدهون لا يؤثر على نتيجة الطهي أو الجهاز. يتكون ماء متكتفٍ لأسباب فيزيائية. ▶ بمجرد أن يبرد الجهاز بشكل كافٍ، جفّف مقصورة الطبخ بقطعة قماش.
	ملاحظة: يكون تكوّن الماء المتكتفٍ طبيعيًا وغير ضار.

التخلص من الجهاز القديم

▶ تخلّص من الجهاز بطريقة لا تضر بالبيئة.
يمكنك الحصول على المعلومات الخاصة بأحدث سبل التخلص من المخلفات لدى تاجرِك المتخصص أو لدى إدارة البلدية أو المدينة التي تتبع لها.

هذا الجهاز مطابق للمواصفة الأوروبية 2012/19/ المجموعة الاقتصادية الأوروبية الخاصة بالأجهزة الكهربائية والإلكترونية القديمة (waste electrical and electronic equipment - WEEE).

وهذه المواصفة تحدد الإطار العام لقواعد تسري في جميع دول الاتحاد الأوروبي بخصوص استعادة الأجهزة القديمة وإعادة استغلالها.







Many thanks for choosing a Bosch home appliance!

Register your new appliance now on MyBosch and benefit directly from:

- **Expert advice and tips to make the most of your appliance**
- **Options for warranty extension**
- **Discounts on spare parts and accessories**
- **Digital information for use and all appliance data to hand**
- **Easy access to Bosch Home Appliance Service**

Simple to register, free of charge – including on mobile devices:

www.bosch-home.com/welcome



Need some help? You can find it here.

Expert advice on your Bosch home appliances, help with problems or repairs by professionals from Bosch.

Discover all the different ways Bosch can assist you:

www.bosch-home.com/service

The contact details of all countries are listed in the attached service directory.

BSH Hausgeräte GmbH

Carl-Wery-Straße 34
81739 München, GERMANY
www.bosch-home.com

A Bosch Company

Valid within Great Britain:
Imported to Great Britain by
BSH Home Appliances Ltd.
Grand Union House
Old Wolverton Road
Wolverton, Milton Keynes
MK12 5PT
United Kingdom



8001377662 (060602)

en, ar