

WS0814A User Manual

Wireless Charger with Stand



Manufacturer: SHENZHEN DNS INDUSTRIES CO., LTD.
Address: 23/F Building A, Shenzhen International Innovation Center,
No.1006 Shennan Road, Futian, Shenzhen, China.
Importer: XXXXXXXXXX
Address: XXXXXXXXXX

Important Safety Instructions

- Only use reputable third party chargers
- Do not place too close to magnetic strip or chip ID card to avoid magnetic failure
- Do not place within 2cm of implantable medical devices(pacemaker, cochlear implant etc.) to avoid potential interference
- Do not clean with harmful chemicals or detergents
- Do not use if damaged or broken
- Misuse, dropping or excessive force may cause damage to the charging stand
- Do not allow to get wet. Unplug and do not use if it has been wet
- Do not use near heat source such as fireplace or heater
- Do not cover or use in confined spaces (e.g. in a pocket, bag, under covers, in a drawer)
- Do not cover or use in confined spaces to avoid overheating.
- Designed for indoor/home use

Please Note: When wirelessly charging a device, the wireless charger and your device may feel warm. This is abnormal and should not be cause for concern. If the charger or the phone become hot to the touch, stop using.

Compatibility

Compatible with Qi2.2-enabled devices

*including

iPhone 17 series(25W max)

iPhone 16 series(25W max)

Features

- Charge your Qi2.2-enabled wireless charging phone
- Magnetically charge an iPhone 17/16 series

Qi2.2 and MagSafe compatibility ensures perfect alignment of your iPhone for optimum every time

- Supports 25w wireless fast charging for compatible phones
- Works with Qi2.2 and MagSafe compatible cases
- Full safety protection with temperature control, voltage regulation and short circuit protection

Specifications

- Wireless Standard: WPC/Qi2.2 MPP (v2.1.1)
- Input: USB-C PD 36W Max.
- Wireless iPhone Output: 25W/15W/10W/7.5W/5W
- Working Frequency: 110.5-205kHz, 360KHz

·Charging Efficiency: >75%

●Size: 60mm (W) x 12mm (H)

·Weight: 95g±10g

·Certifications: Qi2.2

·Qi ID: 24827

Note: Does not work with non-MagSafe cases

* Check with device manufacturer for wireless compatibility

Note: please use 36 W above charger for 25W output

Wireless Charger Operation

- Connect the USB-C cable to a USB-C wall charger;
- Place your iPhone onto the magnetic charging pad and the magnets will perfectly align for optimum wireless charging. If you need a stand function, simply pull out the metal stand, your phone should automatically start charging;
- To remove your phone, simply pull the magnetic charging pad away from your phone.

FCC Statement

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body.