

QUICK REFERENCE GUIDE

MANITOWOC ICE MACHINES



Manitowoc

► FROM PENTAIR WATER SOLUTIONS

WE KNOW GREAT ICE

Manitowoc Ice has long delivered dependable, forward-thinking solutions for the foodservice industry. Our machines support cleaner operation, reduced environmental impact, and long term value. With the largest ENERGY STAR® portfolio in the industry, we continue to lead in efficiency and sustainability.

This guide highlights our full lineup—from modular cubers to undercounters and specialty units—each engineered for reliable performance and lower operating costs.

TABLE OF CONTENTS

Ice Types	2
Cube Machines: Indigo NXT®	4
▶ 22" and 30" Cubers	6
▶ 48" Cubers	8
▶ Remote Air-Cooled	9
▶ QuietQube	10
▶ Dispensers	12
▶ Ice/Beverage Series	14
Large Capacity Quadzilla	15
Undercounter Cube Machines: NEO®	16
Nugget Ice Machines	20
Flake Ice Machines	22
Gourmet Undercounter	24
▶ Ice Machine	24
▶ Spray Cube Machine: Sotto™	25
Square Ice: Crystal Craft	26
Ice Storage Bins	28
▶ Standard Bins	28
▶ Large Capacity Bins	29
Options & Accessories	30
▶ Luminice® II	30
▶ iAuCS® Automatic Cleaning System	30
▶ Arctic Pure Water Filtration	30
▶ Vertical Discharge Remote Condensers	31
▶ External Scoop Holder	31
Certifications & Listings	32
Aftermarket Service Support	34
Ice Usage Guide	36
Warranty	37

ICE TYPES

Ice-to-Water Ratio



HALF-DICE
Hard rhomboid cube

≈100% Ice



DICE
Hard rhomboid cube

≈100% Ice



REGULAR
Hard rhomboid cube

≈100% Ice



NUGGET
Chewable, dry enough
to dispense

85% Ice



FLAKE
Small, soft pieces
ideal for presentation

73% Ice



SQUARE
Slow-melting cube

≈100% Ice



GOURMET
Octagon-shaped cube

≈100% Ice

Cubes per Pound	Dimensions	Ideal Use
96	3/8" x 1 1/8" x 7/8" (0.95 x 2.86 x 2.22 cm)	High-volume dispensing, smoothies, iced coffee, self-service beverages
48	7/8" x 7/8" x 7/8" (2.22 x 2.22 x 2.22 cm)	High-volume dispensing, water service, mixed drinks
32	1 1/8" x 1 1/8" x 7/8" (2.86 x 2.86 x 2.22 cm)	Slower melt, larger volume, spirits on the rocks or cocktails, shaken drinks
Varies	3/8" to 1/2" (0.95 to 1.27 cm)	Blended drinks, healthcare, soft drinks
Varies	Varies	Food displays, seafood, hand scooping
Varies	1" x 1" (2.54 x 2.54 cm)	Premium cocktails
Varies	1 3/8" x 1 3/8" (3.49 x 3.49 cm)	Upscale presentation, individual serving

INDIGO NXT[®]

CUBE ICE MACHINES

Indigo NXT delivers smarter ice management with natural refrigerant, reduced water use, and intelligent Bluetooth[®] controls—**simplifying ownership while maximizing long-term value.**



BIOFILMPROTECTION

Optional LuminIce II helps inhibit viruses and bacteria.



UPDATED OPERATING SYSTEM

The new system helps reduce water consumption.



Pair Your Indigo NXT and Access Tools at Your Fingertips – Get the App!

Look for the Bluetooth sticker or icon in the settings menu to confirm compatibility.



BLUETOOTH® CONNECTIVITY

For quick setup and instant machine information.



CONTAMINATION CONTROL

A tightly sealed food zone helps reduce exposure.



INTUITIVE DISPLAY

The touchscreen provides guided setup.



MANITOWOC BRAND

Hardworking performance. Lasting quality.

INDIGO NXT[®]

CUBERS

22" WIDE CUBERS



iP0420 +
D320 Bin



iP0620 +
D420 Bin

Ice Production [†]	466 lbs	211 kgs	537 lbs	244 kgs
Ice Storage Capacity	264 lbs	120 kgs	383 lbs	174 kgs
Height with Bin	59.5 in	151.1 cm	71.5 in	181.6 cm
Width	22.0 in	55.9 cm	22.0 in	55.9 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.4 cm



Half-Dice



Dice



Regular*



30" WIDE CUBERS



**iP0300 +
D400 Bin**



**iP0450 +
D400 Bin**



**iP0500 +
D400 Bin**

Ice Production [†]	325 lbs	147.4 kgs	478 lbs	216 kgs	516 lbs	234 kgs
Ice Storage Capacity	365 lbs	165 kgs	365 lbs	165 kgs	365 lbs	165 kgs
Height with Bin	54.5 in	138.4 cm	59.5 in	151.1 cm	59.5 in	151.1 cm
Width	30.0 in	76.2 cm	30.0 in	76.2 cm	30.0 in	76.2 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.4 cm	34.0 in	86.4 cm



**iP0600 +
D400 Bin**



**iP0800 +
D570 Bin**



**iP1000 +
D570 Bin**



**iT1200 +
D570 Bin**

Ice Production [†]	672 lbs	304.8 kgs	781 lbs	354 kgs	985 lbs	447 kgs	1213 lbs	550 kgs
Ice Storage Capacity	365 lbs	165 kgs	532 lbs	241 kgs	532 lbs	241 kgs	532 lbs	241.1 kgs
Height with Bin	59.5 in	151.1 cm	76.5 in	194.3 cm	79.5 in	201.9 cm	79.5 in	201.9 cm
Width	30.0 in	76.2 cm	30.0 in	76.2 cm	30.0 in	76.2 cm	30.0 in	76.2 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.4 cm	34.0 in	86.4 cm	34.0 in	86.4 cm

* Regular cube is only available with iP0620 and iP0500.

[†] Half-dice pounds produced per day. Approximate ice-making capacity based on air-cooled condense unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.

INDIGO NXT[®]

CUBERS

48" WIDE CUBERS



**iT1500 +
D970 Bin**



**iT1900 +
D970 Bin**

Ice Production [†]	1931 lbs	876 kgs	1965 lbs	891 kgs
Ice Storage Capacity	882 lbs	400 kgs	882 lbs	400 kgs
Height with Bin	79.5 in	201.9 cm	79.5 in	201.9 cm
Width	48.0 in	121.9 cm	48.0 in	121.9 cm
Depth with Bin	34.0 in	86.3 cm	34.0 in	86.3 cm



Half-Dice



Dice



Regular*



REMOTE AIR-COOLED


**iF0500N +
D570 Bin**
**iT0750N +
D570 Bin**
**iT0900N +
D570 Bin**

Ice Production [†]	525 lbs	238 kgs	720 lbs	302 kgs	731 lbs	331.6 kgs
Ice Storage Capacity	532 lbs	241.3 kgs	532 lbs	241.3 kgs	365 lbs	165.6 kgs
Height with Bin	71.5 in	181.6 cm	71.5 in	181.6 cm	76.5 in	194.3 cm
Width	30.0 in	76.2 cm	30.0 in	76.2 cm	30.0 in	76.2 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.4 cm	34.0 in	86.4 cm
Remote Condenser	JCF0500		JCT1200		JCT1200	

**iT1200N +
D570 Bin**
**iT1500N +
D970 Bin**
**iT1900N +
D970 Bin**

Ice Production [†]	1220 lbs	553 kgs	1830 lbs	830 kgs	1805 lbs	819 kgs
Ice Storage Capacity	532 lbs	241.1 kgs	882 lbs	400 kgs	882 lbs	400 kgs
Height with Bin	79.5 in	201.9 cm	79.5 in	201.9 cm	79.5 in	201.9 cm
Width	30.0 in	76.2 cm	48.0 in	121.9 cm	48.0 in	121.9 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.3 cm	34.0 in	86.3 cm
Remote Condenser	JCT1200		JCT1500		JCT1500	

* Regular cube is only available with iT1900.

[†] Half-dice pounds produced per day. Approximate ice-making capacity based on air-cooled condense unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.

INDIGO NXT®

QUIETQUBE

Indigo NXT QuietQube® ice machines feature roof-mounted compressor and fan components to reduce noise and heat. Their patented CVD® (Cool Vapor Defrost) technology uses cool vapor for ice harvest, enhancing reliability, efficiency, and output. The result is an ultra-quiet system—**up to 75% quieter than standard remote or self-contained models.**



CVD Condensing Unit†



Half-Dice



Dice


**iF0600C +
D570 Bin**
**iF0900C +
D570 Bin**
**iT1200C +
D570 Bin**

Ice Production*	600 lbs	272 kgs	816 lbs	370 kgs	1155 lbs	525 kgs
Ice Storage Capacity	532 lbs	241 kgs	532 lbs	241 kgs	532 lbs	241 kgs
Height with Bin	71.5 in	181.6 cm	76.5 in	194.3 cm	79.5 in	201.9 cm
Width	30.0 in	76.2 cm	30.0 in	76.2 cm	30.0 in	76.2 cm
Depth with Bin	24.5 in	62.2 cm	24.5 in	62.2 cm	24.5 in	62.2 cm
Condensing Unit	CVDF0600		CVDT1400		CVDF1200	

**iF1400C +
D970 Bin**
**iT1430C +
D970 Bin**
**iF1800C +
D970 Bin**

Ice Production*	1425 lbs	646 kgs	1437 lbs	652 kgs	1660 lbs	753 kgs
Ice Storage Capacity	882 lbs	400 kgs	882 lbs	400 kgs	882 lbs	400 kgs
Height with Bin	75.0 in	190.5 cm	75.0 in	190.5 cm	79.5 in	201.9 cm
Width	30.0 in	76.2 cm	30.0 in	76.2 cm	30.0 in	76.2 cm
Depth with Bin	24.5 in	62.2 cm	24.5 in	62.2 cm	24.5 in	62.2 cm
Condensing Unit	CVDF1400		CVDT1400		CVDF1800	

**iT1830C +
D970 Bin**
**iF2100C +
D970 Bin**

Ice Production*	1874 lbs	850 kgs	1800 lbs	816 kgs
Ice Storage Capacity	882 lbs	400 kgs	882 lbs	400 kgs
Height with Bin	79.5 in	201.9 cm	79.5 in	201.9 cm
Width	30.0 in	76.2 cm	30.0 in	76.2 cm
Depth with Bin	24.5 in	62.2 cm	24.5 in	62.2 cm
Condensing Unit	CVDT1800		CVDF2100	

* Half-dice pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.

† CVD Condensing Unit CVDF0600 to CVDT1830 34" W x 24.13" D x 25.75" H 86.4 x 61.3 x 65.4 cm.

INDIGO NXT[®] DISPENSERS

Touchless, floor-standing ice dispensers designed for high sanitation standards in lodging, foodservice, and healthcare.

Dispense up to 635 lbs of ice daily with a paddle wheel delivery system and lever-activated mechanism. SFA models include a built-in water valve for added convenience. **Clean, quiet, and styled to fit any space.**



Half-Dice



Dice



Regular



**iP0420
SFA-192**



**iP0420
SPA-162**

Ice Storage Capacity	120 lbs	54 kgs	120 lbs	54 kgs
Height with Ice Machine on Dispenser	75.5 in	191.8 cm	75.5 in	191.8 cm
Width	22.0 in	55.9 cm	22.0 in	55.9 cm
Depth with Dispenser	31.0 in	78.7 cm	31.0 in	78.7 cm



**iP0450
SFA-292**



**iP0450
SPA-312**

Ice Storage Capacity	180 lbs	82 kgs	180 lbs	82 kgs
Height with Ice Machine on Dispenser	82.0 in	208.3 cm	82.0 in	208.3 cm
Width	30.0 in	76.2 cm	30.0 in	76.2 cm
Depth with Dispenser	32.0 in	81.3 cm	32.0 in	81.3 cm

Ice machine and dispenser ordered separately.

INDIGO NXT[®]

ICE/BEVERAGE SERIES

Half-Dice



The Indigo NXT IB Series delivers high ice production in a compact 22" footprint with a slim 14" depth for easy access to beverage dispensers. Powered by patented CVD[®] technology, it **operates quietly and efficiently with minimal heat exhaust, and installs easily on most dispensers** using the proper adapter.



Ice/Beverage Series on Ice/Beverage Dispenser

	iBF0620C		iBF0820C		iBT1020C	
Ice Production*	675 lbs	306 kgs	675 lbs	306 kgs	1206 lbs	547 kgs
Height	24.0 in	61.0 cm	24.0 in	61.0 cm	30.5 in	77.5 cm
Width	22.0 in	55.9 cm	22.0 in	55.9 cm	22.0 in	55.9 cm
Depth	14.0 in	35.6 cm	14.0 in	35.6 cm	14.0 in	35.6 cm

* Half-dice pounds produced per day. Approximate ice-making capacity based on air-cooled condense unit at 70°F/21°C air and 50°F/10°C water. Beverage dispenser must be sourced separately.

QUADZILLA

LARGE CAPACITY

Half-Dice



Dice



The S3000 Series “Quadzilla” delivers high ice output in a compact design. It’s built for easy cleaning, efficient service access, and long-term durability—

making it a **reliable, low-maintenance solution for demanding environments.**



Available with
Optional Remote
Condensing Unit

ST3000W +
F1650 Bin

SF3000C +
F1650 Bin

Ice Production*	3200 lbs	1451 kgs	2910 lbs	1320 kgs
Ice Storage Capacity	1494 lbs	678 kgs	1494 lbs	678 kgs
Height	103.0 in	261.6 cm	120.0 in	414.0 cm
Width	60.0 in	152.4 cm	60.0 in	152.4 cm
Depth	39.0 in	99.1 cm	34.0 in	86.4 cm
Condensing Unit†	CVDF3000			

* Half-dice pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.

† CVDF3000 53" W x 26" D x 25.75" H 134.6 x 66.0 x 65.4 cm.

NEO®

UNDERCOUNTER

The undercounter designed to overdeliver.

With integrated water filtration, the NEO is crafted for quality and built for business. The commitment to sustainability, energy efficiency, low GWP, and ENERGY STAR® certification makes it ideal for those who want the best for their business, customers and the environment.





LUMINICE® II OPTION

Helps reduce bacteria, yeast, and slime buildup.



USER INTERFACE

Easy-to-read touchpad with key status indicators.



REMOVABLE BIN

Forward-sliding bin provides easy access for cleaning and maintenance.



AIRFLOW

Front ventilation ideal for undercounter installation.



ONBOARD WATER FILTRATION

Improves machine's efficiency and ice quality.

NEO[®]

UNDERCOUNTER CUBERS

These compact ice cube machines are ideal for **small-volume ice production, for limited-use needs, or as back-ups for larger machines.**

Specifically designed to fit beneath counters or in areas where floor space or height restrictions prohibit use of larger equipment.

The petite size makes any of these models ideal for on-the-spot installations at coffee shops, stadium boxes, refreshment/break areas, or wherever limited ice needs require equipment with a small footprint.



Half-Dice



Dice



Regular*



UDP0065[†]



UDP0080[†]



UP0140

Ice Production [‡]	62 lbs	28 kgs	110 lbs	50 kgs	150 lbs	68 kgs
Ice Storage Capacity	31 lbs	14 kgs	31 lbs	14 kgs	90 lbs	40 kgs
Height	36.0 in	94.2 cm	36.0 in	94.2 cm	38.5 in	97.8 cm
Width	19.7 in	50.0 cm	19.7 in	50.0 cm	26.0 in	66.0 cm
Depth	22.3 in	56.7 cm	22.3 in	56.7 cm	28.5 in	72.4 cm



UP0190



UP0240



UP0310

Ice Production [‡]	200 lbs	91 kgs	250 lbs	114 kgs	330 lbs	150 kgs
Ice Storage Capacity	90 lbs	40 kgs	90 lbs	40 kgs	119 lbs	54 kgs
Height	38.5 in	97.8 cm	38.5 in	97.8 cm	38.5 in	97.8 cm
Width	26.0 in	66.0 cm	26.0 in	66.0 cm	30.0 in	76.2 cm
Depth	28.5 in	72.4 cm	28.5 in	72.4 cm	28.5 in	72.4 cm

* Regular cube is only available with UP0140 and UP0310.

[†] Not available with onboard filtration.

[‡] Pounds produced per day. Approximate ice-making capacity based on air-cooled unit at 70°F/21°C air and 50°F/10°C water. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.

NUGGET ICE MACHINES

Manitowoc nugget machines produce **chewable, high-quality ice** with minimal drink dilution—ideal for dispensing, blended beverages, and healthcare use from hydration to cold therapy.



CNP0201



CNP0202

Ice Production*	315 lbs	143 kgs	315 lbs	143 kgs
Ice Storage Capacity	10 lbs	4.5 kgs	20 lbs	9.1 kgs
Height	35.0 in	89.9 cm	42.0 in	106.7 cm
Width	16.3 in	41.3 cm	16.3 in	41.3 cm
Depth	24.0 in	61.0 cm	24.0 in	61.0 cm



UNP0200



UNP0300

Ice Production*	213 lbs	97 kgs	330 lbs	150 kgs
Ice Storage Capacity	30 lbs	14 kgs	60 lbs	27 kgs
Height	33.2 in	84.2 cm	39.5 in	100.4 cm
Width	19.7 in	50.0 cm	29.1 in	73.8 cm
Depth	26.0 in	66.0 cm	27.2 in	69.0 cm



**RNP0320 +
D420 Bin**



**RNP0620 +
D420 Bin**

Ice Production*	308 lbs	140 kgs	591 lbs	268 kgs
Ice Storage Capacity	383 lbs	173 kgs	383 lbs	173 kgs
Height with Bin	76.0 in	193.0 cm	76.0 in	193.0 cm
Width with Bin	22.0 in	55.8 cm	22.0 in	55.8 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.4 cm



**RNP1100 +
D570 Bin**



**RNF1020C +
D420 Bin**



**RNF2000C +
D570 Bin**

Ice Production*	1078lbs	489 kgs	1025 lbs	465 kgs	1915 lbs	868 kgs
Ice Storage Capacity	532 lbs	241 kgs	383 lbs	173 kgs	532 lbs	241 kgs
Height with Bin	77.4 in	196.5 cm	77.4 in	196.5 cm	77.4 in	196.5 cm
Width with Bin	30.0 in	76.2 cm	22.0 in	55.8 cm	30.0 in	76.2 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.4 cm	34.0 in	86.4 cm

*Approximate ice-making capacity based on air-cooled unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.

FLAKE ICE MACHINES

Manitowoc flake ice machines produce soft, moldable ice that **cools quickly, holds shape, and won't bruise food**—ideal for fresh displays and hand-scooped drinks.

FLAKE UNDERCOUNTER



UFP0200



UFP0350

Ice Production*	257 lbs	117 kgs	398 lbs	181 kgs
Ice Storage	50 lbs	23 kgs	60 lbs	27 kgs
Height	37.5 in	95.2 cm	39.5 in	100.4 cm
Width	19.7 in	50.0 cm	29.1 in	73.8 cm
Depth	26.0 in	66.0 cm	27.2 in	69.0 cm

* Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.





FLAKE MODULAR



**RFP0320 +
D420 Bin**



**RFP0620 +
D420 Bin**



**RFF1300 +
D570 Bin**

Ice Production*	370 lbs	168 kgs	682 lbs	309 kgs	1264 lbs	573 kgs
Ice Storage Capacity	383 lbs	173 kgs	383 lbs	173 kgs	532 lbs	241 kgs
Height with Bin	76.0 in	193 cm	76.0 in	193 cm	77.4 in	196.6 cm
Width with Bin	22.0 in	55.9 cm	22.0 in	55.9 cm	30.0 in	76.2 cm
Depth with Bin	34.0 in	86.4 cm	34.0 in	86.4 cm	34.0 in	86.4 cm



**RFF1220C +
D420 Bin**



**RFF2200C +
F1650 Bin**

Ice Production*	1092 lbs	495 kgs	2063 lbs	936 kgs
Ice Storage Capacity	383 lbs	173 kgs	1494 lbs	678 kgs
Height with Bin	76.0 in	193.0 cm	94.4 in	239.8 cm
Width with Bin	22.0 in	55.9 cm	60.0 in	152.4 cm
Depth with Bin <i>Snout Adds</i>	34.0 in	86.4 cm	31.0 in <i>8.0 in</i>	78.7 cm <i>20.0 cm</i>

GOURMET ICE MACHINE

Gourmet



The UCP0050 produces octagon cubes with nearly 100% ice-to-water ratio — **perfect for upscale drinks.** Compact and cabinet-ready, it features delay-start mode, a lit oversized bin, and built-in water filtration.



UCP0050A

Ice Production*	53 lbs	24 kgs
Ice Storage Capacity	25 lbs	11 kgs
Height	33.5 in	85.0 cm
Width	14.8 in	37.5 cm
Depth	22.8 in	57.8 cm



Undercounter Spray Cubers for Global Venues

Designed for international markets, Sotto™ delivers large, octagonal cubes—**ideal for restaurants, bars, cafés, and delis.** Producing 22–86 kg of ice daily with 44 kg storage, it fits seamlessly into undercounter spaces and features a multi-function control panel, delay-start mode, and built-in water filtration.

SOTTO™



UGP0020



UGP0030



UPG0040

Ice Production*	22 kgs	31 kgs	53 kgs
Ice Storage Capacity	5.5 kgs	5.5 kgs	14 kgs
Height	65.0 cm	65.0 cm	80.0 cm
Width	45.0 cm	45.0 cm	55.0 cm
Depth	47.5 cm	47.5 cm	55.0 cm



UGP0050



UGP0080

Ice Production*	57.0 kgs	76.0 kgs
Ice Storage Capacity	14.0 kgs	30.0 kgs
Height	80.0 cm	90.0 cm
Width	55.0 cm	70.0 cm
Depth	55.0 cm	60.0 cm

*Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Sotto Products are not available in North America.

SQUARE ICE CRYSTAL CRAFT

Boost profits with CrystalCraft – premium 1"x1" clear cubes that melt slowly to elevate cocktail flavor and presentation. The USP0100 uses R-290 refrigerant, features one-touch cleaning, and comes with a 3-year warranty. **High output, sleek design – perfect for top-tier bars.**



Square



USP0100A

Ice Production	100 lbs	45.5 kgs
Ice Storage Capacity	38 lbs	17.2 kgs
Height	37.5 in	92.3 cm
Width	19.7 in	50.0 cm
Depth	22.8 in	58.0 cm



ICE STORAGE BINS

Designed for Indigo NXT, Flake, and Nugget ice machines, these bins feature an elevated scoop holder for cleaner access, a patented hinge for hands-free door use, and a PVC base that protects against cleaning damage. The Duratech™ exterior resists fingerprints and outlasts stainless steel for a cleaner, longer-lasting finish.



D320 Bin



D400 Bin



D420 Bin

Application Capacity	264 lbs	119 kgs	365 lbs	165 kgs	383 lbs	173 kgs
Height	38.0 in	96.5 cm	38.0 in	96.5 cm	50.0 in	127 cm
Width	22.0 in	55.9 cm	30.0 in	76.2 cm	22.0 in	55.9 cm
Depth	34.0 in	86.4 cm	34.0 in	86.4 cm	34.0 in	86.4 cm



D570 Bin



D970 Bin

Application Capacity	532 lbs	241 kgs	882 lbs	400 kgs
Height	50.0 in	127 cm	50.0 in	127 cm
Width	30.0 in	76.2 cm	48.0 in	121.9 cm
Depth	34.0 in	86.4 cm	34.0 in	86.4 cm

ICE STORAGE BINS

LARGE CAPACITY

F-Style bins are high-capacity ice storage solutions with a sliding ice gate that minimizes spillage and enhances safety. Available in 30", 48", and 60" widths, they're ideal for busy commercial environments.



F700 Bin



F1300 Bin

Application Capacity	639 lbs	290 kgs	1194 lbs	542 kgs
Height	60.0 in	152.4 cm	65.0 in	165.1 cm
Width	30.0 in	76.2 cm	48.0 in	121.9 cm
Depth	31.0 in	78.7 cm	31.0 in	78.7 cm
Snout Adds	8.0 in	20.0 cm	8.0 in	20.0 cm



F1325 Bin*



F1650 Bin



FC1350 Bin

Application Capacity	1238 lbs	562 kgs	1494 lbs	678 kgs	1304 lbs	591 kgs
Height	56.0 in	142.2 cm	65.0 in	165.1 cm	75.0 in	190.5 cm
Width	60.0 in	152.4 cm	60.0 in	152.4 cm	60.0 in	152.4 cm
Depth	31.0 in	78.7 cm	31.0 in	78.7 cm	40.0 in	101.6 cm
Snout Adds	8.0 in	20.0 cm	8.0 in	20.0 cm	8.0 in	20.0 cm

Ice machine and adapters ordered separately. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.

* F1325-3030 includes K603030 adapter for two 30" ice machines.

ACCESSORIES AND OPTIONS

LuminIce® II Virus & Bacteria Inhibitor

- Creates “active air” to inhibit viruses, bacteria, mold, and yeast around the ice machine’s foodzone.
- Compatible with Indigo NXT and NEO series.
- Runs quietly 24/7, helping maintain a cleaner foodzone between regularly scheduled cleanings.
- Space-saving design fits inside the ice machine.



iAuCS® Automatic Cleaning System

- Automates cleaning/sanitizing based on selected intervals (1-6 months).
- Compatible with Indigo NXT modular units.



Arctic Pure Water Filters

- Triple-stage filtration with 0.5-micron silver carbon block and polyphosphates.
- Protects ice quality and machine performance.
- Quick-disconnect design.
- NSF 42/53 certified.
- Use with pre-filter for maximum efficiency and cartridge life.



Vertical Discharge Remote Condensers

- Improves efficiency, increases ice output, and conserves energy.
- Compatible with Series 500-1900 ice machines.
- Includes ice maker, bin, condenser, and refrigerant lines.
- Optional "Q" suffix adds coil protection for salt spray environments.



Multi-Mount External Scoop Holder (K00461)

- NSF-approved, tool-free assembly.
- Mounts 7 ways: bin (left/right, horizontal/vertical) or wall (horizontal/vertical).
- Works with D Bin scoop or LB-Style bins (K00482 hanger).
- Optional metal scoop available (K00463).



CERTIFICATIONS AND LISTINGS

AHRI Certification

Trusted Performance You Can Count On.

Manitowoc Ice Machines and D-Bins are certified by the American Heating and Refrigeration Institute (AHRI), ensuring that published performance data is independently validated to ASHRAE standards.

- Certified products are regularly tested by third-party labs to confirm they meet published specifications.
- Products carrying the AHRI label are guaranteed to perform as rated.
- Ice machine performance is measured at 90°F ambient and 70°F water temperature.
- Bin capacity is rated by the cubic volume of the bin's interior.

ENERGY STAR® Certified

Many Manitowoc ice machines proudly earn the ENERGY STAR® label, delivering:

- Up to 15% more energy efficiency*
- Up to 10% more water efficiency*



With dozens of qualifying units, Manitowoc leads the industry in sustainable ice production—meeting and exceeding ENERGY STAR® guidelines to help reduce operational costs and environmental impact.

*Compared to standard models.

ISO 9001:2015 Certified Quality

At Manitowoc, quality is our top priority. We're proud to be the first ice machine manufacturer in North America to earn ISO 9001:2015 certification, a globally recognized standard for quality management.

- Our certification reflects a company-wide commitment to excellence.
- All certified products are tested and validated to meet ASHRAE standards.
- You can trust that our performance data is accurate and independently verified.

Listings



AFTERMARKET ICE SUPPORT

Protect Your Investment with Manitowoc Ice Parts and Service.

You've chosen the best ice machine—keep it performing at its peak with Manitowoc Aftermarket Service Support.

- Every new unit includes service support tailored to your operational needs, whether you're running a single restaurant or managing multiple locations.
- Our team works with you to customize a service program that covers:
 - Equipment selection
 - Installation and start-up
 - Maintenance frequency based on factory specs and usage
 - Billing schedules

Available Service Options:

- Installations
- Start-up Services
- Service Level Agreements
- Planned Maintenance Programs
- Consumable Replenishment Programs



ICE USAGE GUIDE

Foodservice

- **Restaurant:** 1.5 lbs (0.68 kg) per person
- **Cocktail Service:** 3 lbs (1.4 kg) per person/seat
- **Water Glass:** 4 oz (118 ml) per 10 oz (296 ml) glass
- **Salad Bar:** 30 lbs (13.6 kg) per cubic foot
- **Fast Food:**
 - 5 oz (148 ml) per 7–10 oz (207–296 ml) drink
 - 8 oz (237 ml) per 12–16 oz (355–473 ml) drink
 - 12 oz (355 ml) per 18–24 oz (532–710 ml) drink

Lodging

- **Guest Ice:** 5 lbs (2.7 kg) per room
- **Restaurant:** 1.5 lbs (0.68 kg) per person/seat
- **Cocktail Service:** 3 lbs (1.4 kg) per person/seat
- **Catering:** 1 lb (0.45 kg) per person

Convenience Stores

- **Beverage Ice:**
 - 6 oz (177 ml) per 12 oz (355 ml) drink
 - 10 oz (296 ml) per 20 oz (591 ml) drink
 - 16 oz (473 ml) per 32 oz (946 ml) drink
- **Cold Plate:** Add 50% more ice per day
- **Packaged Ice:** Multiply lbs per bag × bags sold per day

Healthcare

- **Cafeteria:** 1 lb (0.45 kg) per person
- **Patient Ice:** CNF0201 model supports up to 20 beds

Beverage Service

- **Drinks:** Use 40% ice per drink × number of drinks served on peak day

Need help sizing your ice machine?

Contact your local Manitowoc Ice Distributor:

manitowocice.com/Sales/Sales-Locators

WARRANTIES

COMMERCIAL WARRANTY

Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo NXT, S, U, QQ and IB-model ice cube machines.

UP0065 / UP0080 Series Ice Machine

- 3-year parts-and-labor coverage on all components.

USP/UCP Series Ice Machine

- 3-year parts-and-labor coverage on all components.

UFP/RFF/RFP/UNP/RNF/RNP Ice Machines

- 3-year parts.
- 3-year labor.
- Compressor parts for 5 years and labor for 2 years.

CNP Countertop Nugget Ice Machine

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

RESIDENTIAL WARRANTY

All Ice Machines

- 1-year parts-and-labor.




▶ FROM PENTAIR WATER SOLUTIONS

2110 South 26th Street | Manitowoc, WI 54220 | United States
920.682.0161 (US Only) | 920.683.7589 Fax | manitowocice.com

All indicated Pentair trademarks and logos are property of Pentair.
Third party registered and unregistered trademarks and logos
are the property of their respective owners.