


Smartcast Buddy QSG

TX1H&RX1

## About Smartcast Buddy


### Transmitter (TX1H)

- 1, Power the transmitter TX1H, the “SUPPLY” shows red light.
- 2, Plug the transmitter TX1H to HDMI port of Laptop, the “TX” shows blue light.
- 3, Pair the transmitter TX1H with the receiver RX1, the “CONNECTED” turns from flashing white light to steady white light.




### Receiver (RX1)

- 1, Power the receiver RX1, the “SUPPLY” shows red light.
- 2, Plug the receiver RX1 to the HDMI port of TV/Digital Whiteboard/Monitor/Projector, the “RX” shows blue light.
- 1, Pair the receiver RX1 with the transmitter TX1H/TX1C, the “CONNECTED” turns from flashing white light to white light.




## How to mirror

- 1, Plug the receiver RX1 to the HDMI port of TV/Digital Whiteboard/Monitor/Projector, then power it with 5V/2A USB power adapter.
- 2, Plug the transmitter TX1H to HDMI port of Laptop, then power it with USB Port of Laptop or 5V/2A USB power adapter.
- 3, Waiting few seconds till the “CONNECTED” turns from flashing white light to white light. it will start to mirror.




## 4, Stop and Restart mirroring

Press the button of transmitter TX1H to stop or restart mirroring.



## How to pair the transmitter with receiver

- 1, Plug the receiver RX1 to the HDMI port of TV/Digital Whiteboard/Monitor/Projector, then power it with 5V/2A USB power adapter.the “CONNECTED” white light is flashing.
- 2, Plug the transmitter TX1H to HDMI port of Laptop, then power it with Laptop USB Port or 5V/2A USB power adapter.the “CONNECTED” white light is flashing.
- 3, Long press the button of receiver RX1 for 6 seconds, release it when the screen shows “Ready to pair” .
- 4, Long press the button of receiver TX1H for 6 seconds and release it, the “CONNECTED”flashing white light turns from slow to fast.When paired done,the flashing white light turns to white light,and it will start to mirror automatically.



## FCC Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's

authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV

technician for help

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions  
(1) this device may not cause harmful interference, and  
(2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.