

VEVOR[®]

CAR REPAIR STOOL
User Manual

VEVOR[®]

CAR REPAIR STOOL

User Manual



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

✉ CustomerService@vevor.com


This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there is any technology or software updates on our product.

PRODUCT DESCRIPTION

Technical Parameters

Brand	VEVOR
Package Size	410*410*130MM
Net Weight	4.3KG
Gross Weight	4.9KG

Standard Accessories

Serial Number	Project	Quantity	Icon
1	M6*20 Splint Nut	4	

Standard Accessories



Note: The pictures are for reference only, the specific product appearance and color are subject to the actual product!

INSTALLATION AND USE INSTRUCTIONS

1. Install the seat cushion, as shown in the figure below, use 4 screws M6*20 to connect the seat cushion and the support frame together.



2. You must remove the plastic cap off before installing the lighting pole to the seat.



2. Insert the gas spring into the seat cushion hole and the bottom tool plate



COMMON FAULT ANALYSIS

Fault Phenomenon	Cause of Issue	Solution
Wheel off	Loose nut	Re-tighten the nut with a hex wrench

Manufacturer: Wuyi Sailing Leisure Products Co., Ltd.
Address: No.16 Shao Yang North Street WuYi City Zhejiang Province China.

EU Importer: WAITCHX
Address: 250 bis boulevard Saint-Germain 75007 Paris

UK Importer: FREE MOOD LTD
Address: 2 Holywell Lane, London, England, EC2A 3ET

EC	REP	EUREP GmbH Unterlettenweg 1a, 85051 Ingolstadt, Germany
----	-----	---

UK	REP	EUREP UK LTD UNIT 2264, 100 OCK STREET, ABINGDON OXFORDSHIRE ENGLAND OX14 5DH
----	-----	---

VEVOR[®]

E-mail: CustomerService@vevor.com