



Manitowoc

Engineered for Ease

ICE MACHINES

Quick Reference Guide



I need ice.

That's why I choose
Manitowoc.

Manitowoc has built its reputation on developing innovative and reliable ice solutions for the foodservice industry. With a large ENERGY STAR® portfolio, our ice machines are not only dependable, they are energy efficient. There's a reason Manitowoc is America's number one selling ice machine.

Our flagship ice machines, the Indigo® NXT and NEO® are no exceptions. Both Indigo NXT and NEO use modern advancements in technology to simplify operating and maintaining our ice machines. Status indicators keep you in the know and ensure that you have ice when and where you need it.



Features on the Indigo NXT and NEO like a tool-free foodzone, patented EasyClean, programmability or time delay features, and service messages or indicators help ensure that your ice machine consistently meets your demand for ice. Manitowoc



offers one of the largest portfolios of ice machines in the foodservice industry. Gourmet, dice, half dice, flake, nugget, and crushed – from 53 lbs (24 kg) of ice to 3,200 lbs (1,451 kg) – whatever your ice needs are; we have the solution.

Indigo NXT, was awarded the 2019 Kitchen Innovations Award and the Crystal Craft Premier was awarded the 2021 Kitchen Innovations Award from the National Restaurant Association. This prestigious award recognizes both products for its innovations, efficiencies and productivity.



HALF DICE



Hard, clear ice cube with unique "rhomboid" shape $3/8" \times 1-1/8" \times 7/8"$ ($0.95 \times 2.86 \times 2.22$ cm) in dimension, 96 cubes per pound of ice, maximum cooling with nearly 100% ice to water ratio.



DICE



Hard, clear ice cube with unique "rhomboid" shape $7/8" \times 7/8" \times 7/8"$ ($2.22 \times 2.22 \times 2.22$ cm) in dimension, 48 cubes per pound of ice, maximum cooling with nearly 100% ice to water ratio.



NUGGET



Perfect for chewing and blended beverages while dry enough (85% ice to water ratio) to be dispensed. $3/8"$ to $1/2"$ (0.95 to 1.27 cm) in width and length on average.



FLAKE



Small, soft pieces of ice with a 73% ice to water ratio. Ideal for food, presentation, and preservation as well as hand scooping into drinks.



REGULAR



Hard, clear ice cube with unique "rhomboid" shape 1-1/8" x 1-1/8" x 7/8" (2.86 x 2.86 x 2.22 cm) in dimension, 32 cubes per pound of ice, maximum cooling with nearly 100% ice to water ratio.



GOURMET



Hard, clear individual cube with unique octagon shape 1-3/8" x 1-3/8" (3.49 x 3.49 cm), maximum cooling with nearly 100% ice to water ratio.



SQUARE



Crystal clear and slow melting 1"x1" square cube that is individually formed and perfect for handcrafted premium cocktails.



LARGE SQUARE



Large, individual 1.5" x 1.5" cubes melt slowly maintaining the flavor integrity for premium beverages.





INDIGO[®] NXT

The next generation ice machine



NEXT LEVEL OF SIMPLICITY

Indigo NXT takes the guess work out of owning and operating an ice machine

- User friendly full color icon based easyTouch[®] display
- Convenient Start up wizard to simplify installation process
- Visual 24/7 ice machine status
- Easy step by step cleaning instructions
- Effortless one touch access to all machine info
- Multi-language display
- One touch service menu
- No worry screen lock
- Automatic detection of accessories
- Simplified ice programming
- Self exploratory reminder notifications
- Three handy water settings

NEXT LEVEL OF SANITATION

Indigo NXT are the industries easiest ice machines to clean and keep clean

- Front facing evaporator on most models
- Cleaning can be done without removing the top or sides of the machine
- All white interior including water trough
- Alpha San antimicrobial additive in the foodzone to reduce bacteria growth
- Rounded food zone corners with no exposed tubes or wires
- Tool-less part removal of all internal components including the water pump
- One button cleaning function automatically returns to making ice
- Industry's only fully integrated optional LuminIce II Virus and Bacteria Inhibitor

NEXT LEVEL OF ENERGY EFFICIENCY

Indigo NXT are some of the most energy efficient in the market

- Many use highly efficient and environmental refrigerant which have 48% less the global warming potential than industry standard models
- All models are AHRI certified for performance and energy efficiency
- Exceeds stringent DOE 2018 energy standards
- Convenient ice programming to save electricity
- Up to 43% more efficient than our previous standard
- Industry leader in Energy Star 3.0 qualified models

NEXT LEVEL OF RELIABILITY

Indigo NXT are the most reliable ice machines Manitowoc has ever produced

- More than a half a million hours of testing and validation.
- State of the art reliability methodology and HALT (Highly Accelerated Life Testing)
- Constant product improvement through 58 years of ice making experience



22" Wide Cubers

The Indigo NXT series ice machine offers some of the industries lowest profile ice makers for venues where real estate is scarce. These slender 22" (56 cm) wide models produce up to 575 lbs (262) kg, and can be installed on a variety of bins, hotel dispensers, and counter top beverage dispensing systems—ensuring that you have ice no matter the space constraints.



Available on iT0620



**IT0420
D-320 Bin**



**IT0620
D-420 Bin**

Ice Production*	460 lbs	208 kg	575 lbs	262 kg
Ice Storage Capacity	264 lbs	119 kg	383 lbs	173 kg
Height with Bin	59.50"	151.1 cm	71.50"	181.6 cm
Width	22.00"	55.9 cm	22.00"	55.9 cm
Depth with Bin	34.00"	86.4 cm	34.00"	86.4 cm

*Half dice pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.



**IT0300
D-400 Bin**



**IT0450
D-400 Bin**



**IT0500
D-400 Bin**



**IT0750N
D-570 Bin**

Ice Production*	310 lbs	141 kg	490 lbs	222 kg	550 lbs	249 kg	720 lbs	327 kg
Ice Storage Capacity	365 lbs	166 kg	365 lbs	166 kg	365 lbs	166 kg	532 lbs	241 kg
Height with Bin	54.50"	138.4 cm	59.50"	151.1 cm	59.50"	151.1 cm	71.50"	181.6 cm
Width	30.00"	76.2 cm	30.00"	76.2 cm	30.00"	76.2 cm	30.00"	76.2 cm
Depth with Bin	34.00"	86.4 cm	34.00"	86.4 cm	34.00"	86.4 cm	34.00"	86.4 cm

IT0300 available in April 2020

30" Wide Cubers

By far the most popular size ice machine in the industry— The Indigo NXT 30" (76cm) platform offers the widest array of daily production, cube types, and condensing options available on the market today. With production capacities ranging from 310 lbs (141 kg) to 1,660 lbs (753 kg), three available cube types, and condensing options that include air, water, traditional air remote, and Manitowoc's patented QuietQube® CVD® remote technology (see pages 14-17), this series has an ice machine for just about every situation whether in a full-service restaurant, a fast-food chain, a convenience or grocery store, or in the world's finest hotel. Manitowoc ensures that you have ice when and where you need it.



Available on IT0500 and IT0900



IT0750
D-570 Bin



IT0900N
D-570 Bin



IT0900
D-570 Bin



IT1200
D-570 Bin

715 lbs	324 kg	837 lbs	380 kg	865 lbs	392 kg	1,213 lbs	550 kg
532 lbs	241 kg	532 lbs	241 kg	532 lbs	241 kg	532 lbs	241 kg
71.50"	181.6 cm	76.50"	194.3 cm	76.50"	194.3 cm	79.50"	202 cm
30.00"	76.2 cm	30.00"	76.2 cm	30.00"	76.2 cm	30.00"	76.2 cm
34.00"	86.4 cm	34.00"	86.4 cm	34.00"	86.4 cm	34.00"	86.4 cm

*Half dice pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.



**IT1500
D-970 Bin**

Ice Production*	1,660 lbs	753 kg
Ice Storage Capacity	882 lbs	400 kg
Height with Bin	79.50"	201.90 cm
Width	48.00"	121.9 cm
Depth with Bin	34.00"	86.4 cm

Large Capacity Cubers

When you need a lot of ice and space isn't as big a concern Manitowoc also has a range of large capacity cubers that offer daily production rates from 1660 lbs (752 kg) to 2910lbs (1,320kg). These machines are popular in fast-food outlets, full-service restaurants, institutional kitchens, cafeterias, and other large venues like stadiums and casinos. When you need ice, and you need a lot of it Manitowoc has your solution.



**IT1900
D-970 Bin**



**ST3000WH
LB1760 Bin**

1,965 lbs	891 kg	3,200 lbs	1,451 kg
882 lbs	400 kg	1693 lb	768 kg
79.50"	201.9 cm	103"	261.62 cm
48.00"	121.9 cm	48.00"	121.9 cm
		60.00"	152.4 cm
		WITHOUT BIN	
		WITH BIN	
34.00"	86.4 cm	34.00"	86.36 cm
		SNOUT ADDS 10.5" / 26.67 CM	

*Half dice pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.

Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft3.



Ice/Beverage Series

The Indigo NXT IB series is home of one of the highest producing 22" (56 cm) ice machine in the industry. The IB series' narrow 14" depth provides operators with easy access to the beverage dispenser for manual fill, cleaning, sanitizing, and other maintenance. This unique capability is made possible by Manitowoc's patented CVD® technology which results in an compact design allowing the ice machine to run with virtually no noise or heat exhaust. With the proper adapter Manitowoc's IB machine can be installed on almost any beverage dispenser. Just another way that Manitowoc is making sure you have ice.



Ice/Beverage Series on Beverage Dispenser

	IBF0620C		IBF0820C		IBT1020C	
Ice Production*	675 lbs	306 kg	825 lbs	374 kg	1,206lbs	547 kg
Height	24.00"	61 cm	26.50"	67.3 cm	30.50"	77.5 cm
Width	22.00"	55.9 cm	22.00"	55.9 cm	22.00"	55.9 cm
Depth	14.00"	35.6 cm	14.00"	35.6 cm	14.00"	35.6 cm

*Half dice pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and dispenser ordered separately.

**IF0600C****IF0900C****IT1200C**

	IF0600C		IF0900C		IT1200C	
Ice Production*	600 lbs	272 kg	816 lbs	370 kg	1,215 lbs	551 kg
Height	21.50"	54.6 cm	26.50"	67.3 cm	29.50"	75 cm
Width	30.00"	76.2 cm	30.00"	76.2 cm	30.00"	76.2 cm
Depth	24.50"	62.2 cm	24.50"	62.2 cm	24.50"	62.2 cm

*Half dice pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately.

QuietQube

75% quieter than a self-contained or standard remote ice machine. Our patented CVD® technology uses cool vapor rather than hot gas to harvest ice. It not only makes QuietQube ice machines the quietest ever; it makes them more reliable, makes them more efficient, and provides high levels of ice production too. Consider how much noise customers and employees face in your operation and how much more inviting it will be with a quiet ice machine.



CVD Condensing Unit***



IT1430C		IT1830C		IF2100C		SF3000C	
1,437 lbs	652 kg	1,874 lbs	850 kg	1,800 lbs	816 kg	2,910 lbs	1,320 kg
25.00"	63.5 cm	29.50"	74.9 cm	29.50"	74.9 cm	36.00"	91.4 cm
30.00"	76.2 cm	30.00"	76.2 cm	30.00"	76.2 cm	48.00"	121.9 cm
24.50"	62.2 cm	24.50"	62.2 cm	24.50"	62.2 cm	31.00"	78.7 cm

***CVD Condensing Unit for IF0600C to IT1830C 34" W x 24.13" D x 25.75" H 86.4 x 61.3 x 65.4 cm CVD Condensing Units for IF2100C to SF3000C 53" W x 26" D x 25.75" H 134.6 x 66.0 x 65.4 cm



**IT0420
SFA-192**

Ice Storage	120 lbs	54 kg
Height with Dispenser	75.50"	191.8 cm
Width	22.00"	55.9 cm
Depth with Dispenser	31.00"	78.7 cm

Ice Dispensers

These automatic-fill, floor-standing ice dispensers meet the strict sanitary needs of the lodging, foodservice, and healthcare industries. Capable of providing 635 lbs. (289 kg) of dispensed ice in a 24 hour period, the SPA dispensers feature a touchless lever activated ice dispense mechanism and new paddle wheel ice delivery. The SFA models add a built-in water valve for filling buckets, cups or refillable bottles. Attractively styled to complement any decor.



**IT0420
SPA-162**

**IT0450
SFA-292**

**IT0450
SPA-312**

120 lbs	54 kg	180 lbs	82 kg	180 lbs	82 kg
75.50"	191.8 cm	82.00"	208.3 cm	82.00"	208.3 cm
22.00"	55.9 cm	30.00"	76.2 cm	30.00"	76.2 cm
31.00"	78.7 cm	32.00"	81.3 cm	32.00"	81.3 cm

Ice machine and dispenser ordered separately.



NEO®

The anywhere you need ice machine.

Performance

- Manitowoc reliability
- Industry leading 24 hour ice production

Intelligence


- Universally recognizable, easy-to-read display icons with bright, neon blue indicator lights
- Time delayed ice production

Convenience

- Removable bin, for front service access
- EZ glide, angled bin door
- LuminIce II accessory compatible
- Improved scoop & holder inside the bin



For more information visit www.manitowocice.com/NEO



UDE0065



UDE0080

Ice Production*	57 lbs	26 kg	102	46 kg
Ice Storage Capacity	31 lbs	14 kg	31 lbs	14 kg
Height	36.00"	91.4 cm	36.00"	91.4 cm
Width	19.69"	50 cm	19.69"	50 cm
Depth	22.34"	56.7 cm	22.34"	56.7 cm

Undercounter Cubers

These compact ice cube machines are ideal for small-volume ice production, for limited use needs, or as back-ups for larger machines. Specifically designed to fit beneath counters or in areas where floor space or height restrictions prohibit use of larger equipment. The petite size makes any of these models ideal for on-the-spot installations at coffee shops, stadium boxes, refreshment/break areas, or wherever limited ice needs require equipment with a small footprint.



Available on all undercounters



Available on all undercounters



Available on UF0140 and UF0310



UF0140



UF0190



UF0240



UF0310

137 lbs	62 kg	198 lbs	90 kg	219 lbs	99 kg	290 lbs	132 kg
90 lbs	40 kg	90 lbs	40 kg	90 lbs	40 kg	119 lbs	54 kg
38.50"	97.8 cm	38.50"	97.8 cm	38.50"	97.8 cm	38.50"	97.8 cm
26.00"	66 cm	26.00"	66 cm	26.00"	66 cm	30.00"	76.2 cm
28.5"	72.4 cm	28.5"	72.4 cm	28.5"	72.4 cm	28.5"	72.4 cm

*Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.



CNF0201

CNF0202

UNP0200

UNP0300

Ice Production*	315 lbs	143 kg	315 lbs	143 kg	213 lbs	97 kg	330 lbs	150 kg
Ice Storage Capacity	10 lbs	4.5 kg	20 lbs	9.1 kg	30 lbs	14 kg	60 lbs	27 kg
Height with Bin	35.00"	89.9 cm	42.00"	106.7 cm	33.17"	84.24 cm	39.52"	100.4 cm
Width with Bin	16.25"	41.3 cm	16.25"	41.3 cm	19.69"	50 cm	29.06"	73.81 cm
Depth with Bin	24.00"	61 cm	24.00"	61 cm	25.98"	66 cm	27.17"	69 cm

Nugget Ice Machines

Manitowoc nugget machines provide a high quality, chewable ice that boasts a 85% ice content—one of the industry's highest ice/water ratios. This means minimal drink dilution, and a nugget ice that is perfect for use with drink dispensing applications. Manitowoc nugget is also ideal for specialty blended beverages, as well as filling many uses in healthcare from ice/water needs to cold therapy.



**RNP0320
D-420 Bin**

**RNP0620
D-420 Bin**

**RNF1100
D-570 Bin**

**RNF1020C
D-420 Bin**

**RNF2000C
D-570 Bin**

308 lbs	140 kg	591 lbs	268 kg	1078lbs	489 kg	1025 lbs	465 kg	1915 lbs	868 kg
383 lbs	173 kg	383 lbs	173 kg	532 lbs	241 kg	383 lbs	173 kg	532 lbs	241 kg
76"	193 cm	76"	193 cm	77.4"	196.5 cm	77.4"	196.5 cm	77.4"	196.5 cm
22"	55.8 cm	22"	55.8 cm	30"	76.2 cm	22"	55.8 cm	30"	76.2 cm
34"	86.4 cm	34"	86.4 cm	34"	86.4 cm	34"	86.4 cm	34"	86.4 cm

*Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.



Undercounter Flakers

When it comes to food preservation, a cool presentation can lead to cold, hard profits. Not only does your product need to look good and stay fresh, the ice needs to look good too. Manitowoc flake ice machines offer quick cooling, moldable flakes. Small, soft pieces of ice with a 73% ice to water ratio form around objects without bruising and hold in place without tipping or spilling. Perfect for food and beverage presentation and hand scooping into drinks.



UFP0200



UFP0350

Ice Production*	257 lbs	117 kg	398 lbs	181 kg
Ice Storage	50 lbs	23 kg	60 lbs	27 kg
Height	37.50"	95.24 cm	39.52"	100.4 cm
Width	19.69"	50 cm	29.06"	73.81 cm
Depth	25.98"	66 cm	27.17"	69 cm

*Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.



**RFP0320
D-420 Bin**



**RFP0620
D-420 Bin**



**RFF1300
D-570 Bin**

Ice Production*	370 lbs	168 kg	682 lbs	309 kg	1,264 lbs	573 kg
Ice Storage Capacity	383 lbs	173 kg	383 lbs	173 kg	532 lbs	241 kg
Height with Bin	76"	193 cm	76"	193 cm	77.40"	196.60 cm
Width with Bin	22"	55.90 cm	22"	55.90 cm	30"	76.20 cm
Depth with Bin	34"	86.36 cm	34"	86.36 cm	34"	86.36 cm

Modular Flakers

When it comes to food preservation, a cool presentation can lead to cold, hard profits. Not only does your product need to look good and stay fresh, the ice needs to look good too. Manitowoc flake ice machines offer quick cooling, moldable flakes. Small, soft pieces of ice with a 73% ice to water ratio form around objects without bruising and hold in place without tipping or spilling. Perfect for food and beverage presentation and hand scooping into drinks.



**RFF1220C
D-420 Bin**



**RFF2200C
LB1760 Bin**

	1,092 lbs	495 kg	2,063 lbs	936 kg
	383 lbs	173 kg	1,494 lbs	678 kg
	76"	193 cm	94.40"	239.77 cm
	22"	55.90 cm	60"	152.40 cm
	34"	86.36 cm	34.00"	86.4 cm
			SNOUT ADDS 10.4" / 26.4 CM	

*Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice machine and bin ordered separately. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.



D-320



D-400

Application Capacity	264 lbs	119 kg	365 lbs	165 kg
Height	38.00"	96.5 cm	38.00"	96.5 cm
Width	22.00"	55.9 cm	30.00"	76.2 cm
Depth	34.00"	86.4 cm	34.00"	86.4 cm

Ice Storage Bins

Internal scoop holder stays above ice line, promoting easy access and better sanitation. Bin door holds open while in use via a patented hinge pin design.

PVC Base Molding

Protects metal from dents and scratches when cleaning beneath bin.

Duratech™ Exterior

This clear-coated aluminum alloy resists fingerprints, looks better and lasts longer than Stainless 304.



D-420



D-570



D-970

383 lbs	173 kg	532 lbs	241 kg	882 lbs	400 kg
50.00"	127 cm	50.00"	127 cm	50.00"	127 cm
22.00"	55.9 cm	30.00"	76.2 cm	48.00"	121.9 cm
34.00"	86.4 cm	34.00"	86.4 cm	34.00"	86.4 cm

Ice machine and adapters ordered separately. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.



LB0730




LB1448

Ice Storage Capacity	683 lbs	310 kg	1,337 lbs	607 kg
Height	58.00"	147.3 cm	67.00"	170.20 cm
Width	30.00"	76.20 cm	48.00"	121.90 cm
Depth	34.00"	86.40 cm	34.00"	86.40 cm

Large Capacity Bins

LB Style large capacity ice storage bins are a first in / first out method. The Heavy duty spring load door hinge keeps the bin door open while accessing the ice. The exterior is welded corrosive resistant 304 stainless steel with a roto-molded rust free polyethylene liner. Limited 5 year parts and labor warranty on the external bin.



LB1460



LB1760



LB1360

1,366 lbs	620 kg	1,693 lbs	768 kg	722 lbs	350 kg
55.00"	139.70 cm	67.00"	170.20 cm	71.00"	180.34 cm
60.00"	152.40 cm	60.00"	152.40 cm	60.00"	152.40 cm
34.00"	86.40 cm	34.00"	86.40 cm	36.00"	91.40 cm

Ice machine and adapters ordered separately. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.

CRYSTALCRAFT

P R E M I E R

The clear choice for gourmet cubes just got bigger! Introducing Manitowoc's latest eye-catching innovation, CrystalCraft™ Premier. Crystal clear, leisurely slow melting cubes that make your most decadent beverage creations shine.

- Sleek cabinet design keeps your premier ice within close reach.
- 3X larger cube dimension than standard CrystalCraft.
- KI Award-winning design, with fewer moving parts, onboard filtration, and intuitive touch pad operation.

USE0050A

Ice Production	45 lb	20 kg
Ice Storage Capacity	25 lb	11 kg
Height	33.50"	85 cm
Width	14.80"	37.50 cm
Depth	22.80"	57.80 cm



Gourmet Cube

Hard, clear individual cube for maximum cooling with nearly 100% ice to water ratio. Perfect Premium Beverage Companion with its crystal-like appearance. The UCP0050 is a compact, small capacity ice machine designed for use in undercounter settings next to traditional cabinetry. It is the ideal ice machine for the boardroom, conference rooms, or kitchen lunch areas. The unit is designed to be installed into a standard 15" 38 cm cabinet opening or can be free-standing. Features include a multi-function control panel with unique "delay-start mode," lighted and over-sized bin opening, and a built-in innovative water filtration system. Produces individual octagon shaped cubes.



UCP0050A

Ice Production*	53 lbs	24 kg
Ice Storage Capacity	25 lbs	11 kg
Height	33.5"	85.0 cm
Width	14.8"	37.5 cm
Depth	22.8"	57.8 cm

*Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Ice storage application capacity is measured at 90% of the total volume in cu. ft x 33lbs/ft³.

CRYSTALCRAFT

Looking to increase profits with a premium cocktail lineup? Manitowoc's CrystalCraft offers clear, individual 1x1" cubes that melt slowly, enhancing the flavor and enjoyment of the most prestigious cocktails. The machine uses R-290 refrigerant, a refrigerant that is naturally occurring and has very little effect on the environment. The USP0100 was designed for reliability, with fewer moving parts, easy one-touch cleaning, and is backed by Manitowoc's 3-year parts and labor warranty. With high production and storage, this sleek undercounter is the perfect solution for the most discriminating operations.



USP0100A

Ice Production*	100 lbs	45.5 kg
Ice Storage Capacity	38 lbs	17.2 kg
Height	37.5"	92.25 cm
Width	19.68"	50 cm
Depth	22.83"	58 cm

Undercounter Spray Cubers

Sotto™ is the perfect solution for venues where just a few large cubes in the glass is preferred restaurants, bars, cafes, coffee shops, and delis. Specifically designed for the international market (not available in North America), Sotto provides a robust 20 gram Gourmet style cube with a unique octagonal shape. Sotto produces 22 to 86 kg of ice daily and provides up to 44 kg of ice storage.



SOTTO™

The clear and simple choice.



UGP-20



UGP-30



UGP-40

Ice Production*	22 kg	31 kg	53 kg
Ice Storage	5.5 kg	5.5 kg	14 kg
Height	65 cm	65 cm	80 cm
Width	45 cm	45 cm	55 m
Depth	47.5 cm	47.5 cm	55 cm



UGP-50



UGP-80

Ice Production*	57 kg	76 kg
Ice Storage	14 kg	30 kg
Height	80 cm	90 cm
Width	55 cm	70 cm
Depth	55 cm	60 cm

*Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. Sotto Products are not available in North America.

Options & Accessories

LuminIce II Virus and Bacteria Inhibitor

Creates "active air" by recirculating the air around the ice machine foodzone components to inhibit the growth of viruses, yeast, bacteria, mold and other common micro-organisms. For use with Indigo NXT and NEO series.

Ice machine equipped with LuminIce II



Ice machine without LuminIce II



LuminIce II runs quietly 24/7 keeping your ice machine cleaner while helping reduce cleaning frequency; which ultimately can save money spent on routine maintenance and PM programs. Space-saving design fits inside the ice machine. With the Indigo NXT, the easyTouch® display sanitation icon will show the unit is working and indicate when it is time to change the bulb.



Arctic Pure Plus Premium Water Filters with QUICK DISCONNECT DESIGN

Ultra fine filtration (0.5 microns) with silver impregnated carbon block and slowly soluble polyphosphates provides triple protection from harmful contaminants that can affect your ice and machine's performance. Certified to NSF standards 42 and 53. The Pre-filter system is recommended for all applications to achieve maximum filtration efficiency and cartridge life.

Vertical Discharge Remote Condensers

Remote air-cooled condenser systems improve efficiency, increase ice production, and conserve energy. Remote systems for Series 500, 600, 900, 1200, 1500 and 1900 ice machines consist of ice maker, bin, remote condenser, and interconnecting refrigerant lines. Order with "Q" suffix for coated coils which adds added protection in salt spray areas. (Each ordered separately.)



Options & Accessories

Optional, Automatic Cleaning System (iAuCS)

Eliminates routine maintenance.

iAuCS counts the number of ice-making cycles and, at a frequency you select, initiates a cleaning or sanitizing cycle...

AUTOMATICALLY. Choose from 1,2,3,4,5,6 month applications. Use with Indigo NXT modulars.



iAuCS (External Mounting)

New NSF approved holder



D-Bin Scoop



Metal Scoop

Multi Mount External Scoop Holder

This NSF approved commercial grade scoop holder is assembled without tools.

The K00461 holder can be mounted 7 different ways: bin mount left or right side, horizontal or vertical and wall mount : horizontal or vertical. Works with Manitowoc D Bin scoop or LB-Style bins with a **(K00482)** hanger. An optional metal scoop is also available **(K00463)**.

Additional Offerings

Gourmet Spray*

Gourmet spray cubes are offered in a variety of cube sizes and production capacities. Perfect for cafés, bars and restaurants in countries where demand for ice in beverages is reduced.



Scale Ice*

Scale ice is extremely hard and cold with sizes ranging from 1.5 mm to 3 mm in thickness. Ice pieces resemble a shattered sheet of ice. Scale is perfect for industrial applications, food processing and display such as fish, dairy products, meat cutting, and baking companies.

*Currently not available in North America



Manitowoc



You've purchased the best ice machine available – keep it that way with Manitowoc Ice Parts and Service.

Every new piece of equipment comes with Manitowoc Ice Aftermarket Service Support and you choose the level of service that meets your operational needs from one restaurant to multiple units.

Manitowoc Ice service offerings can customize a program to meet your specific needs. This includes working with your operational team to determine the pieces of equipment to be covered, installed, started up, maintenance frequency based on factory specifications, as well as your operational usage and billing schedules.

- **Installations**
- **Start-up Services**
- **Service Level Agreements**
- **Planned Maintenance Programs**
- **Consumable Replenishment Programs**





Sustainability

At Manitowoc we strive to be a responsible manufacturer, industry leader, and employer, not only for this generation, but for future generations. We routinely engage our customers, industry partners, employees, strategic suppliers, domestic and international government agencies and associations, and the communities that we serve around the world.



Manitowoc Ice Machines and D-Bins are certified by The American Heating and Refrigeration Institute. (AHRI) This means the data we published is validated to be true based on ASHRAE standards. Our certified products are continually tested by an independent third party laboratory to validate our products perform to the ratings or specifications published. Rest assured, products that carry the AHRI label comply to their publish specification. AHRI rates ice machine performance is rated at the 90 ambient temperature and 70 water temperature. Bin capacity rating is measured by the cubic volume of the interior of the bin.



Less Energy. Less Water.

Manitowoc machines earn the ENERGY STAR

Commercial ice machines that have earned the ENERGY STAR are on average 15% more energy efficient and 10% more water efficient than standard models. Manitowoc leads the way with dozens of qualifying ice machines that meet and exceed ENERGY STAR guidelines.



Ice Usage Guide

Foodservice	Approximate Ice Cube Needs Per Day
Restaurant.....	1-1/2 lbs .68 kg per person
Cocktail.....	3 lbs 1.4 kg per person/seat
Water Glass.....	4 oz 118 ml per 10 oz 296 ml glass
Salad Bar.....	30 lbs 13.6 kg per cubic foot
Fast Food.....	5 oz 148 ml per 7-10 oz 207-296 ml drink
	8 oz 237 ml per 12-16 oz 355-473 ml drink
	12 oz 355 ml per 18-24 oz 532-710 ml drink

Lodging

Guest Ice.....	5 lbs 2.7 kg per room
Restaurant.....	1-1/2 lbs .68 kg per person/seat
Cocktail.....	3 lbs 1.4 kg per person/seat
Catering.....	1 lb .45 kg per person

Convenience Store

Beverage.....	6 oz 177 ml per 12 oz 355 ml drink
	10 oz 296 ml per 20 oz 591 ml drink
	16 oz 473 ml per 32 oz 946 ml drink
Cold Plate.....	50% more ice per day
Packaged Ice....	lbs per bag x bags sold per day

Healthcare

Cafeteria.....	1 lb .45 kg per person
Patient Ice.....	CNF0201: Up to 20 beds

Beverage Service

Drinks.....	40% ice per drink x number of drinks served on peak day
-------------	---



.....
For proper sizing assistance,
please refer to your local Manitowoc Ice
Distributor: [https://www.manitowocice.com/
Sales/Sales-Locators](https://www.manitowocice.com/Sales/Sales-Locators)
.....

Quality Assurance

Before crating and shipment, every Manitowoc cube machine is operated for a minimum of two ice-making cycles. During this testing, inspectors record the serial number, air and water temperatures, humidity, freeze times, and harvest times as part of their final inspection. Ongoing reviews of this test data assure that Manitowoc machines consistently meet the highest standards of quality.

ISO 9001:2015 Quality System Certified

Quality is the #1 consideration at Manitowoc. Our company-wide commitment to quality makes us especially proud of our certification to ISO 9001:2015 quality standards and our position as North America's first ISO-certified manufacturer of ice machines.



Listings



Commercial Warranty

Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo NXT, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo NXT, S, U, QQ and ID-model ice cube machines.

UF0065 / UF0080 Series Ice Machine

- 3-year parts-and-labor coverage on all components.

USP/USE/SM Series Ice Machine

- 3-year parts-and-labor coverage on all components.

UFP/RFF/RFP/UNP/RNF/RNP Ice Machines

- 3-year parts.
- 3-year labor.
- Compressor parts for 5 years and labor for 2 years.

CNF Countertop Nugget Ice Machine

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

Residential Warranty

All Ice Machines

- 1-year parts-and-labor


Manitowoc







+1 800.545.5720 | MANITOWOCICE.COM



Our customized solutions provide much more than just temporary enhancements. Backed by decades of experience in the industry, our products are relentlessly reliable, built to last and withstand the daily pressures of food service demands. And that's the same dependability reflected in our own strong support network, providing the consistent service you need at every stage of your business.

Engineered with Ease • **Manitowocice.com**

2110 South 26th Street | Manitowoc, WI 54220 | United States
920.682.0161 (US Only) | 920.683.7589 Fax | manitowocice.com

All indicated Pentair trademarks and logos are property of Pentair. Third party registered and unregistered trademarks and logos are the property of their respective owners.
©2023 Pentair. All rights reserved.

3516ZZD 11/23