



Smart Desktop POS Terminal

D3mini Cash Register

- ♦ Various Interfaces
- ♦ Printer, Scanner, NFC all in one
- ♦ Highly reliable design with specialized static, pulse
- ♦ Pre-configured dedicated peripheral

Product Picture



Physical Characteristic

Dimension	284mm(W)*273mm(D)*84mm(H)
Color	Black
Main Screen	10.1" 800*1280
Secondary Screen	4.99" 1280*720
Speaker	3Wotlage Mono
Interface	RJ45*1、RJ12*1、RJ11*1、DC-IN*1、Headphone*1、USB Type-A*5
Key	Power Key(Lock screen/wake on/wake off)

Performance

OS	Android 11
CPU	RK3568, Quad-core 64-bit Cortex-A55, up to 2.0GHz
RAM	4GB LPDDR4 (optional: 2GB)
ROM	64GB EMMC (optional: 32GB)
Ethernet	10M/100M Adaptive

Integrated Devices

Printer	58mm Thermal Printer Paper width≤50mm Print Speed:90mm/s No Auto Cutter
NFC	Built-in NFC module, supports TYPE-A&B cards, FeliCa™(F), ISO14443, 15693(V), 18092(NFCCIP-1).
Barcode Scanner	2D Symbolologies:Aztec Code、Data Matrix Code、

PDF417、Micro PDF417、QR Code、Micro QR Code
1D Symbolologies: Codabar、Code 11、Code 128、UPC-A、UPC-E、Code 32、Code 39、Code93、EAN-8、EAN-13、ISBN、ISSN、GS1 DataBar(RSS-14)、ITF5、Matrix 2 of 5 etc.

Wireless Characteristic

WIFI	2.4G/5G Dual-Band WiFi-6
BT	Bluetooth 5.0

User Environment

Operating Temp.	0°C ~ 40°C (Non-condensing)
Storage Temp.	-20°C ~ 50°C (Non-condensing)
Operating Humidity	5%RH ~ 85%RH (Non-condensing)
Storage Humidity	10%RH ~ 95%RH (Non-condensing)
IP Level	IP52
ESD	EN61000-4-2, ±8KV air discharge, ±4KV conductive discharge

Accessories

Power Adapter	12V/3A (or 24V/2.5A)
---------------	----------------------

Remarks:

* The data in this leaflet are derived from our laboratory data and differ from the actual data used. Technical specifications in the leaflet are subject to change without notice.

2025/7/3 V1.1

Guangzhou Yoko Electronics Co., Ltd.

Address: 3-4/F, Meihuatai Park, No.7, Environmental Protection Third Road, Xintang Town, Zengcheng District, Guangzhou City, China.

Official Contact Tel: 020-8206 5617 Fax: 020-82065420

Official website: www.chinayoko.com



YOKO Official Website

FCC warning statements:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.