


VIVANT

Where Temperature and Terroir Meet



Titan Portable Electronic Decanter Chiller User Guide

Contents

I	In the Box	03
II	Device Overview	04
III	Battery	05
IV	Charging	06
V	Reading the Screen	07
VI	How to Use • Manual	08
VII	With VIVANT Wine App - AI Sommelier	10
VIII	Cleaning & Errors	12
IX	Important Notes	13
X	Specifications & Warranty	14
XI	FCC Warning	15

In the Box

01 Titan Main Unit × 1

02 Customised Decanter (750ml) × 1

03 Power Adapter & Charging Cable × 1


04 Rechargeable Lithium-ion Battery × 1

05 Battery Charging Dock × 1

06 International Warranty Card × 1


07 User Guide QR Code × 1

Device Overview



- | | |
|---------------------------------|-------------------------------------|
| 1. LED Display Control Panel | 6. Charging Socket |
| 2. Control Knob | 7. Infrared Temperature Sensor |
| 3. Cooling Plate | 8. Customised Decanter |
| 4. Battery Compartment Cover | 9. Power adapter and charging cable |
| 5. Rechargeable Lithium Battery | |

(* Please pay attention to the placement direction of the battery)



Power adapter and charging cable

Battery

Install the Battery



- 01 **Open the cover-** Open the battery cover on the right side of the unit.
- 02 **Insert the battery-** With the VIVANT logo facing up, push it in clear of the latch until you hear a click — it is now locked in place.
- 03 **Close the cover-** Once the battery is seated, close the battery cover.

!Note the battery orientation when inserting it.

Remove the Battery


- 01 **Press eject-** Press the eject tab (marked ◀) on the left side of the battery compartment, and the battery will pop out for removal.
- 02 **Replace-** Remove the battery and insert a fully charged one, or connect the power cable, to keep using the device.

! The battery is custom-designed for VIVANT Use only approved chargers and never disassemble it. Battery performance gradually declines with use — we recommend replacing it every 2–3 years.



Battery install / removal direction

Charging



◆ Dock Charging

◆ In-Unit Charging

Dock Charging

Place the lithium-ion battery on the charging dock, connect the power adapter and cable, then plug into a power outlet to begin charging. When the indicator turns from red to green, charging is complete.

In-Unit Charging


Insert the battery into the main unit, then connect the power adapter to the socket on the unit. The device must stay powered off while charging — the display shows the charging percentage in real time.

! Before First Use Before first use or after long-term storage, fully charge the battery (in the unit while powered off, or on the dock) for at least 3–4 hours. To extend battery life, recharge after every use.

Reading the Screen

Home Screen

After power-on, the welcome screen appears for about 3 seconds, then the home screen opens — cooling resumes at your last set temperature. The screen shows information in two areas: temperature on the left, decanting timer (hours : minutes) on the right.



- | | |
|------------------------|------------------------------|
| 1. Battery life | 4. Target Temperature |
| 2. Switch °C/°F | 5. Operation/Decanting Timer |
| 3. Current Temperature | 6. Target Decanting Time |


Top status bar: battery percentage.

Left area • Temperature: the top shows the live IR-detected temperature; the bottom (marked ▼) shows your set target temperature.

Right area • Timer: the top shows elapsed running / decanting time; the bottom shows your set target decanting time.

Target Reached

When the live temperature reaches the target: the ring around the temperature turns from white to blue, and the ▼ marker changes to “hold”. If the temperature drifts due to a change in surroundings, cooling resumes automatically (the ▼ reappears). When the decanting timer ends, a chime sounds.



How to Use • Manual

How the Device Works

- **Short press the knob:** move to the next item
- **Rotate the knob:** adjust the setting
- **No action for 5 seconds:** automatically saves and returns to the home screen

1 Prepare the Wine

Take the wine from your wine cellar or refrigerator, pour it into the customised decanter, and place it in the centre of the Titan cooling plate.

2 Power On

Press and hold the control knob for 2 seconds. The welcome screen appears for about 3 seconds, then the home screen opens.

3 Set the Temperature

First short press – when the temperature value at the lower left blinks, rotate the knob to adjust:

- Clockwise: raise the temperature
- Counter-clockwise: lower the temperature

Range: 8–20°C (46–68°F) *The device remembers the last set temperature

***If you only need to set the temperature, simply leave it after setting the temperature; there is no need to complete every item.**

4 Set the temperature unit

Second short press – when the unit blinks, rotate the knob:

- Clockwise: °C
- Counterclockwise: °F

5 Set the decanting time

Third short press - when the time at the lower right blinks, rotate the knob to choose the decanting time:

- Each increment: 10 minutes (maximum: 8 hours)

6 Confirm & Start

Fourth short press — Titan starts:

- **Maintaining the set temperature**
- **Running the decanting timer**

When the set temperature is reached, the outer ring turns from white to blue.

A chime sounds when the timer completes (the audio can be turned off manually).

! Power On & Off Hold the knob for 2 seconds to power on or off; the logo appears each time. After the screen goes dark, please wait until the device has fully stopped before removing the battery or unplugging the power cable.

With VIVANT Wine App - AI Sommelier

(Mobile app download required)

Your personal sommelier. Scan a label or ask the AI Sommelier to instantly get the grape, region, and vintage, along with the recommended temperature and decanting time — then send it to TITAN with one tap.

Two ways to get a recommendation

A. Scan the label

Scan the wine label in the app to automatically identify the wine and display the recommended temperature and decanting time.

B. Ask the AI Sommelier

Ask in chat, and the AI Sommelier provides an introduction to the wine and serving recommendations.

How to use

1 Scan & get a recommendation— Download and open the VIVANT Wine App, then scan the label or ask the AI Sommelier to get the recommended temperature and decanting time.

2 Pour the wine — Take the wine from your cellar or refrigerator and pour it into the customised decanter on the cooling plate.

3 Power on — Press and hold the control knob for 2 seconds to start Titan.

4 Connect via Bluetooth — Connect to the device via Bluetooth in the VIVANT Wine App.

How to use

5 Send settings to the device— Tap “Send to Device” to sync the recommended temperature and decanting time to Titan with one tap.

6 Let Titan take over — Titan holds a steady temperature throughout. When the set temperature is reached, the temperature ring on Titan’ s screen turns from white to blue; when the decanting time is reached, it notifies you with a gentle chime. The chime can be turned off in the app or on the device.



iOS



Android



Download: VIVANT Wine App (iOS App Store / Android Google Play)

Cleaning & Errors

Cleaning & Care

Main unit: Wipe with a slightly damp soft cloth; never immerse it in water or use harsh cleaners. Condensation may form on the cooling plate during chilling, so wipe it dry with a soft cloth after use to keep the surface dry.

Customised decanter:

- Rinse it as soon as possible after each use to keep the glass clear.
- If you cannot wash it right away, rinse it with water first, then fill it with warm water and let it stand overnight to prevent wine residue from drying and becoming hard to remove.
- Use a mild, unscented dishwashing liquid with a soft sponge or soft-bristled brush to gently clean the inside and outside.
- Rinse thoroughly with clean water, making sure no detergent remains.
- Avoid sudden hot-cold temperature swings in the wash water, which can crack the decanter.
- Air-dry completely, or wipe with a clean lint-free cloth, to avoid water marks and odours.
- Never use steel wool, abrasive cleaners, or high-temperature steam, as these can scratch the glass.
- Hand-washing is recommended. If you use a dishwasher, select a glassware-specific programme with a low-temperature, short cycle and no heated-drying mode.

Error Codes

If an error code appears, power the device off and on to reset. If the error persists, scan the QR code to refer to the troubleshooting steps or contact VIVANT Support.

ERROR 1	Battery abnormal
ERROR 2	IR sensor abnormal
ERROR 3	Fan abnormal

Important Notes

! First Use & Long-Term Storage Before first use or after a long period of inactivity, fully charge the battery for 3–4 hours.

! Battery Care Recharge after every use to help extend battery life.

! Heat Dissipation Leave sufficient space around the device during operation, and do not block the side vents.

! Decanter Placement Use the customised decanter and make sure its base rests flush against the cooling plate for best cooling.

! Approved Accessories Only The battery is custom-designed for VIVANT — use only approved chargers and never disassemble it.

! Lithium Battery Safety Avoid dropping, impact, or applying heavy pressure to the lithium battery. If the battery has been dropped or shows any signs of deformation, swelling, leakage, unusual odor, or other abnormalities, stop using it immediately.

! Auto Power-Off For safety, Titan shuts down automatically 8 hours after the last operation.

! Avoid High Heat Do not place the device in high-temperature environments such as dishwashers, microwaves, or ovens.

! Adult Supervision Intended for those with sufficient knowledge and experience; keep an eye on children to prevent accidental operation.

Specifications & Warranty

Model	TITAN
Temperature Range	8°C – 20°C / 46°F – 68°F
Battery	2.5–4 hours · 18V · 5,500mAh · 99Wh lithium-ion (rechargeable, removable)
Power Input / Output	100–240V, 50–60Hz · 21.2V, 2.7A
Main Unit Dimensions	285 (L) × 190 (W) × 83 (H) mm
Main Unit Weight	2.4 kg / 5.29 lbs (with a 500g battery + decanter)
Customised Decanter	Material: Glass Capacity: 1,200 c.c. (750 c.c. recommended pour) Dimensions: Ø160mm × H235mm · base Ø100mm
Package Dimensions	300 (L) × 220 (W) × 400 (H) mm · 5 kg
App Connectivity	Bluetooth · VIVANT Wine App (iOS & Android)

Warranty

24 months on the main unit, 12 months on the battery — against defects in materials and workmanship. Register your product online for a +12-month extended warranty. Accessories (decanter, cables, manuals) are not covered.

FCC Warning

This device complies with **Part 15 of the FCC Rules**. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to **Part 15 of the FCC Rules**. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

To maintain compliance with **FCC's RF Exposure guidelines**, this equipment should be installed and operated with a minimum 20 cm distance between the radiator and your body. Use only the supplied antenna.

VIVANT

- **Manufacturer:** ATEK Technology Corp.
- **Address:** No. 109-1, Neighborhood 11, Dingpu Village, Zhunan Township, Miaoli County 350, Taiwan
- **Office:** 8F.-1, No. 106, Sec. 2, Chang'an E. Rd., Zhongshan Dist., Taipei 104297, Taiwan
- **Email:** support@vivantwine.com
- **Website:** <https://vivantwine.com>