


Product specifications

Product name	Door and window sensor
Model number	CLZ-3371-C
Battery specifications	3.7v 500mah 9x20x30mm
Operating temperature	-10°C - 50°C
Operating humidity	10%-90%RH (no condensation)
Wireless connection	ZigBee

Items not under warranty

1. Unauthorized repairs, misuse, collisions, negligence, abuse, exposure of the product to moisture or water, accidents, alterations, improper use of accessories, tearing or alteration of stickers or anti-counterfeiting marks;
2. The validity period of the warranty has passed.
3. Damage caused by force majeure;
4. Damage or malfunction caused by problems other than the design, technology, manufacturing, quality of the product.

- Press and hold the reset button for 5 seconds, until the network indicator light begins flashing. Follow the App instructions to add the device.




- Once the device has been successfully added, you will be able to find the device in the "My home" list.

Product description

The door and window sensor detects the opening or closing of the door and window, and works in conjunction with other devices to design and implement smart application scenarios.

Ensure that the door magnet is located on the side of the alignment mark.



Preparation for use

- ① Ensure that the product is within the effective coverage of the smart host (gateway) ZigBee network to ensure an effective connection between the product and the smart host (gateway) ZigBee network.

*Make sure the smart host has been added.

Preparation for use

- ② Download and open the App

In the App Store, search for "Smart Life" or scan the QR code on the package/manual to download and install the smart App.

If you are downloading this App for the first time, please tap the "Register" button to register your account; If you already have an account, click the "Login" button.



Packing list

- Door and window sensor x 1
- Instruction manual x 1
- USB charging cable x 1

Door and Window Sensor

Product instruction manual



Please read the instruction manual carefully before using the product

Network settings

- Please confirm that the battery is loaded while ensuring that the phone is connected to the network and the smart gateway has been added successfully;
- Open the App and tap "Add sub-device" on the "Smart gateway" screen. Then, select "Door and window sensor";

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.
- This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.