

MADE FOR LITTLE HELPERS

SAFETY CONSCIOUS INDUCTION COOKTOPS
WITH NO NAKED FLAMES OR HOT ELEMENTS



 **Westinghouse**

kitchen collection

made for modern families



MADE FOR MODERN FAMILIES

Westinghouse has been a household name for generations. And while we've been helping Australian families for years, times have changed. And we've changed with them...

Life is so much busier than it used to be, filled with work, extra curricular activities, not to mention just raising a family! We know it's not always easy, which is why all Westinghouse products are designed to make your life a little simpler.

Although we can't solve everything (sorry!), we can help keep your kitchen in control and looking great. So whether it's the auto reheat microwaves, for busy mid-week meal dilemmas, or dishwashers that get the perfect wash, no matter how you stack; you can always be sure it's been Made for Modern Families.



Models shown: single pyrolytic oven POR883S, integrated rangehood EFG750X/A.





Models shown: Family Size™ dishwasher WSU6603XR





Built-in Ovens 8-15



Accessories 36-37



Freestanding Ovens 16-19




Microwaves 20-21

Westinghouse
made for modern families



Dishwashers 32-33



Rangehoods 28-31



Cooktops 22-27





BOSS®. THE BIG OVEN SYSTEM

Introducing the bigger, more efficient oven system – the Westinghouse BOSS® oven. With larger usable capacity and a European 'A' Class energy efficiency rating¹, the BOSS® oven platform is perfect for families and entertaining.

BOSS® FEATURE	MEANING...	BENEFIT TO YOU
Gross oven capacity is 80L	Larger oven capacity*	More room for cooking large meals for your family or when entertaining
A-Class Energy Efficiency based on European standard EN50304	Energy efficient	More efficient cooking – saving you time and money
Optimised oven cavity design	Excellent cooking performance through better, more even air circulation for optimal heat distribution	There are no hot or cold spots in the oven so food is cooked evenly on each shelf
Reduced air and noise emissions	Less hot air is expelled by the cooling fan Fans and air ducts are optimised for low noise, whether the oven door is open or closed	Your kitchen is a more pleasant place for you and your family because the oven expels less heat and is very quiet when operating
Improved cleaning	Pyrolytic function Catalytic Liners Easy, twist & release grill elements Rounded oven cavity Flat glass-back doors Fingerprint-resistant stainless steel	Easily clean the entire oven. Turns grime and grease into ash. Simply wipe clean when cool. No need for chemicals Specially coated liners on the sides and rear of the oven absorb and vaporise cooking residues Easily swing the grill element out of the way to clean the roof of the oven No corners to trap grime makes wiping down oven walls easy No seals or ridges to trap grime and grease to make cleaning quick and simple Keep your oven looking like new
Improved safety	Integrated grill shield in oven roof	Protects hands from the hot elements when reaching for grill
Fast heat-up time	Heats to +200°C in under 10 minutes (multi-function 8 and multi-function 10 models only)	Less time waiting for the oven to heat up means you spend less time cooking and more time with your family and guests

¹to European standard EN50304.

*Most 600 x 600mm ovens have less usable interior space.



SEPARATE GRILL OR BUILT-IN GRILL OPTIONS

Grilling is a convenient, quick and healthy way to cook your favourite dishes – perfect for the modern Australian family. It uses less fat than frying and allows excess oil and fat to drain away while cooking.

Ovens today come in two different grill configurations:

- Grill-in-oven: where the grilling element is mounted on the ceiling of the oven and grilling is done within the oven cavity
- Separate grill: is a separate compartment to the main oven with its own grilling element

Each has a unique offering to suit your needs. Grill-in-oven models are the perfect solution for space-restricted kitchens, or for those who don't use the grill as often.

A separate grill offers greater flexibility because you can use the grill and oven at the same time, which is great for entertaining. And because they're separate, odours don't transfer between different foods – so there's no more tasting last night's grilled snapper in this afternoon's baked sponge cake.

A separate grill is also much easier to clean. You don't have any fats or residue from grilling spattered all through the oven – it's contained within the separate compartment.

The options don't stop there. Choose from separate grill wall ovens mounted at eye-level so it's easy to keep a watch on your favourite dishes or separate grill underbench models that neatly fit beneath the bench top.

OVEN TYPE	APPLICATION	MODELS
Double wall oven	More cooking space with either another full-size or half-size oven	PDR794, PDR790
Separate grill wall oven	Prefer a wall mounted oven for easier access; better ergonomics Want a full-size oven with a handy separate grill	PXR698, PXR688, GXR650
Separate grill underbench oven	Requires underbench installation to leave more space for working in the kitchen Want a full size oven with a handy separate grill	PGR659, PGR657, GGR475
Grill-in-oven	Don't grill very often	POR883, POR783, PORS668, POR668, POR667, PORS663, POR663, POR967S, PPR776, GOR476, GOR474, DSP963S, DSP965S, PSR964S
Integrated freestanding with separate grill	The complete cooking workstation	PSR632, DSP635, GSR625, GSR627

It's amazing how versatile cooking can be with Westinghouse!

BUILT-IN OVENS

Cooking for the entire family can be stressful at the best of times. That is why Westinghouse has developed an even wider range of superior cooking solutions designed to ensure meal time runs as smoothly as possible. The range includes ovens with a spacious 80 litre gross capacity and fingerprint resistant stainless steel. All of which ensure when it comes to cooking for the entire family, it's easy, from start to finish.



LARGE CAPACITY OVENS

Boasting European A-class energy efficiency*, the largest of our built-in oven range will deliver a huge 160L of total gross capacity in the double oven, followed by a surprising 126L in the duo range and a generous 80L in the standard models.


*to European standard EN50304.



PYROLYTIC CLEANING

Up to two pyrolytic functions turn different levels of grease and grime into ash, which then can be simply wiped away. There is no need for harsh chemicals.


(POR881S & POR883S only)



MULTI-LAYER GLAZED OVEN DOOR

Cooler and safer exterior oven door temperatures are an obvious outcome of multi-layer glazed doors. The full-width inner glass door means a better oven seal and better temperature control, as well as easier cleaning.

(Certain models – refer to features tables)



TOUCH ON GLASS CONTROLS

Completely flat touch controls, wipe clean quickly and easily. No buttons, no fuss.

(Selected models only)



CATALYTIC LINERS

Handy self-cleaning catalytic liners are fitted on selected models to absorb the fat given off during the cooking process. The fats are then vaporised by the heat of the oven, making cleaning a breeze. These can also be purchased as an optional extra.

(Refer to features tables)



SIDE OPENING DOORS

Side opening doors allow you to get closer to the oven and minimise reaching.



COOKING WITH GAS

Using gas, your food won't dry out as much. Westinghouse gas ovens vent to the front, so no flue is required and feature electronic gas ignition and flame monitoring system for improved safety and ease of use.



ANTI-SPATTER GRILL INSERTS

The safe and convenient way to grill – the anti-spatter grill insert enables cooking fats to drain into the grill dish below, which reduces the risk of fires and allows for healthier cooking.



EASY CLEANING

Easy to maintain fingerprint resistant stainless steel, removable knobs, rounded oven cavity corners, drop down grill, acid-resistant enamel and flat-back glass doors all add up to easier cleaning.

(Multi-function grill-in-oven models)



QUIET AND COOL

The Westinghouse BOSS® range of ovens have been designed to be ultra quiet and emit less external heat for a more comfortable kitchen environment.

GAS OVENS features[†]



MODEL	GXR650W/S [#]	GOR476W/S [#]	GOR474W/S [#]	GGR475W/S [#]
type	separate grill wall	single oven	single oven	separate grill underbench
available finishes	white/fingerprint-resistant stainless steel	white/fingerprint-resistant stainless steel	white/fingerprint-resistant stainless steel	white/fingerprint-resistant stainless steel
BOSS® oven system	✓	✓	✓	✓
MAIN OVEN				
oven functions (refer to page 33)	multi-function 3	multi-function 5	multi-function 3	multi-function 3
capacity				
– gross (litres)	80	80	80	80
– usable (litres)	66	66	66	66
oven burner output (NG)	10.5MJ/h	10.5MJ/h	10.5MJ/h	10.5MJ/h
in oven grill		electric	electric	
catalytic liners	accessory	accessory	accessory	accessory
timer	programmable	programmable	2hr auto-off	programmable
lights	1	1	1	1
glass layers in door	2	3	2	2
SECOND OVEN OR SEPARATE GRILL				
oven function	electric grill		electric grill	
capacity				
– gross (litres)	46			
– usable (litres)	38			
GENERAL FEATURES				
controls	knob	knob	knob	knob
number of shelves	2	2	2	2
oven/grill dish	✓	✓	✓	✓
grill dish	✓	✓	✓	✓
anti-spatter grill insert	✓	✓	✓	✓
oven tray	full width baking tray	full width baking tray	full width baking tray	full width baking tray
connection	10A plug & lead	10A plug & lead	10A plug & lead	10A plug & lead
maximum gas rating (NG) [#]	10.5MJ/h	10.5MJ/h	10.5MJ/h	10.5MJ/h
maximum power rating	2.2kW	2.3kW	2.3kW	1.8kW
DIMENSIONS[^]				
overall HxWxD (mm)	888 x 595 x 566	595 x 595 x 566	595 x 595 x 566	725 x 595 x 566
flush mount cut-out HxWxD (mm)	893 x 600 x 581	600 x 600 x 581	600 x 600 x 581	731 x 600 x 581
proud mount cut-out HxWxD (mm)	885 x 565 x 560	590 x 565 x 560	590 x 565 x 560	723 x 565 x 560

[^] IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

[#] For GXR650, GOR476, GOR474 and GGR475 models, it must be specified at time of purchase if LP gas is required as these models can not be converted. Gas rating for LP models is 9.0MJ/h.

NOTE: These gas products are only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and/or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

[†] Refer to the product information on the back page of this brochure

DOUBLE CAVITY ELECTRIC OVENS

features†



MODEL	PDR794W/S	PDR790W/S
type	double oven	duo oven
available finishes	white/ fingerprint-resistant stainless steel	white/ fingerprint-resistant stainless steel
BOSS® oven system	✓	✓
MAIN OVEN		
oven functions (refer to page 32)	multi-function 8	multi-function 8
capacity		
– gross (litres)	80	80
– usable (litres)	66	66
catalytic liners	rear & sides	rear & sides
timer	programmable	programmable
lights	3	3
glass layers in door	3	3
SECOND OVEN OR SEPARATE GRILL		
oven function	multi-function 8	multi-function 5
capacity		
– gross (litres)	80	46
– usable (litres)	66	35
catalytic liners	rear & sides	rear & sides
lights	3	1
glass layers in door	3	3
GENERAL FEATURES		
controls	knob	knob
number of shelves	4	3
oven/grill dish	2	✓
grill dish		
anti-spatter grill insert	✓	✓
oven tray	2 x enamel full-width baking tray	1 x enamel full-width baking tray
connection	hardwire	hardwire
maximum power rating	6.2kW	5.3kW
DIMENSIONS †		
overall HxVxD (mm)	1081 x 595 x 566	888 x 595 x 566
flush mount cut-out HxVxD (mm)	1086 x 600 x 581	893 x 600 x 581
proud mount cut-out HxVxD (mm)	1078 x 565 x 560	885 x 565 x 560

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

† Refer to the product information on the back page of this brochure



PXR698W/S	PXR688W/S	PGR659W/S	PGR657W/S
separate grill wall	separate grill wall	separate grill underbench	separate grill underbench
white/ fingerprint-resistant stainless steel	white/ fingerprint-resistant stainless steel	white/ fingerprint-resistant stainless steel	white/ fingerprint-resistant stainless steel
✓	✓	✓	✓
multi-function 5	fan forced	multi-function 5	fan forced
80	80	80	80
66	66	66	66
accessory programmable	accessory 2 hour auto off	accessory programmable	accessory 2 hour auto off
1	1	1	1
2	2	3	2
grill	grill	grill	grill
46	46		
38	38		
knob	knob	knob	knob
2	2	2	2
✓	✓	✓	✓
✓	✓	✓	✓
full-width baking tray	full-width baking tray	full-width baking tray	full-width baking tray
hardwire	hardwire	hardwire	hardwire
5.3kW	4.5kW	4.9kW	4.1kW
888 x 595 x 566	888 x 595 x 566	725 x 595 x 566	725 x 595 x 566
893 x 600 x 581	893 x 600 x 581	731 x 600 x 581	731 x 600 x 581
885 x 565 x 560	885 x 565 x 560	723 x 565 x 560	723 x 565 x 560



SINGLE CAVITY ELECTRIC OVENS features†



MODEL	POR881S	POR883S	POR783S
type	single pyrolytic oven	single pyrolytic oven	single oven
available finishes	fingerprint-resistant stainless steel	fingerprint-resistant stainless steel	fingerprint-resistant stainless steel
BOSS® oven system	✓	✓	✓
MAIN OVEN			
oven functions (refer to page 32)	multi-function 8	multi-function 10	multi-function 10
capacity			
– gross (litres)	80	80	80
– usable (litres)	66	66	66
oven cleaning	2 function pyrolytic	2 function pyrolytic	catalytic liners
catalytic liners			rear & sides
timer	programmable	programmable	programmable
lights	1	1	3
glass layers in door	4	4	3
GENERAL FEATURES			
controls	knobs	touch on glass electronic	touch on glass electronic
number of shelves	2	2	2
oven/grill dish	✓	✓	✓
anti-spatter grill insert	✓	✓	✓
oven tray	enamel full-width baking tray	enamel full-width baking tray	enamel full-width baking tray
connection	hardwire	hardwire	hardwire
maximum power rating	3.1kW	3.1kW	3.1kW
telescopic runners			
DIMENSIONS ^			
overall HxWxD (mm)	595 x 595 x 573	595 x 595 x 573	595 x 595 x 566
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560	590 x 565 x 560

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au
 † Refer to the product information on the back page of this brochure



POR668W/S	POR667W/S	POR663W/S	POH967S
single oven	single oven	single oven	single oven
white/fingerprint-resistant stainless steel	white/fingerprint-resistant stainless steel	white/fingerprint-resistant stainless steel	stainless steel
✓	✓	✓	
multi-function 8	multi-function 5	multi-function 3	multi-function 8
80	80	80	80
66	66	66	67
catalytic liners			
rear & sides	accessory	accessory	
programmable	programmable	2hr auto-off	2hr auto-off
1	1	1	2
3	2	2	2
knob	knob	knob	knob
2	2	2	2
✓	✓	✓	✓
✓	✓	✓	wire insert
enamel full-width baking tray	full-width baking tray	full-width baking tray	
hardwire	hardwire	hardwire	15A plug
3.1kW	3.0kW	2.3kW	2.9kW
✓			
595 x 595 x 566	595 x 595 x 566	595 x 595 x 566	474 x 894 x 565
600 x 600 x 581	600 x 600 x 581	600 x 600 x 581	480 x 900 x 570
590 x 565 x 560	590 x 565 x 560	590 x 565 x 560	460 x 860 x 550



SIDE OPENING DOOR ELECTRIC OVENS

features[†]



MODEL	PORS668W/S	PORS663W/S
type	single oven	single oven
available finishes	white/ fingerprint-resistant stainless steel	white/ fingerprint-resistant stainless steel
BOSS® oven system	✓	✓
MAIN OVEN		
oven functions (refer to page 32)	multi-function 8	multi-function 3
capacity		
– gross (litres)	80	80
– usable (litres)	66	66
catalytic liners	✓	accessory
timer	programmable	2hr auto-off
lights	1	1
glass layers in door	3	2
side opening door*	✓	✓
GENERAL FEATURES		
controls	knob	knob
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert	✓	✓
oven tray	enamel full width baking tray	full width baking tray
connection	hardwire	hardwire
maximum power rating	3.0kW	2.3kW
telescopic runners	✓	
DIMENSIONS ^		
overall HxWxD (mm)	595 x 595 x 566	595 x 595 x 566
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560

NB. These doors are not reversible.

* Ovens are available as left or right hand doors and are not reversible once built please ensure when ordering of correct requirements.

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

[†] Refer to the product information on the back page of this brochure

COMBINATION ELECTRIC OVEN & COOKTOP

features[†]



MODEL	PPR776W/S
type	combination oven
available finishes	white/ fingerprint-resistant stainless steel
BOSS® oven system	P
MAIN OVEN	
oven functions (refer to page 32)	multifunction 3
capacity	
– gross (litres)	80
– usable (litres)	66
catalytic liners	accessory
timer	2hr auto-off
lights	1
door glass layers	2
CONNECTED COOKTOP	
type	ceramic
elements	4 incl. 1 dual zone
left front	2200/750W
left rear	1200W
right front	1200W
right rear	1800W
GENERAL FEATURES	
controls	knob
number of shelves	2
oven/grill dish	P
anti-spatter grill insert	P
oven tray	full width baking tray
maximum power rating	8.7kW
DIMENSIONS [^]	
overall oven HxVxD (mm)	595 x 595 x 566
flush mount oven cut-out HxVxD (mm)	600 x 600 x 581
proud mount oven cut-out HxVxD (mm)	590 x 565 x 560
overall cooktop WxDxH below bench (mm)	610 x 515 x 45
cooktop cut-out WxD (mm)	560 x 490

[^] IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au
NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

[†] Refer to the product information on the back page of this brochure

FREESTANDING OVENS

Freestanding oven range is for the serious cook. It puts all your cooking needs in one complete workstation. These units can be completely freestanding or integrated with kitchen cabinetry for that complete look.

The 600mm models feature convenient separate grills and the same BOSS® oven platform as the built-in models. The 600mm and 900mm models are available in a dual fuel combination – electric oven and gas cooktop or full electric with a ceramic cooktop and electric oven. The 600mm models are also available with gas cooktop and gas oven.



LARGE CAPACITY OVENS

Our freestanding ovens allow you to cook large meals easily with a generous 102L gross capacity in the 900mm models and 80L of gross capacity in the 600mm models.



SEPARATE GRILLING COMPARTMENT

All our 600mm models feature a separate grilling compartment for added practicality. You can bake and grill at the same time, and it's easier to keep the oven cleaner.




TRIPLE RING BURNER

On selected gas models, a high power triple-ring burner allows you to prepare stir-frys like a pro.



EASY CLEAN CERAMIC SURFACE

Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring your kitchen is always looking its best.



HOT SURFACE INDICATORS

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.



EASY CLEAN INNER DOOR

Full glass inner door for easy cleaning and maintenance.





FREESTANDING features†



MODEL	PSP964S	DSP965S	DSP963S
type	electric	dual fuel	dual fuel
available finishes	stainless steel	stainless steel	stainless steel
BOSS® oven system			
HOB			
type	ceramic	gas	gas
burners/elements			
– front left	2200W	12.5MJ/h wok	11.0MJ/h
– left rear	1200W	7.1MJ/h	7.1MJ/h
– middle front (centre)	1400W/2200W	11.0MJ/h	12.5MJ/h wok
– middle rear		7.1MJ/h	
– right front	1800W	4.0MJ/h	4.0MJ/h
– right rear	1800W	7.1MJ/h	7.1MJ/h
trivets		cast	cast
ignition		integrated electronic	integrated electronic
hot surface indicator	✓		
MAIN OVEN			
type	electric	electric	electric
oven functions	multi-function 7	multi-function 7	multi-function 7
capacity			
– gross (litres)	102	102	102
– usable (litres)	94	94	94
oven burner output (NG)			
oven ignition			
removable side racks	✓	✓	✓
catalytic liners		fixed cavity liner	
timer	60 min timer	program	60 min timer
lights	1	1	1
door glass layers	2	3	2
GENERAL FEATURES			
separate grill (electric)			
telescopic grill			
number of shelves	2	2	2
grill dish	✓	✓	✓
grill insert	wire	wire	wire
oven tray			
electrical connection	hardwire	15A plug & lead	15A plug & lead
maximum power rating	12.0kW	2.8kW	2.8kW
maximum gas rating (NG)		49.0MJ/h	41.9MJ/h
DIMENSIONS			
height to hob [°] x width x depth excluding handles (mm)	870/925 x 895 x 600	870/925 x 895 x 600	870/925 x 895 x 600
detachable splashback height (mm)		60	60

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

° Height to hob does not include the height of the trivets above the hob.

† Refer to the product information on the back page of this brochure



PSP632W/S	DSP635W/S#	GSP625W/S~	GSP627S~
electric with separate grill	dual fuel with electric separate grill	gas with electric separate grill	gas with electric separate grill
white/fingerprint resistant stainless steel^	white/fingerprint resistant stainless steel^	white/fingerprint resistant stainless steel^	fingerprint resistant stainless steel^
✓	✓	✓	✓
ceramic	gas	gas	gas
1200W	14.4MJ/h wok	14.4MJ/h wok	14.4MJ/h wok
2000W	5.1MJ/h	5.1MJ/h	5.1MJ/h
2200/1000W	9.0MJ/h	9.0MJ/h	9.0MJ/h
1200W	12.7MJ/h	12.7MJ/h	12.7MJ/h
	cast	enamelled wire	cast
	integrated electronic	integrated electronic	integrated electronic
✓			
electric	electric	gas	gas
fan forced	fan forced	fan	fan
80	80	80	80
66	66	66	66
		10.5MJ/h	10.5MJ/h
		electronic	electronic
✓	✓	✓	✓
optional accessory	optional accessory	optional accessory	optional accessory
120 min auto-off	120 min auto-off	120 min auto-off	program
1	1	1	1
2	2	2	3
✓	✓	✓	✓
✓	✓	✓	✓
2	2	2	2
✓	✓	✓	✓
anti-spatter	anti-spatter	anti-spatter	anti-spatter
full-width baking tray	full-width baking tray	full-width baking tray	full-width baking tray
hardwire	20A plug & lead	10A plug & lead	10A plug & lead
10.7kW	4.1kW	1.9kW	1.9kW
	40.6MJ/h	51.1MJ/h	51.1MJ/h
905 x 598 x 596	905 x 598 x 596	905 x 598 x 596	905 x 598 x 596

* This gas product is only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

For DSP635 models, hotplates can be converted to LP gas at installation. Injector kit supplied with the unit.

~ For GSP625 and GSP627 models, it must be specified at time of purchase if LP gas is required as these models can not be converted.

^ Front surface only (not hob).

MICROWAVE OVENS

According to the *Westinghouse How Australia Cooks Report*, the microwave oven is Australia's most popular cooking appliance, found in 95% of kitchens. Of those households, 83% of cooks use their microwave on any given day†.

Surprisingly, one in four people are not satisfied with their microwave and one of the main reasons is because it doesn't complement other kitchen appliances as well as the overall kitchen decor.

Recognising this frustration and making a distinct move away from the 'white box on the benchtop', Westinghouse has launched a new range of countertop and built-in microwaves designed to complement modern kitchens. With either white or fingerprint resistant stainless steel finishes and electronic touch controls, the stylish appliances integrate easily into the kitchen, creating a visually harmonised space.



SEAMLESS DESIGN INTEGRATION

The design perfectly integrates with the entire Westinghouse kitchen collection, allowing you to perfectly co-ordinate your kitchen design.



ADD CRISPNESS TO YOUR DISHES

Grill function* used in isolation, or combined with microwave power allows you to cook a wider range of dishes and add a crisper result where needed.

*Selected models



HARDWEARING, STYLISH AND EASY TO CLEAN

Full fingerprint resistant stainless steel metal fascia on the microwave and trim panel*, provides a hard wearing yet attractive look to your kitchen.

*Selected models



TRUE BUILT-IN SOLUTION

Venting to the front of the microwave eliminates the need to duct the heated air out of your cabinetry offering a true built-in solution.



PREPARE DISHES QUICKLY & EASILY

With 8 Auto menus including Auto Reheat, Vegetables, Pasta, Meat, Pizza, Potato, Fish and Soup you'll have your next meal prepared in no time!



VERSATILE FEATURES

Multi-stage cooking from frozen to cooked, quick start, delayed start cooking and time and weight defrost options.

†Source: Westinghouse *How Australia Cooks Report*. This report has been produced by Westinghouse, a leading kitchen appliance manufacturer. The research was conducted nationally by Bread & Butter Research, among 1,000 Australians aged 25-64 years in October 2008.



MICROWAVE OVEN features[†]



MODEL	WMS281WF	WMS281SF	WMG281SF	WMS281SB	WMG281SB
installation	countertop	countertop	countertop	built-in	built-in
fascia	white plastic, with UV protection	fingerprint resistant stainless steel trims	fingerprint resistant stainless steel trims	fingerprint resistant stainless steel trims and trim kit	fingerprint resistant stainless steel trims and trim kit
electronic controls	✓	✓	✓	✓	✓
FEATURES					
microwave power	900W	900W	900W	900W	900W
grill power/type	N/A	N/A	1100w	N/A	1100W
grill rack			✓		✓
OVEN FUNCTION					
microwave	✓	✓	✓	✓	✓
grill			✓		✓
combination modes			2		2
microwave quick start	✓	✓	✓	✓	✓
delayed start	✓	✓	✓	✓	✓
defrost by weight	✓	✓	✓	✓	✓
defrost by time	✓	✓	✓	✓	✓
auto reheat	✓	✓	✓	✓	✓
auto cook	✓	✓	✓	✓	✓
quick start	✓	✓	✓	✓	✓
OVEN PROGRAMMED FUNCTIONS					
meat	✓	✓	✓	✓	✓
fish	✓	✓	✓	✓	✓
vegetables	✓	✓	✓	✓	✓
pizza	✓	✓	✓	✓	✓
pasta	✓	✓	✓	✓	✓
potatoes	✓	✓	✓	✓	✓
soup	✓	✓	✓	✓	✓
INCLUDED ACCESSORIES					
grill rack			✓		✓
DIMENSIONS					
product dimensions (h x w x d incl. handle)	305 x 513 x 422mm	305 x 513 x 422mm	305 x 513 x 422mm	460 x 594 x 422mm	460 x 594 x 422mm
product dimensions (h x w x d excl. handle)	305 x 513 x 390mm	305 x 513 x 390mm	305 x 513 x 390mm	460 x 594 x 392mm	460 x 594 x 392mm
turntable dimensions	315mm	315mm	315mm	315mm	315mm

[†] Refer to the product information on the back page of this brochure

GAS COOKTOPS

Westinghouse gas cooktops offer up to four burner types ranging from small to large, including an offset triple ring wok burner. Our gas cooktops use advanced technology to suit a hardworking, productive kitchen including electronic ignition, flame failure, removable control knobs and cast iron trivets*.

INDUCTION COOKTOP

The new Westinghouse induction cooktops provide the most modern, precise and safest way to cook.

Induction cooking works by creating heat directly in the bottom of the pan, leaving the cooking surface relatively free of heat. So the only thing hot in the kitchen is the pan.

This makes the kitchen a much safer place for children, because if there's no pan on the cooking surface, then no heat is being generated from the hotplate. It also means the cooktop cannot be accidentally left on. It makes cleaning easier too, as spilt cooking food cannot be burnt onto the cooktop.

Induction cooking is not only the most energy saving way to cook, it gives you precise cooking at exact temperatures in an instant, for perfect heat control.

CERAMIC COOKTOPS

Westinghouse electric ceramic cooktops have a durable ceramic glass finish that is easy to clean and maintain. With up to six multi-heat zones, hot surface indicators and temperature limiters, the ceramic cooktop models provide straightforward solutions for a variety of cooking demands*.

ELECTRIC COOKTOPS

Westinghouse electric cooktops with solid elements are designed for hardworking kitchens. They have corrosion-resistant surfaces to minimise wear and tear and deliver the desired heat for the life of your cooktop*.

*features vary by model



FLAME FAILURE SAFETY

If for any reason the flame on the cooktop is extinguished, this added safety feature (on selected models) will shut off the gas supply.



ONE-PIECE BURNERS

Cleaning is made easy with the new one-piece burners which lift straight off for easier and more efficient cleaning – no need for tricky re-assembly. (Excluding wok burner)



EASY CLEAN CERAMIC SURFACE

Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring your kitchen is always looking its best.



TOUCH CONTROLS

Easy to use touch controls provide a seamless surface that is harmonious with the benchtop and includes a button lock so that controls cannot be accidentally started.




Waring Pro
A A A A A

Models shown: gas cooktop GHR775S, canopy rangehood WRG970CS



GAS COOKTOPS* 600mm features†



MODEL	GHR765S	GHR17W/S	GHR16W/S	GHR12W/S
finish	stainless steel	white enamel/stainless steel	white enamel/stainless steel	white enamel/stainless steel
connection	10A plug & lead	10A plug & lead	10A plug & lead	10A plug & lead
gas rating (NG)	40.6MJ/h	40.6MJ/h	40.6MJ/h	35.2MJ/h
BURNERS				
left front	14.4MJ/h wok	14.4MJ/h wok	14.4MJ/h wok	12.1MJ/h
left rear	9.0MJ/h	9.0MJ/h	9.0MJ/h	9.0MJ/h
right front	5.1MJ/h	5.1MJ/h	5.1MJ/h	5.1MJ/h
right rear	12.1MJ/h	12.1MJ/h	12.1MJ/h	9.0MJ/h
FEATURES				
trivets	cast	enamel	enamel	enamel
ignition type	electronic	electronic	electronic	electronic
flame failure safety	✓	✓		
DIMENSIONS ^				
WxDxH below bench (mm)	594 x 510 x 50	594 x 510 x 50	594 x 510 x 50	600 x 535 x 55
cut out WxD (mm)	560 x 480	560 x 480	560 x 480	570 x 490

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

GAS COOKTOPS* 750mm & 900mm features†



MODEL	GHR775S	GHR795S	GHR95W/S
finish	stainless steel	stainless steel	white enamel/stainless steel
connection	10A plug & lead	10A plug & lead	10A plug & lead
gas rating (NG)	40.6MJ/h	49.6MJ/h	49.6MJ/h
BURNERS			
left front	14.4MJ/h wok	14.4MJ/h wok	14.4MJ/h wok
left rear	9.0MJ/h		
centre front		9.0MJ/h	9.0MJ/h
centre rear		9.0MJ/h	9.0MJ/h
right front	5.1MJ/h	5.1MJ/h	5.1MJ/h
right rear	12.1MJ/h	12.1MJ/h	12.1MJ/h
FEATURES			
trivets	cast	cast	enamel
ignition type	electronic	electronic	electronic
flame failure safety	✓	✓	
DIMENSIONS ^			
WxDxH below bench (mm)	744 x 510 x 50	894 x 510 x 50	894 x 510 x 50
cut out WxD (mm)	560 x 480	830 x 480	830 x 480

* Gas Type: Configured for NG and supplied with an LPG conversion kit.

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

† Refer to the product information on the back page of this brochure.



Westinghouse

On/Off

Model shown: induction cooktop PHN644DU



OVEN
OFF

INDUCTION COOKTOP features†



NEW



MODEL	PHN944DU	PHN744DU	PHN644DU
finish	trimless	trimless	trimless
connection	hardwire	hardwire	hardwire
maximum power rating	7.4kW	7.4kW	7.4kW
ELEMENTS			
left front (size/power/boost)	210mm/2300W/3200W	210mm/2300W/3200W	210mm/2300W/3200W
left rear (size/power/boost)	145mm/1400W/1800W	145mm/1400W/1800W	145mm/1400W/1800W
right front (size/power/boost)	145mm/1400W/1800W	145mm/1400W/1800W	145mm/1400W/1800W
right rear (size/power/boost)	180mm/1800W/2800W	180mm/1800W/2800W	180mm/1800W/2800W
FEATURES			
controls	electronic touch	electronic touch	electronic touch
residual heat indication	✓	✓	✓
child lock	✓	✓	✓
timer	✓	✓	✓
automatic warm-up	✓	✓	✓
DIMENSIONS ^			
WxDxH below bench (mm)	930 x 520 x 46	700 x 515 x 46	610 x 515 x 46
cut out WxD (mm)	880 x 490	560 x 490	560 x 490

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au
NOTE: A minimum 20mm air gap is recommended below induction cooktop for heat dissipation

ELECTRIC CERAMIC ELEMENT COOKTOPS features†



MODEL	PHN798U	PHN768U	PHN668U
finish	bevelled trimless	bevelled trimless	trimless
connection	hardwire	hardwire	hardwire
maximum power rating	6.5kW	6.5kW	5.9kW
ELEMENTS			
total	4 incl. 1 triple zone	4 incl. 1 triple zone	4 incl. 1 dual zone
left front	2300/1600/800W	2300/1600/800W	1700/700W
left rear	1200W	1200W	1200W
right front	1800W	1800W	1800W
right rear	1200W	1200W	1200W
control	electronic touch	electronic touch	electronic touch
FEATURES			
hot surface indicator	✓	✓	✓
child lock	✓	✓	
timer	✓	✓	
automatic warm-up	✓	✓	
DIMENSIONS ^			
WxDxH below bench (mm)	930 x 520 x 46	610 x 515 x 46	610 x 515 x 46
cut out WxD (mm)	880 x 490	560 x 490	560 x 490

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au
NOTE: A minimum 30mm air gap is recommended below ceramic cooktop for heat dissipation

ELECTRIC SOLID ELEMENT COOKTOPS

features[†]



MODEL	PHR255W/S
finish	white enamel/stainless steel
connection	hardwire
maximum power rating	6.5kW
ELEMENTS	
total	4
left front	1500W
left rear	2000W
right front	1500W
right rear	1500W
control	knob
DIMENSIONS [^]	
WxDxH below bench (mm)	600 x 535 x 58
cut out WxD (mm)	570 x 490

[^] IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au



PHR285W/S	PHR395U	PHR284U	PHR222U
white/stainless steel	trimless	trimless	trimless
hardwire	hardwire	hardwire	hardwire
6.4kW	6.4kW	6.5kW	3.0kW
4 incl. 1 dual zone	4 incl. 1 dual zone	4	2
2200/750W	2200/750W	2300W	1200W
1200W	1200W	1200W	1800W
1200W	1800W	1200W	
1800W	1200W	1800W	
knob	knob	knob	knob
✓	✓	✓	✓
604 x 504 x 46	930 x 520 x 46	610 x 515 x 46	320 x 505 x 40
560 x 490	880 x 490	560 x 490	303 x 485

[†] Refer to the product information on the back page of this brochure

CANOPY RANGEHOODS

Westinghouse canopy rangehoods provide a stunning visual statement and capture the grease, steam and heat build-up when cooking, drawing smells and residue away from your cooktop. The high performance canopy rangehood brings your kitchen appliances together whilst clearing the air with minimal noise.

FIXED RANGEHOODS

Westinghouse fixed rangehoods bring everyday practicality to your cooking. Eliminating steam, grease and unsavoury smells, they are also very practical to install, with just four screws. You can fix your rangehood to a wall or beneath the cupboard above your cooktop. The sleek, modern lines will suit almost any style of kitchen.

SLIDE-OUT AND INTEGRATED RANGEHOODS

Westinghouse slide-out rangehoods are designed to discreetly and conveniently slide away when not in use. Suitable for ducting or recirculating, they remove residue and smells from your cooking, ensuring a well-ventilated kitchen. An integrated rangehood works the same way, with the advantage of being able to design your kitchen cabinetry to house it – effectively hiding it from view and allowing greater flexibility for unique kitchen installations, where a clean, integrated look is required.

INSTALLATION

You can never be too careful when it comes to installation. When installing your rangehood there are two ways to direct the airflow. If you are able to move the air outside, through a flue or chimney, a ducted system is ideal (see www.westinghouse.com.au or phone 1300 363 640 for more information on ducting kit accessories). If clear exterior access is not an option, you simply install your rangehood to recirculate* (carbon filter required).

* Some models can only be recirculated through the cupboard.



SUPERIOR AIR MOVEMENT

The powerful 3 speed fan efficiently removes fumes, smoke and vapour from the kitchen.



LIGHT UP YOUR COOKING

Two 20W Halogen lights enhance the cooking space adding ambience to the kitchen.




QUIET OPERATION

Superior air flow without the noise. Designed to operate at low noise levels even on the high fan setting. Maximum noise level of 56dB(A)[†] when on high fan setting.
[†] WRG970CS, WRF900CS & WRF600CS



TIMED CLEANING

When the cooking's finished, this Auto-Off[°] fan delay will ensure that all kitchen odours and residual smoke are removed, automatically switching itself off after 5 minutes so meals can be enjoyed straight away.
[°] WRG980CGS & WRG970CS



FRESH AIR FOR CLEAN COOKING

The Westinghouse Rangehood is designed for easy maintenance with stainless steel covered filters[^] to make cleaning easier.
[^] WRG980CGS & WRG970CS



EASY TO CLEAN

Removable filters are dishwasher safe for efficient cleaning and the stainless steel hood is easy to maintain – simply wipe clean.



Models shown: canopy rangehood WRG980CGS, gas cooktop GHR765S, underbench oven POR883S




CANOPY RANGEHOODS features†



MODEL	WRG980CGS	WRG970CS	WRG950CGS
nominal width (mm)	900	900	900
finish	glass & stainless steel	stainless steel	glass & stainless steel
number of fans/speeds	1/3	1/3	2/3
max. airflow	767m ³ /h	950m ³ /h	750m ³ /h
noise level dB (high/low)	62/51	56/44	71/61
no. of filters	1	3	1
control	electronic touch	push button	push button
top or rear duct hole	top	top	top
lights	2 x 20W halogen	2 x 20W halogen	2 x 40W halogen
optional extension flue	1200mm	1200mm	
DIMENSIONS ^			
WxDxH (mm)	900 x 520 x 70	898 x 520 x 130	900 x 500 x 80
flue height (mm)	1260	1175	1140

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

CANOPY RANGEHOODS features†



MODEL	WRG630CW/S	WRF600CS	WRG930CW/S	WRF900CS
nominal width (mm)	600	600	900	900
finish	white/stainless steel	stainless steel	white/stainless steel	stainless steel
number of fans/speeds	2/3	2/3	2/3	2/3
max. airflow	750m ³ /h	550m ³ /h	750m ³ /h	550m ³ /h
noise level dB (high/low)	71/61	55/48	71/61	55/48
no. of filters	2	2	3	3
control	push button	push button	push button	push button
top or rear duct hole	top	top	top	top
lights	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
optional extension flue	1100mm	1100mm	1100mm	1100mm
DIMENSIONS ^				
WxDxH (mm)	599 x 500 x 230	599 x 500 x 230	899 x 500 x 230	899 x 500 x 230
flue height (mm)	1010	1010	1010	1010

^ IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

† Refer to the product information on the back page of this brochure

FIXED RANGEHOODS features¹



WRJ611 shown



WRJ911 shown



MODEL	WRJ603UW / WRJ611US	WRJ600UW / S	WRJ903UW / WRJ911US	WRJ900UW / S
nominal width (mm)	600	600	900	900
finish	white/stainless steel	white/stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	2/3	1/3	2/3	1/3
max. airflow	400m ³ /h	200m ³ /h	400m ³ /h	200m ³ /h
noise level dB (high/low)	64/57	62/51	64/57	62/51
number of filters	2	2	3	3
front re-circulating option	✓	✓	✓	✓
control	push button	push button	push button	push button
top or rear duct hole	both	both	both	both
lights	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
DIMENSIONS [^]				
WxDxH (mm)	598 x 500 x 160	598 x 500 x 160	898 x 500 x 160	898 x 500 x 160

[^] IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

SLIDE-OUT AND INTEGRATED RANGEHOODS features¹



MODEL	WRH608IW / S	WRH605IW / S	WRH908IW / S	EFG750X / A	EFG540G / A
nominal width (mm)	600	600	900	702	524
finish	white/stainless steel	white/stainless steel	white/stainless steel	stainless steel	grey
number of fans/speeds	2/3	1/3	2/3	2/3	2/3
max. airflow	400m ³ /h	210m ³ /h	400m ³ /h	620m ³ /h	400m ³ /h
noise level dB (high/low)	66/59	62/59	66/59	68/52	67/61
number of filters	2	1	2	2	2
front re-circulating option	✓		✓		
control	auto-activated (pull/push)	auto-activated (pull/push)	auto-activated (pull/push)	slide switch	slide switch
top or rear duct hole	top	top	top	top	top
lights	2 x 40W incandescent	1 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
DIMENSIONS [^]					
WxDxH (mm)	599 x 300 x 175	599 x 300 x 175	899 x 300 x 175	702 x 284 x 307	524 x 289 x 150

[^] IMPORTANT! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit www.westinghouse.com.au

¹ Refer to the product information on the back page of this brochure

FAMILY SIZE DISHWASHERS


Now you can receive a superb in-house washing up service at the press of a button rather than the pull of an ear. Westinghouse's new dishwashers each come with a 4.5 star water rating, which means they only consume 11.4 litres of water per load. Match that with equally impressive washing and drying results and you can take a load off knowing your dishes are in the best of hands.



XXL TUB

We've developed our wash performance to handle real life stacking. And the extra 10 litres of loadable volume* makes room for plates up to 34cm tall, giving you the extra flexibility for throwing it all in.

*Compared to standard machines of the same size.



AUTO OFF

Our auto off function eliminates any energy consumption 10 minutes after your dishwashing cycle has completed. So you can be reassured we're keeping your energy consumption as efficient as possible.



WATER & ENERGY EFFICIENT

With 4.5 star WELS* water rating and 3 star energy rating our latest range of dishwashers deliver optimum washing and drying results.



FLEXIBLE INSTALLATION

Enjoy greater freedom with our new freestanding range. Position as either freestanding or fit into a cavity without being secured. (WSF6602WR/WSF6602XR). The new built-under model can be installed behind your cabinetry kick-panelling giving your kitchen a streamlined stylish look. (WSU6603XR).



30 MINUTE QUICK WASH CYCLE

With 5 wash programs there's an option to suit your requirements, giving you more flexibility to choose what, when and how you wash. Now includes the Fast 30 program, to help with your busy lifestyle.



ACTIVE DRYING

Active drying optimises drying performance while the interior light offers better visibility when loading and unloading your dishwasher.

(Internal light for WSU6603XR only).



SENSOR WASH & LOAD SENSING

Sensor wash assesses the load size and level of dirt on the dishes and adjusts the wash cycle to optimise wash results. (WSU6603XR). The load sensing feature quickly senses the load size optimising the use of water (WSF6602/WR).



QUIET OPERATION

Enjoy peace and quiet in your home with noise levels as low as 48dB(A).

(Excludes WSF6602XR/WR).



WATER SAFETY SYSTEM

Our aqua control function is an advanced anti-flood system. Automatically cutting off the water supply to the dishwasher to give you peace of mind knowing your kitchen is protected.

(WSU6603XR only).



TOP SERVICE

We can deliver, install and remove your old dishwasher, as well as offer home service and spare parts.

Conditions apply.

DISHWASHER features



MODEL	WSU6603XR	WSF6602WR	WSF6602XR
type	built-under [±]	freestanding [‡]	freestanding [‡]
available finish	mark-resistant stainless steel	white	mark-resistant stainless steel
water efficiency star rating*	4.5	4.5	4.5
water consumption (ltr)	11.4	11.4	11.4
energy star rating	3	3	3
push-button electronic controls	✓	✓	✓
operating noise level dB(A)	48	51	51
FEATURES			
wash programs	5	5	5
rinse	✓	✓	✓
fast 30min	✓	✓	✓
normal eco	✓	✓	✓
normal		✓	✓
heavy	✓	✓	✓
sensor	✓		
number of spray arms	2 + top shower	2 + top shower	2 + top shower
load sensing	✓	✓	✓
wash program indicator	✓	✓	✓
time remaining display	✓	✓	✓
last program memory function	✓	✓	✓
delay start option	✓	✓	✓
height adjustable upper basket	easy lift	easy lift	easy lift
interior light	✓		
fold down racks (lower basket)	2	2	2
drying with recondensation	active	active	active
3-stage filtering system	✓	✓	✓
stainless steel filter	✓	✓	✓
detergent & rinse aid dispenser	✓	✓	✓
water supply	cold	cold	cold
adjustable feet	✓	✓	✓
place settings	13	13	13
removable benchtop		✓	✓
SAFETY			
hidden water heater element	✓	✓	✓
button lock	✓	✓	✓
water safety system	aquacontrol	standard	standard
overflow sensor	✓	✓	✓
DIMENSIONS			
h x w x d excluding worktop (mm) [^]	818-878 x 596 x 575	820 x 596 x 555	820 x 596 x 555
h x w x d including removable worktop (mm) [^]	NA	850 x 596 x 620	850 x 596 x 620
height adjustment (mm)	0-60	0-10	0-10

± Built under – Dishwasher needs to be secured under a counter with supplied brackets and screws. Option to integrate the dishwasher behind a cabinetry kick panel if required.













‡ Freestanding – Dishwasher does not need to be secured under a counter. It can remain as a freestanding unit or fit into a cavity. The top panel can be removed if needed to fit under a tight fitting bench top.

* WELS Standard AS/NZS 6400.2005

[^] Depth measured to front corner of door, excludes control panel.

† Refer to the product information on the back page of this brochure

ELECTRIC OVENS

	POR815	POR835	POR863	POR863	POR867	POR868	POR868	POR833	POR857	POR859	POR888	POR898	POR90	POR94	POR967S	PP776	DSR635	PSR632	DSR963	DSR965	PSR964
main oven																					
	pyrolytic cleaning Heats to high temperature and burns off splatters, accumulated dirt and grease from the oven liner. Simply wipe out ash when cooled.																				
	conventional bake (bake/pizza) Heats from the top and bottom elements. Thermostat controlled, to maintain a constant temperature. Ideal for single trays eg. biscuits, scones, cakes, casseroles, roasts.																				
	fan bake Heats from elements surrounding the fan, circulating heat around the oven. Cooks at a lower temperature – faster than baking. Ideal for multi-shelf cooking and reheating.																				
	grill – electric Uses a powerful upper element to grill the top of food such as tender meats, fish, cheese toasties and other quick cooking food. Preheat the grill for 3 minutes for best results.																				
	maxi grill – electric Grill element and top element works like a normal grill but uses both the grill element and the boost element, so that more can be grilled.																				
	defrost Uses the fan only to circulate the air in oven to accelerate defrosting of food.																				
	rapid heat/ fast heat Uses a combination of elements to get the oven to the required temperature faster. Can also be used for drying herbs, craft items, etc.																				
	base heat Uses the bottom element only. Excellent for where a crisp base is required.																				
	fan assist Both top and bottom elements (PON783S) or bottom element (DSK965/963) are used while a fan circulates air within the cavity.																				
	pizza This function uses the bottom element and the element around the fan.																				
	fan grill The grill element and the fan are used in combination. Excellent for thicker cuts of meat, or to get a rotisserie style result.																				
	top heat The top element only is used, allowing for the browning of the top of dishes.																				
second oven/separate grill																					
conventional bake																					
fan forced bake																					
grill																					
maxi grill																					
defrost																					
rapid heat/ fast heat																					
base heat																					
fan assist																					
fan grill																					



GAS OVENS

GOR474	GOR476	GXR8650	GGR475	GSP825	GSP827
--------	--------	---------	--------	--------	--------

main oven



conventional bake

A powerful burner underneath the oven heats the oven, in a traditional baking fashion. Gas cooking provides a moister cooking environment than electric.

✓	✓	✓	✓		
---	---	---	---	--	--



fan bake

Together with the oven burner, a fan circulates the hot air around the oven. Perfect for multi-shelf cooking.

✓	✓	✓	✓	✓	✓
---	---	---	---	---	---



grill

Uses a powerful upper electric element to grill the top of food such as tender meats, fish, cheese toasties and other quick cooking food. Preheat the grill for 3 minutes for best results.

✓	✓				
---	---	--	--	--	--



fan grill

The grill element and the fan are used in combination. Excellent for thicker cuts of meat, or to get a rotisserie style result.

	✓				
--	---	--	--	--	--



defrost

Uses the fan only to circulate the air in the oven to accelerate defrosting of the food.

	✓	✓	✓	✓	✓
--	---	---	---	---	---

separate grill



grill – electric

Uses an electric element at the top of the separate grill to grill the top of food such as tender meats, fish, cheese toasties and other quick cooking food. Pre-heat the grill for 3 minutes for best results.

		✓	✓	✓	✓
--	--	---	---	---	---



Models shown: POR883S


ACCESSORIES



CAST BAKING DISH

Take advantage of the size of your oven with this huge baking dish specifically designed for you to make the most of your new Westinghouse oven. The cast baking dish features a non-stick coating so that you spend less time cleaning.

Model number: ABD610



BAKING TRAY

A full-width, enamelled baking tray is available. Designed to give you the widest possible baking surface, the baking tray is available for all new Westinghouse BOSS® ovens.

Model numbers: ABT600 Non-perforated Baking Tray



SELF CLEANING CATALYTIC LINERS

Catalytic liners are self cleaning panels that fit into the oven enabling you to spend less time cleaning and more time enjoying yourself. These panels have been designed specifically for your oven.

(POR668, PORS668, PDR790, PDR794 and POR783 come standard with catalytic liners).

Gas Ovens: CKGFL3 Rear & side liners.

Catalytic Liner Kit	Description	Models Compatible with the Catalytic Liner Kit
ACC041	side and rear liners	PGR657, PGR659, POR663, POR667, POR668, PORS663, PORS668, PPR776, PXR688, PXR698, DSP635, PSP632
ACC042	side liners	PGR657, PGR659, POR663, POR667, POR668, PORS663, PORS668, PPR776, PXR688, PXR698, GGR475, GOR474, GOR476, GXR650, DSP635, PSP632, GSP625, GSP627
ACC043	side and rear liners	GGR475, GOR474, GOR476, GXR650, GSP625, GSP627
ACC044	side liners	PDR790, PDR794, POR783
CKETL2	top liner	PDR790, PDR794, PGR659, PXR698, POR667, POR668, POR783, PORS668



FAN FILTER

The stainless steel, dishwasher-cleanable fan filter stops cooking residues from being unnecessarily spread around the oven.

Model number: CKDFF1



PIZZA STONE KIT

Cook pizza like a pro with this pizza stone kit.

Model number: PSK1



GRIDDLE PLATE

The griddle plate features a ribbed base, high sides, a pour spout and is coated in an easy clean non-stick surface. It can be placed across two gas burners or electric elements to provide BBQ-style cooking and endless versatility.

Model number: GRIDDLE



RANGEHOOD CARBON FILTERS

Remove excess cooking smells from the kitchen with an additional carbon filter. Placed below the fan, carbon filters are ideally used when the main unit is in recirculating mode.

Model numbers: ARCFD (for fixed and slide-out models), AR500CF (for canopy models), AR600CF (suits WRG970CS)

DUCTING KITS

Please visit www.westinghouse.com.au or phone 1 300 363 640 for information on ducting kit accessories.





**For more information on all Westinghouse appliances,
or for dimension and installation information, call into your retailer,
phone or email our customer care team or visit our website:**

phone: 1300 363 640
fax: 1800 350 067
email: customercare@electrolux.com.au
web: www.westinghouse.com.au

**Westinghouse. We are part of the Electrolux family.
Share more of our thinking at www.electrolux.com.au**



TOP SERVICE

Top Service encompasses the after sales service provided by The Electrolux Group to consumers including delivery, home service and spare parts.

WARRANTY

Electrolux Home Products warrants that for domestic application, the Westinghouse Ovens, Built-in Ovens, Freestanding Ovens, Cooktops, Microwave Ovens, Ranges and Dishwashers featured in this brochure are free from defects in materials and workmanship for a period of 2 years (3 months for commercial applications, excluding dishwashers) from the date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased. Westinghouse dishwashers are only suitable for domestic or equivalent applications. They are not suitable for applications where health and industry requirements and regulations apply.

† PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

® BOSS is a registered trademark of Electrolux Home Products Pty Ltd

© 2012 Electrolux Home Products Pty Ltd ABN 51 004 762 341 WKITCHEN_Apr12



Printed on Monza Gloss Recycled Art stock containing 55% recycled material & 45% from sustainable forests.