杜勒 CNDOER
Changzhou Dengfeng Electronic Co., Ltd.
TEL: +86-519-88966138 FAX: +86-519-88969328
Email: doer_peter@cnczdf.com


All in one Instruction Manual for Audio Panel of 2-Seater & 3-Seater,

Version：A0

一、Technical Specifications

1. Input Voltage：DC 29V 3A × 2
2. Control Mode: Wired Control
3. RGB Ambient Light: Supported
4. Comfort System: Ventilation, Heating, Massage
5. Audio System: Bluetooth
6. Wireless Charging：15W × 2
7. Operating Ambient Temperature：-5℃～+40℃
8. Relative Humidity：20%～75%

二、Button Operation Instructions



1. Long-press Key1#：Power ON/OFF the system.

2. Short-press Key 2#： Pause / Play.
3. Short-press Key 3#: Next track.
4. Short-press Key 4#: Previous track.
5. Short-press Key 5#: Turn off ventilation, heating and massage on the right side.
6. Indicator 6#: Right-side heating indicator. Lights up when heating is enabled; turns off when heating stops.
7. Indicator 7#: Right-side massage indicator. Lights up when massage is enabled; turns off when massage stops.
8. Indicator 8#: Right-side ventilation indicator. Lights up when ventilation is enabled; turns off when ventilation stops.
9. Position 9#: AUX Output.
10. Indicator 12#: Left-side heating indicator. Lights up when heating is enabled; turns off when heating stops.
11. Indicator 11#: Left-side massage indicator. Lights up when massage is enabled; turns off when massage stops.
12. Indicator 10#: Left-side ventilation indicator. Lights up when ventilation is enabled; turns off when ventilation stops.
13. Short-press Key 13#: Turn off ventilation, heating and massage on the left side.
14. Short-press Key 14#: Decrease volume by one level.
15. Short-press Key 15#: Increase volume by one level.
16. Short-press Key 16#: Disconnect current Bluetooth connection and enter pairing mode.

三、Knob- Screen Operation Instructions

1. Basic Operations: Rotate the knob to select functions; press the knob to confirm. Press the knob to wake up the screen when it is off.
2. Main Menu Functions: Music Control, Light Control, Massage Control, Heating Control, Ventilation Control.



Music Control



Light Control



Massage Control



Heating Control



Ventilation Control

3. Music Control includes Music Mode, Treble Adjustment, Bass Adjustment, Vibrator Adjustment and Return to Previous Level. Press the knob to enter the corresponding control function, and rotate to adjust parameters.



Music Mode



Treble Adjustment



Bass Adjustment



Vibrator Adjustment



Return to Previous Level

4. Music Mode includes Standard, Classic, Pop and Rock & Roll. Rotate the knob to select, press the knob to confirm and return.



STANDA



CLASSIC




POP



R&R

5. After entering the adjustment mode for Treble Adjustment, Bass Adjustment and Vibrator Adjustment, rotate the knob to adjust parameters. Press the knob to confirm and return to the previous level.



Intensity Adjustment

6. If you need to return to the main menu, rotate the knob to the return screen.



7. Light Control includes Color Adjustment, Brightness Adjustment, Rhythm Adjustment, Light-strip Off and Return to Previous Level. Press the knob to enter the corresponding control function, and rotate to adjust parameters.



Color Adjustment



Brightness Adjustmer



Rhythm Adjustment



Light-strip Off




Return to Previous Level

8. Light-strip Color Adjustment includes Red, Orange, Yellow, Green, Blue, Purple, Pink, Cycle and Rainbow. Rotate the knob to select, press the knob to confirm and return.



RED



ORANGE




YELLOW



GREEN



BLUE



PURPLE



PINK




CYCLE



RAINBOW

9. Light-strip Brightness Adjustment: rotate the knob to adjust brightness intensity, press the knob to confirm and exit.



10. Rhythm Adjustment mode has On and Off options. Rotate the knob to toggle between On/Off,

press the knob to confirm and exit.



11. Massage Control includes five functions: Left- side massage gear switching & off, Right- side massage mode switching & off, and Return to Previous Level. Rotate the knob to select the function, press the knob to confirm the selected function.



Left Massage Setting



Left Massage Off



Right Massage Setting




Right Massage Off




Return to Previous Level


12.Massage modes include Mode A, Mode B and Cycle Mode. Rotate the knob to switch gears, press the knob to confirm and return.



MODE A



MODE B



CYCLE

13.Heating Control includes five functions: Left- side heating gear switching & off, Right- side heating gear switching & off, and Return to Previous Level. Rotate the knob to select the function, press the knob to confirm the selected function.



LEFT LEFT- OFF RIGHT RIGHT- OFF RETURN

14.Heating gears include High, Medium and Low. Rotate the knob to switch gears, press the knob to confirm and return.



HIGH MIDDLE LOW

15.Ventilation Control includes five functions: Left- side ventilation gear switching & off, Right- side ventilation gear switching & off, and Return to Previous Level. Rotate the knob to select the function, press the knob to confirm the selected function.




LEFT LEFT- OFF RIGHT RIGHT- OFF RETURN

16.Ventilation gears include High, Medium and Low. Rotate the knob to switch gears, press the knob to confirm and return.



四、Functional Logic of Air-bag Massage Function Module




- **Mode A** Air-bag 1 inflates for 8s; Air-bag 3 inflates while Air-bag 1 deflates for 8s; Air-bag 1 inflates while Air-bag 3 deflates for 8s, and repeats in cycles.

- **Mode B** Air-bag 1 performs rapid inflate-deflate 10 times, then switch to Air-bag 2 for rapid inflate-deflate 10 times, then switch to Air-bag 3 for rapid inflate-deflate 10 times, then switch back to Air-bag 1 for rapid inflate-deflate, and repeats in cycles.

- **Cycle Mode** Air-bag 1 inflates for 6-7s, Air-bag 2 inflates for 6-7s, Air-bag 3 inflates for 6-7s; Air-bag 1 deflates for 6-7s, Air-bag 2 deflates for 6-7s, Air-bag 3 deflates for 6-7s, and repeats in cycles.

Ventilation, heating and massage functions will auto-shut down if no operation within 30 minutes after activation.

五、System Connection Diagram



Prepared by：_____ Reviewed by：_____ Approved by：_____

FCC Statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the Following two conditions:

(1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency Energy and, if not installed and used in accordance with the instructions, may cause Harmful interference to radio communications. However, there is no guarant ee that interference will not occur in a particular installation. If this equipment does Cause harmful interference to radio or television reception, which can be determined By turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to Which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications not expressly approved by the party Responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environm ent. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.