

ASSEMBLY INSTRUCTION

SPARE PARTS:



STEPS:

STEP 1



STEP 2



STEP 3



STEP 4



STEP 5



STEP 6



STEP 7



STEP 8




STEP 9



STEP 10




Step 1: Invert the chair and hold down the slide rail handle with your fingers	Step 2: Remove the slide rail
	
Step 3: Draw the same distance on both sides	Step 4: Place the seat onto the seat bracket
	
Step 5: Align the mounting holes of the slide rail with the mounting holes of the bracket	Step 6: Insert the bolt from top to bottom and install the nut from bottom to top
	
Step 7: Tighten the nuts on both sides	Step 8: Press and hold the handle to slide the seat forward
	


Step 9: Slide the seat forward to expose the installation hole	Step 10: Use an Allen wrench to assist in inserting the bolt into the installation hole
	
Step 11: Use an Allen wrench on both sides to assist in inserting the bolt into the installation hole	Step 12: Use an open-end wrench to tighten the nut
	

GS35


Product Assembly Manual




accessories explanation




Hexagon wrench Size 6




Hexagon wrench Size 4




Bolt: M6x16




Shim: M6




Bolt: M8x20




Shim: M8





Nut: M8



Bolt: M8x45




Handle Bolt: M8x15




Assembly Processes


1. Assemble the anti-skid foot bolt(4 pcs)




2. Assemble left and right adjustment stand




3. Assemble the steering wheel mounting stand with 4 pieces of the bolt (M8×20)、4 pieces of the shim (M8) and 4 pieces of the nut (M8)




4. Assemble the elbow fixing stand on the left or right, as your like, if you play racing games




5. Assemble the fixed plate as follows, if you play flying game



6. Assemble the anti-skid foot bolt(4 pcs) to the afterpart stand



7. Assemble the seat mounting stand



8 Connect the frontpart stand

