

Technical Specs

Items	Specification
Operating System	Android 11.0 go
CPU	Quad-core@2.0Ghz
Memory	1GB RAM + 8GB ROM (LPDDR4x)
Display	4.0" IPS, 480*480
Camera	2M FF (optional)
Scanner	N/A
Cellular Network	Support 2g/3g/4g
WIFI	IEEE 802.11 a/b/g/n/ac (2.4G&5G)
Bluetooth	Version 4.2, support BLE
Payment	Support IC/NFC Card/QR Code
Interface	USB type-C/POGO (optional)
Audio	Buzzer/Speaker (optional)
Battery	1800mAh/3.87V (Rated capacity)

ATTENTION

Warning

- Read all instructions and safety information before use to avoid injury.
- The limit operating ambient temperature of the device declared by the manufacturer is -10~45°C.

Battery safety

- Charge battery only at ambient temperatures ranging from 0~40°C.
- Dispose of used batteries according to manufacturer's instructions.
- Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type of battery recommended by the manufacturer.

Statement

- The equipment damage caused by natural disasters, falling, self disassembly and non-compliance with the operation specifications is not covered by the free warranty.
- Some details of this document may be inconsistent with the real object due to the update iteration of the product. Please take the real object as the standard, and our company reserves the right to interpret this document.


K1133

Quick Guide



K7612000460LA

Product Diagram



NFC Card Reader

NFC antenna locates at the bottom of the screen. It's used to sense chip and acquire data through contactless way.

IC Card Reader

Used for inserting the bank chip card and getting information securely.

Display

Set for merchants to complete business settlement and for customers to input the password to finish the payment .

Power Button

Used for change the running states of device, such as pressing 2-3 seconds to power on/off or screen capture and pressing 10 seconds to restart automatically when device is crashed.



Card Slot

The card slot is on the right side of the device and can be pushed out by holding the card pin like smart phones.

USB type-C

Used for device charging and plugging in peripheral device which supports OTG.

Card Selection Instruction



Package List

NO.	Items list	Description
1	Device	Default
2	Battery	1800mAh/3.87V (unremovable)
3	USB cable	1pcs, 1m/white/type-c
4	Adapter	1pcs, 5V 2A/White (optional)
5	User manual	Neutral
6	Card Pin	Default

FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Note : This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF Exposure Information (SAR) :

This device meets the government's requirements for exposure to radio waves. This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government.

The exposure standard for wireless devices employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg for body and 4.0W/kg for Limbs. *Tests for SAR are conducted using standard operating positions accepted by the FCC with the device transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the device while operating can be well below the maximum value. This is because the device is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output.

The highest SAR value for the device as reported to the FCC when worn on the body, as described in this user guide, is 1.13W/kg Body SAR (Body-worn measurements differ among devices, depending upon available enhancements and FCC requirements.)

The FCC has granted an Equipment Authorization for this device with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this device is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on FCC ID: 2A2UU-K1133

For body worn operation, this device has been tested and meets the FCC RF exposure guidelines for use with an accessory that contains no metal and the positions the device minimum of 10 mm from the body . Use of other enhancements may not ensure compliance with FCC RF exposure guidelines.