

Lighting Tag-B2 Instruction manual


Overview

Lighting Tag-B2 is installed on the rack. It communicates with the spherical beacon through the eCMS system paired with the ETAP05-S1/ETAP05-D1 base station, allowing the spherical beacon to turn on and off.

Device

ETAP05-D1A base station and several Lighting Tag-B2

The overall work structure is as follows:




Operation process

1 Equipment Installation

Lighting Tag-B2 installation

- (1) Stick the Lighting Tag-B2 on the shelf.



Base station installation



2 System flow

- (1) Enter e-CMS to configure the base station

e-CMS

物料管理

库存管理

区域管理

基站管理

灯带管理

灯条管理

灯带通信记录

灯条通信记录

系统管理

物料管理

厂区管理

区域管理

灯条管理

基站管理

基站ID

基站IP

区域名称

状态

请输入

请输入

请输入

请输入

基站ID

基站名称

厂区

区域名称

基站IP

MAC地址

状态

离线次数

最后在线时间

最后离线时间

操作

7300D80

01

易泰勒

昆山绿苑2楼..

255.255.255.255

90A9F7300D80

❤

5

2025-10-11 15:48:13

2025-09-24 03:05:5

🔗

🗑

🔄

73009B3

01

易泰勒

昆山绿苑1楼..

255.255.255.255

90A9F73009B3

❤

9

2025-10-11 15:48:11

2025-09-29 10:59:0

🔗

🗑

🔄

7300E41

01

255.255.255.255

90A9F7300E41

❤

1

2025-09-19 16:45:5

2025-09-19 16:45:5

🔗

🗑

🔄

7300E33

01

255.255.255.255

90A9F7300E33

❤

1

2025-09-19 17:36:15

2025-09-19 17:36:1

🔗

🗑

🔄

7300E52

01

192.168.36.40

90A9F7300E52

❤

1

2025-09-19 17:40:34

2025-09-19 17:40:3

🔗

🗑

🔄

7300DC5

01

255.255.255.255

90A9F7300DC5

❤

1

2025-09-22 09:08:32

2025-09-22 09:08:3

🔗

🗑

🔄

7300DB5

01

255.255.255.255

90A9F7300DB5

❤

1

2025-09-22 09:25:02

2025-09-22 09:25:0

🔗

🗑

🔄

7300DF5

01

255.255.255.255

90A9F7300DF5

❤

1

2025-09-22 09:45:19

2025-09-22 09:45:1

🔗

🗑

🔄

7300D45

01

255.255.255.255

90A9F7300D45

❤

1

2025-09-22 09:56:59

2025-09-22 09:56:5

🔗

🗑

🔄

7300E7C

01

255.255.255.255

90A9F7300E7C

❤

1

2025-09-22 11:23:24

2025-09-22 11:23:2

🔗

🗑

🔄

7300DD5

01

255.255.255.255

90A9F7300DD5

❤

1

2025-09-22 11:30:05

2025-09-22 11:30:0

🔗

🗑

🔄

7300E17

01

255.255.255.255

90A9F7300E17

❤

1

2025-09-23 13:20:52

2025-09-23 13:20:5

🔗

🗑

🔄

73009EE

01

192.168.20.94

90A9F73009EE

❤

15

2025-10-11 15:48:13

2025-10-10 16:55:0

🔗

🗑

🔄

-
- (2) Open the computer backend of the e-CMS system and 'batch add' the price tags you want to use to the backend.

e-CMS

库存管理

区域管理

基础管理

灯塔管理

灯塔管理

灯塔通信记录

灯塔通信记录

物料管理

系统管理

灯塔管理

物料ID

物料编号

标识状态

状态

请输入

请输入

请选择

请选择

刷新

删除

打印


批量导出

导出

导入

灯条ID	物料编号	通信基站	通信次数	心跳次数	电量	信号	状态	最后接收时间	操作
☐ AD1000076480	011370		0	9348	100%		初始化	2025-10-11 15:22:39	
☐ AD1000076A77	021820		0	7928	100%		初始化	2025-10-11 15:17:36	
☐ AD1000076A78	071130		0	7999	100%		初始化	2025-10-11 15:21:21	
☐ AD1000076A7D	021740		0	7886	100%		初始化	2025-10-11 15:20:09	
☐ AD1000076A80	022110	7300D80	3	7943	80%		初始化	2025-10-11 15:15:27	
☐ AD100007AD30	050610		0	7917	100%		初始化	2025-10-11 15:22:20	
☐ AD100007AD35	012170		0	8448	100%		初始化	2025-10-11 15:17:12	
☐ AD100007AD3C	021220		0	7905	100%		初始化	2025-10-11 15:23:32	
☐ AD100007AD3F	071520		0	7930	100%		初始化	2025-10-11 15:23:09	
☐ AD100007AD5C	022630		0	7931	100%		初始化	2025-10-11 15:20:42	
☐ AD100007AEC1	070840		0	7846	100%		初始化	2025-10-11 15:14:56	
☐ AD100007AEC6	011150		0	8647	100%		初始化	2025-10-11 15:15:36	
☐ AD100007AED6	050230		0	7889	100%		初始化	2025-10-11 15:18:58	
☐ AD100007AEE3	021130		0	7913	100%		初始化	2025-10-11 15:14:02	
☐ AD100007B693	021630		0	8159	100%		初始化	2025-10-11 15:14:52	
☐ AD100007B6AD	012410		0	9327	100%		初始化	2025-10-11 15:21:43	
☐ AD100007B695	051410		0	7924	100%		初始化	2025-10-11 15:19:48	

(3) Send data, the indicator light turns on.



FCC STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, Human proximity to the antenna shall not be less than 20cm(8 inches)during normal operation.

That changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.