



TITLE

INSTRUCTION MANUAL

PBQ22-US

PowerBug

SCALE

100%

VERSION

v1.0

SIZE

270mm(W)* 90mm(H)

DATE

29 JAN 2026

COLOR & PAPER

PRINT BLACK ON WHITE PAPER

FINISHING

FOLDING

PAPER SIZE:

FOLD: 90mm (W) x 90mm (H)

OPEN: 270mm (W) x 90mm (H)


----- FOLD LINE
——— DIE CUT

COVER/FRONT

BACK



PowerBug



© 2025 TWELVE SOUTH, LLC All rights reserved.
1503 KING ST STE201 Charleston, SC 29405 - USA
© 2025 TWELVE SOUTH, LLC Tous droits réservés.
1503 KING ST STE201 Charleston, SC 29405 - E.U.

v2.0





PowerBug comes with a 1-year limited warranty.

For support, visit twelvesouth.com/support or contact our customer service team.

For full warranty details, please refer to our website. Thank you for choosing Twelve South's PowerBug!

—

Le PowerBug est livré avec une garantie limitée de 1 an.

Pour toute assistance, visitez twelvesouth.com/support ou communiquez avec notre équipe de service à la clientèle.


Pour les détails complets de la garantie, veuillez consulter notre site Internet. Merci d'avoir choisi le PowerBug de Twelve South!



LEARN MORE
twelvesouth.com/products/powerbug



PowerBug





EN Safety Warnings

To comply with the published safety standards, the following must be observed when using this product.

For information technology equipment and office equipment only.

- Do not use if the outer enclosure or plug is damaged.
- Do not exceed the manufacturer's specifications when in use.
- Do not attempt to disassemble or modify the charger; doing so may result in injury or damage. Risk of electric shock.
- Ensure the charger is connected to a compatible power source and the voltage matches the device's requirements.
- Use only with compatible devices. Incompatible devices may cause overheating.
- Always unplug the charger when not in use.
- Only use indoors in a dry environment.
- Do not expose the charger to dripping or splashing water.
- Do not immerse in water or use in humid environments.
- Do not place objects filled with liquids, such as vases, etc. on or near the charger.
- Do not cover the charger during operation or use it near heat sources such as radiators or stoves.
- Do not expose to direct sunlight or high humidity (>90% RH).

Do not expose to extreme temperatures.

- Avoid prolonged contact with skin during charging.
- Store the charger in a location inaccessible to children to prevent accidental ingestion or tampering.
- This product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the power supply by a person responsible for their safety.
- Maximum ambient temperature for operation: 25°C / 77°F.
- Ensure adequate airflow around the charger during operation
- The mains plug is used as the disconnect device. The disconnect device shall be readily operable.
- Before charging, ensure there are no foreign objects, such as metal objects or liquids, obstructing the charger's port. Inserting foreign objects may damage the charger or connected devices.

- Do not expose the charger to flammable or harsh chemicals or vapors.
- Do not use the charger when either you or the charger is exposed to severe rain, snow, electrical storm or other inclement weather.
- When transporting the charger, handle with care to prevent damage to any of its components. Do not subject the charger to strong force or impact. Do not drop, drag or step on the charger or any of its components.
- Protect the charger from moisture, water and foreign objects at all times. If any exist or appear to have corroded or damaged the charger, do not use the charger.
- Do not use this device with an extension cord or an adapter.
- When using a charging cable (not included), ensure that the charging cable does not obstruct pedestrians or other objects.
- Connect the charger only to a properly grounded outlet.

Conforms to UL 62368-1 and certified to CSA C22.2 No. 62368-1.

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

– Reorient or relocate the receiving antenna.
– Increase the separation between the equipment and receiver.
– Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
– Consult the dealer or an experienced radio/TV technician for help.
FCC Radiation Exposure Statement
This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body.

Changes or modifications to this product not authorized by Twelve South could void the electromagnetic compatibility (EMC) and wireless compliance and negate your authority to operate the product.

FR-CA Mises en garde de sécurité

Pour respecter les normes de sécurité en vigueur, les consignes suivantes doivent être observées lors de l'utilisation de ce produit.

Destiné uniquement aux équipements informatiques et de bureau.

- Ne pas utiliser si le boîtier extérieur ou la fiche est endommagé.
- Ne pas dépasser les spécifications du fabricant lors de l'utilisation.
- Ne pas tenter de démonter ou de modifier le chargeur, cela pourrait entraîner des blessures ou des dommages. Risque de décharge électrique.
- Assurez-vous que le chargeur est branché à une source d'alimentation compatible et que la tension correspond aux exigences de l'appareil.
- Utilisez uniquement avec des appareils compatibles. • L'utilisation avec des appareils incompatibles peut entraîner une surchauffe.
- Débranchez toujours le chargeur lorsqu'il n'est pas utilisé.
- Utilisation intérieure uniquement, dans un environnement sec.
- Ne pas exposer le chargeur à l'eau, aux éclaboussures ou à l'humidité.
- Ne pas immerger dans l'eau ni utiliser dans des environnements humides.

- Ne pas placer d'objets contenant des liquides, tels que des vases, sur ou à proximité du chargeur.
- Ne pas recouvrir le chargeur pendant son utilisation ni l'exposer à des sources de chaleur comme des radiateurs ou des cuisinières.
- Ne pas exposer à la lumière directe du soleil ni à une humidité élevée (>90 % HR).
- Ne pas exposer à des températures extrêmes.
- Évitez tout contact prolongé avec la peau pendant la charge.
- Conservez le chargeur dans un endroit hors de portée des enfants pour éviter toute ingestion accidentelle ou manipulation.
- Ce produit n'est pas destiné à être utilisé par des personnes (y compris les enfants) ayant des capacités physiques, sensorielles ou mentales réduites, ou manquant d'expérience et de connaissances, à moins qu'elles n'aient été supervisées ou instruites concernant l'utilisation de l'alimentation par une personne responsable de leur sécurité.
- Température ambiante maximale pour l'utilisation : 25 °C (77 °F).
- Assurez-vous qu'il y a une ventilation suffisante autour du chargeur pendant son utilisation.
- La prise principale sert de dispositif de déconnexion. Le dispositif de déconnexion doit être facilement accessible.
- Avant de recharger, assurez-vous qu'aucun corps étranger, tel que des objets métalliques ou des liquides, ne bloque le port du chargeur. L'insertion de corps étrangers peut endommager le chargeur ou les appareils branchés.
- Ne pas exposer le chargeur à des produits chimiques inflammables, forts ou à des vapeurs.
- Ne pas utiliser le chargeur lorsque vous ou le chargeur êtes exposés à une forte pluie, de la neige, un orage électrique ou d'autres conditions météorologiques défavorables.
- Lors du transport du chargeur, manipulez-le avec soin pour éviter d'endommager ses composants. Ne soumettez pas le chargeur à une forte force ou à des chocs. Ne laissez pas tomber, traîner ou marcher sur le chargeur ou l'un de ses composants.
- Protégez le chargeur de l'humidité, de l'eau et des corps étrangers en tout temps. Si des signes de corrosion ou de dommage sont visibles sur le chargeur, ne l'utilisez pas.
- Ne pas utiliser cet appareil avec une rallonge ou un adaptateur.
- Lors de l'utilisation d'un câble de recharge (non inclus),

assurez-vous que le câble ne gêne pas les piétons ni d'autres objets.

- Branchez le chargeur uniquement à une prise correctement mise à la terre.

Cet équipement est conforme aux limites d'exposition aux radiations de la FCC pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à une distance minimale de 20 cm entre le radiateur et votre corps. L'appareil doit être utilisé de manière à minimiser le risque de contact humain pendant son fonctionnement normal. Cet appareil doit être installé de manière à garantir une distance de séparation d'au moins 20 cm de toute personne. Conforme à la norme UL 62368-1 et certifié CSA C22.2 No. 62368-1.

IC Caution:

RSS-Gen Issue 5 "8" RSS-Gen numéro 6

- English:

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
 - (2) This device must accept any interference, including interference that may cause undesired operation of the device.
- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

RF exposure statement:

The equipment complies with IC Radiation exposure limit set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 10cm between the radiator and your body.

- French:

Cet appareil contient des émetteurs / récepteurs exemptés de licence conformes aux RSS (RSS) d'Innovation, Sciences et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes:

- (1) Cet appareil ne doit pas causer d'interférences.
- (2) Cet appareil doit accepter toutes les interférences, y compris celles susceptibles de provoquer un fonctionnement indésirable de l'appareil.

Tout changement ou modification non expressément approuvé par la partie responsable de la conformité pourrait annuler l'autorité de l'utilisateur à utiliser l'équipement.

Déclaration d'exposition RF:

L'équipement est conforme à la limite d'exposition aux radiations de la IC établie pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de 10 cm entre le radiateur et votre corps.

Specifications | Spécifications

Input: 100-240V ~ 50/60Hz 1.0A Max

Qi2.2 Wireless Output: 5.0W, 7.5W, 10.0W, 15.0W, 25.0W Max

USB-C Output: 5.0V~3.0A 15.0W, 9.0V~3.0A 27.0W, 15.0V~2.0A 30.0W, 20.0V~1.75A 35.0W Max

USB-C + Qi2.2 Wireless Output: 20.0W +15.0W, 35.0W Max

Average Active Efficiency: 88.82%

Efficiency at Low Load (10%): 75.67%

No-Load Power Consumption: 0.28W

Operating Temperature Range: 0°C to 25°C, 32°F to 77°F

Storage Temperature Range: 20°C to 60°C, -4°F to 140°F

