UM-2PB
WET & DRY
VACUUM/BLOWER



Boxed contents and appearance of the product may slightly vary, always refer to the product listing for included accessories

User Manual

[Revision 5.0]

READ THIS MANUAL CAREFULLY BEFORE USE – FAILURE TO DO SO MAY RESULT IN INJURY, PROPERTY DAMAGE AND MAY VOID WARRANTY. • KEEP THIS MANUAL FOR FUTURE REFERENCE. • Products covered by this manual may vary in appearance, assembly, inclusions, specifications, description, and packaging.

Safety

Safety messages are designed to alert you to possible dangers or hazards that could cause death, injury or equipment or property damage if not understood or followed. Safety messages have the following symbols:



You WILL be KILLED or SERIOUSLY INJURED if you do not follow instructions.



You CAN be KILLED or SERIOUSLY INJURED if you do not follow instructions.



You CAN be INJURED if you do not follow instructions or equipment damage may occur.

It is vital that you read and understand this user manual before using the product, including safety warnings, and any assembly and operating instructions. Keep the manual for future reference.

Safety precautions and recommendations detailed here must be fully understood and followed to reduce the risk of injury, fire, explosion, electrical hazard, and/or property damage.

Safety information presented here is generic in nature – some advice may not be applicable to every product. The term "equipment" refers to the product, be it electrical mains powered, battery powered or combustion engine powered.

- **Before Use** - If you are not familiar with the safe operation/handling of the equipment or are in any way unsure of any aspect of suitability or correct use for your application, you should complete training conducted by a person or organization qualified in safe use and operation of this equipment, including fuel/electrical handling and safety.
- Do NOT operate the equipment in flammable or explosive environments, such as in the presence of flammable liquids, gases, or dust. The equipment may create sparks or heat that may ignite flammable substances.
- Keep clear of moving parts.
- Equipment may be a potential source of electric shock or injury if misused.
- Do NOT operate the equipment if it is damaged, malfunctioning or is in an excessively worn state.
- Do NOT allow others to use the equipment unless they have read this manual and are adequately trained.
- Keep packaging away from children - risk of suffocation! Operators must use the equipment correctly. When using the equipment, consider conditions and pay due care to persons and property.

General Work Area Safety

- Work areas should be clean and well it.
- Do not operate the equipment if bystanders, animals etc are within operating range of the equipment or the general work area.
- If devices are provided for connecting dust extraction / collection facilities, ensure these are connected and used properly. Dust collection can reduce dust-related hazards.

General Personal Safety

- Wear appropriate protective equipment when operating, servicing, or when in the operating area of the equipment to help protect from eye and ear injury, poisoning, burns, cutting and crush injuries. Protective equipment such as safety goggles, respirators, non-slip safety footwear, hard hat, hearing protection etc should be used for appropriate equipment / conditions. Other people nearby should also wear appropriate personal protective equipment. Do not wear loose clothing or jewellery, which can be caught in moving parts. Keep hair and clothing away from the equipment.
- Stay alert and use common sense when operating the equipment. Do not over-reach. Always maintain secure footing and balance.
- Do not use the equipment if tired or under the influence of drugs, alcohol, or medication.
- This equipment is not intended for use by persons with reduced physical, sensory, or mental capabilities.

General Fuel Safety

- Petrol/fuel/gasoline is extremely flammable – keep clear of naked flames or other ignition sources.
- Do not spill fuel. If you spill fuel, wipe it off the equipment immediately – if fuel gets on your clothing, change clothing.
- Do NOT smoke near fuel or when refuelling.
- Always shut off the engine before refuelling.
- Do NOT refuel a hot engine.
- Open the fuel cap carefully to allow any pressure build-up in the tank to release slowly.
- Always refuel in well ventilated areas.
- Always check for fuel leakage. If fuel leakage is found, do not start, or run the engine until all leaks are fixed.

General Carbon-Monoxide Safety

- Using a combustion engine indoors **CAN KILL IN MINUTES**. Engine exhaust contains carbon-monoxide – a poison you cannot smell or see.
- Use combustion engines OUTSIDE only, and far away from windows, doors, and vents.

General Equipment Use and Care

- Keep packaging away from children and pets, potential risk of suffocation or choking.
- The equipment is designed for domestic use only.
- Handle the equipment safely and carefully.
- Before use, inspect the equipment for misalignment or binding of moving parts, loose components, damage, or any other condition that may affect its operation. If damaged, have the equipment repaired by an authorised service centre or technician before use.
- Prevent unintentional starting of the equipment - ensure equipment and power switches are in the OFF position before connecting or moving equipment. Do not carry equipment with hands or fingers touching any controls. Remove any tools or other items that are not a part of the equipment from it before starting or switching on.
- Do not force the equipment. Use the correct equipment for your application. Equipment will perform better and be safer when used within its design and usage parameters.
- Use the equipment and accessories etc. in accordance with these instructions, considering working conditions and the work to be performed. Using the equipment for operations different from those intended could result in hazardous situations.
- Always keep equipment components (engines, hoses, handles, controls, frames, housings, guards etc) and accessories (cutting tools, nozzles, bits etc) properly maintained. Keep the equipment clean and, where applicable, properly lubricated.
- Store the equipment out of reach of children or untrained persons. To avoid burns or fire hazards, let the equipment cool completely before transporting or storing. Never place or store the equipment near flammable materials, combustible gases, or liquids etc.
- The equipment is not weather-proof, and should not be stored in direct sunlight, at high ambient temperatures or locations that are damp or humid.
- Do not clean equipment with solvents, flammable liquids, or harsh abrasives.
- For specific equipment safety use and care, see Equipment Safety.

© Unimac

General Electrical Safety

- Inspect electrical equipment, extension cords, power bars, and electrical fittings for damage or wear before each use. Repair or replace damaged equipment immediately.
- Ensure all power sources conform to equipment voltage requirements and are disconnected before connecting or disconnecting equipment.
- When wiring electrically powered equipment, follow all electrical and safety codes.
- Always use a Residual Current Device (RCD) (GFCI) / Earth Leakage Circuit Breaker / Safety Switch when operating this item (electrical items only).
- High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.

General Electrical Safety

- Electrically grounded equipment must have an approved cord and plug and be connected to a grounded electrical outlet.
- Do NOT bypass the ON/OFF switch and operate equipment by connecting and disconnecting the electrical cord.
- Do NOT use equipment that has exposed wiring, damaged switches, covers or guards.
- Do NOT use electrical equipment in wet conditions or in damp locations.
- Do NOT use electrical cords to lift, move or carry equipment.
- Do NOT coil or knot electrical cords, and ensure electrical cords are not trip hazards.

General Service Information

- The equipment must be serviced or repaired at authorised service centres by qualified personnel only.
- Replacement parts must be original equipment manufacturer (OEM) to ensure equipment safety is maintained.
- Do NOT attempt any maintenance or repair work not described in this manual.
- After use, the equipment and components may still be hot – allow the equipment to cool and disconnect spark plugs and/or electrical power sources and/or batteries from it before adjusting, changing accessories, or performing repair or maintenance.
- Do NOT adjust while the equipment is running.
- Perform service-related activities in suitable conditions, such as a workshop.
- Replace worn, damaged or missing warning/safety labels immediately.

Child Choking Hazard!



- **WARNING: CHOKING HAZARD - CHILDREN UNDER 8 YRS. CAN CHOKE OR SUFFOCATE ON SMALL PARTS. ADULT SUPERVISION REQUIRED.**
- Carefully inspect anything a baby or child could gain access to, including this product & packaging.
- Dangers include anything of a size that could become stuck or lodged in a baby or child's airway.
- Dangers include things like raw, hard fruit and vegetable pieces, large pieces of meat, bones or sausage skins, popcorn, nuts, hard lollies and corn chips, small magnets and batteries, coins, beads, marbles and small uninflated balloons, broken toys and smaller toys, buttons, keys and coins. But there are also many more.
- Pay particular attention to accessories, nuts, bolts, screws, washers, caps, covers, loose parts, parts that could be removed or break off, pieces of packaging, staples, tape etc.
- In the case of any doubt, secure the item of concern in an appropriate manner, or completely remove the possibility of access by a baby or child.

Vacuum Safety

- For your safety: carefully read and understand all instructions, this appliance complies with mandatory safety regulations for electrical equipment. However, improper use will harm personal and property, please read these instructions carefully, and then open the electrical.
- When using electrical appliances, you must follow basic precautions.
- Do not allow other uses and unattended operation.
- Check that the electrical voltage is correct before use.
- Do not use the air outlet directly against people or animals when using this product.
- The manufacturer cannot be liable for damages due to improper use or improper operation.
- Do not inhale flammable, toxic liquids, such as gasoline, oil, acids or other volatile substances, to avoid dangerous hazards.
- Only relevant professionals can repair electrical equipment. Improper repairs may result in considerable risk.
- Do not store the appliance directly at high temperatures such as hot stoves or heat sinks.
- Do not use a cleaning agent or detergent containing solvent.
- This device does not apply to children or those who lack experience with the use of relevant products unless they have been supervised or instructed to use the equipment to be responsible for their safety. Children should be supervised to ensure that they do not play the device.
- Turn off the appliance when cleaning or removing it. Before cleaning or servicing the appliance, remove the plug from the socket and pull the plug out of the socket.
- Unauthorized parts or third-party accessories may be dangerous to make the warranty invalid.
- Always check whether the float is normal.
- If you notice that the liquid leaks from your equipment, immediately turn it off and unplug the plug.
- Do not use the appliance in a damp room.
- Children should be supervised to ensure that they do not play the equipment, only the equipment stored in children cannot access, safe and dry place to store.
- Do not inhale hot dust ashes or sharp objects.
- Do not touch the spectator directly when blowing. When the time to blow the children away. Wear safety goggles.
- Do not reverse the vacuum cleaner, causing damage to the motor.
- The hose cannot be overly bent and forced to elongate, otherwise the hose will be deformed or damaged.
- Do not allow the lid part to penetrate into the water or rinse with water to prevent water from entering the electronic parts. Leakage, proper operation: gently wipe the surface with a rag.

© Unimac

Important Safety Instructions

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- If the supply cord is damaged, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.
- Correct Disposal: this product should not be disposed with other household wastes. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmentally safe recycling.

© Unimac

Safety Symbols

The product may have safety warning labels attached to it, explained below. Understand the symbols on your product and their meanings. If any stickers become unreadable, unattached etc., replace them.

 **Flammable Material Hazard** Flammable liquids, gases, or substances etc may present. Avoid ignition sources and open flames. Danger of fire.	 **Read User Manual** Read and fully understand product safety warnings, operation, procedures etc before using the product.	 **Use Hand Protection** Wear appropriate hand protection and take due care as the product or use of the product may present hand hazards.	 **Carbon-Monoxide Hazard** Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.
 **Electrocution / Electrical Shock Hazard** High voltage or high current electricity may be present or required by the product. Take due care when handling electrical products, cables, plugs and leads. Electrical shock can be fatal.	 **Toxic Fumes / Dust Hazard** Using the product or by-products from use may produce fumes, smoke or particles that could be harmful if inhaled. Wear appropriate breathing protection and have adequate ventilation.	 **Explosive Material Hazard** Combustible liquids, gases, or substances etc may be present. Avoid ignition sources and open flames. Danger of explosion.	 **Cutting / Amputation Hazard** The product may have blades, edges or mechanical devices that can cause severe cut injury to fingers, limbs etc. Take due care when handling and using the product.
 **Crush Hazard** The product may have blades, edges or mechanical devices that can cause severe crush injury to fingers, limbs etc. Take due care when handling and using the product.	 **Single Operator Only** The product must be operated by a single person only. More than one person operating the product may introduce additional hazards.	 **Use Face Protection** Wear appropriate full-face protection and take due care as the product or use of the product may present face and eye hazards.	 **Use Foot Protection** Wear appropriate foot protection and take due care as the product or use of the product may present foot hazards.
 **Use Eye / Ear / Head Protection** Wear appropriate eye and / or ear and / or head protection and take due care as the product or use of the product may present eye, hearing, and head hazards.	 **Running Hazard** Do not run on or near the product as doing so may present a fall hazard.	 **Diving Hazard** Do not dive into the product as doing so may present a neck / head injury hazard.	 **Adult Supervision Required** Always supervise children and other users of a product to prevent drowning or injury.
 **Skin Penetration / Puncture Hazard** The product may produce pressure, emit liquids or objects that can cause severe injury to fingers, limbs, blood etc. Take due care when handling and using the product.	 **Hot Surface Hazard** Be aware that the product may produce high temperatures and hot surfaces that can cause burn injuries.	 **Flying Debris Hazard** Be aware that the product or use of the product may present hazards produced by flying debris. Wear appropriate clothing and protective devices.	 **Moving Parts Hazard** Be aware that the product contains or uses mechanical devices that move or rotate. Always wait for moving parts to stop fully before handling the product, adjusting, maintenance etc.

© Unimac

 **Carbon-Monoxide Hazard** Do not use the product in confined areas or without adequate ventilation. Carbon-monoxide poisoning can be fatal.	 **Pull Hazard** Be aware that the product contains or uses mechanical devices that can pull in objects and can cause severe injury to fingers, limbs etc. Take due care when handling and using the product.	 **Slope / Fall Injury Hazard** Be aware that using the product on sloping surfaces or in slippery conditions may present additional dangers from falls and contact with blades, moving parts, hot surfaces etc.	 **"Slam Dunk" Warning** Do NOT attempt "slam dunk" manoeuvres as this may result in severe injury due to falling, product breakage or collapse etc.
 **Electrocution / Electrical Shock Hazard - Outdoor** High voltage or high current electricity may be present or required by the product. Do NOT use in rain, damp, or wet conditions. Electrical shock can be fatal.	 **Electrocution / Electrical Shock Hazard - Disconnect** High voltage or high current electricity may be present or required by the product. Always disconnect the product from the electrical supply before handling the product, adjusting, maintenance etc.	 **Power Line Electrocution Hazard** High voltage / high current power lines may be present. Use extreme caution to avoid contact or interference with power lines. Electrical shock can be fatal.	 **"Kick-Back" Hazard** High level of "kick-back" hazard that can cause the machine to suddenly rotate towards operator. Kick-back injury can be fatal.
 **Winch Operator Position Hazard** Do NOT stand between winch and load. Do NOT use winch to move people.	 **Winch Lift Hazard** Do NOT LIFT load vertically. Use machine to PULL only.	 **Cable Hazard** Ensure that load bearing cable is not kinked or knotted.	 **Winch Cable Hazard** Ensure that there is a minimum number of cable coils on winching mechanism.
 **Winch Hook Hazard** Carry hook to load – do NOT throw or run.	 **Flash / Blinding Hazard** Wear appropriate eye protection for welding. Direct exposure to weld arcs may cause permanent eye injury.	 **Laser Hazard** Laser may be in use – do NOT look directly at laser or allow others to.	 **Choking Hazard** Children under 8 yrs. Can choke or suffocate on small parts. Adult supervision required.


Table of Contents

Safety **2**
Safety Symbols 5
Parts Identification **8**
Main Unit 8
Accessories 9
Assembly **10**
Operation **11**
Control Switch 11
Vacuuming 11
Emptying the Dust Tank 12
Cleaning with Water 13
Blower Operation 14
Maintenance **15**
Filter Cleaning 15
General 15
Troubleshooting **17**
Specifications **18**

© Unimac

Parts Identification


Main Unit



Spare parts available for purchase, scan QR code below:

© Unimac

Accessories








No.	Name
A	Hose assembly
B	Tube
C	Wet/Dry floor nozzle
D	Crevice nozzle
E	Multi-brush
F	Dry filter
G	Wet sponger filter

© Unimac

Assembly


CAUTION! Make sure that the power cord plug and socket are unplugged and turned OFF when assembling the vacuum cleaner.




1. Make sure the power cord is disconnected from the socket (Fig.1).
2. Loosen Clips (Fig. 2).
3. Raise the nose assembly from the dustpan (Fig. 3).
4. Remove the internal accessories (Fig. 4).
5. Install the wheels. Align the corresponding holes, press down, and install the four casters on the barrel (Fig. 5).
6. Install the dry filter in the barrel in turn (Fig. 6).
7. Place the top cover assembly on the dust bucket and lock it with both sides of the buckle (Fig. 7).
8. Align the hose assembly port with the suction port and insert it to the right and tighten it (Fig. 8).
9. Optional two tube and hose assemblies can be installed. Will be a two-tube diameter at the big end of the force in place (Fig. 9).
10. If the two-tube installation is chosen, it will be a two-tube diameter at the big end of the force in place (Fig. 10).
11. Optional brush and tube installation. Will become one end of the brush to plug in place (Fig.11).

Operation

Control Switch



Vacuuming




1. Make sure the power cord is disconnected from the socket (Fig. 1).
2. Loosen Clips (Fig. 2).
3. Raise the Head assembly from the dust tank (Fig. 3).
4. Install the dry filter in the barrel next (Fig. 4).

5. Place the nose assembly on a dust bucket and lock it with both sides of the buckle (Fig. 5).
6. Align the hose assembly port with the suction port, and then rotate it to the right and insert it (Fig. 6).
7. Optional two tube and hose assemblies can be installed. It will become a two-tube diameter at the big end of the force in place (Fig. 7).
8. If the two-tube installation is chosen, it will be a two-tube diameter at the big end of the force in place (Fig. 8).
9. Optional brush and tube installation. Will be at the end of the brush to plug in place (Fig. 9).
10. Plug in the power cord (Fig. 10).
11. Start the switch button (Fig. 11).
12. Start the vacuum (Fig. 12).


WARNING: BE SURE TO READ, UNDERSTAND, AND APPLY THE SAFETY INSTRUCTIONS. DO NOT VACUUM IN AREAS WITH FLAMMABLE GASES, VAPORS, OR EXPLOSIVE DUSTS IN THE AIR. FLAMMABLE GASES OR VAPORS INCLUDE BUT ARE NOT LIMITED TO; LIGHTER FLUID, SOLVENT TYPE CLEANERS, OIL-BASE PAINTS, GASOLINE, ALCOHOL OR AEROSOL SPRAYS. EXPLOSIVE DUSTS INCLUDE BUT ARE NOT LIMITED TO: COAL, MAGNESIUM, GRAIN, OR GUN POWDER. TO REDUCE THE RISK OF HEALTH HAZARDS FROM VAPORS OR DUST, DO NOT VACUUM TOXIC MATERIALS.

Emptying the Dust Tank



1. The dust tank can become full (Fig. 1).
2. Turn off the switch (Fig. 2).
3. Unplug the power cord (Fig. 3).
4. Release the buckle (Fig. 4).
5. Raise the nose assembly from the dust tank (Fig. 5).
6. Pull out the dry filter (Fig. 6).
7. Dispose dust/debris (Fig. 7).

Cleaning with Water




1. Make sure the power cord is disconnected first from the socket (Fig. 1).
2. Cover the bottom cap basket with a water absorbing sponge, make sure to cover the whole basket (Fig. 2).
3. Pull out the dry filter (Fig. 3).
4. Place the Head assembly on the dust tank that has been fitted with the filter assembly and lock it with both sides of the buckle (Fig. 4).
5. Plug in the power cord (Fig. 5).
6. Start the switch (Fig. 6).
7. Install the required accessories on the hose assembly (Fig. 7).
8. When the water level reaches the maximum capacity, the safety valve will automatically start, and the suction will not work. The barrel of water will pour out (Fig. 8).
9. Turn Off the switch (Fig. 9).
10. Disconnect the power cord from the socket (Fig. 10).
11. To ensure the best results of water absorption, please remove the air filter sponge, hand-wring dry after drainage, and then use again (Fig. 11).
12. Wash the dirty sponge with clean water, hand-wring dry after washing, then use again (Fig. 12).

© Unimac

WARNING: BE SURE TO READ, UNDERSTAND, AND APPLY SAFETY INFORMATION. DO NOT VACUUM IN AREAS WITH FLAMMABLE GASES, VAPORS, OR EXPLOSIVE DUSTS IN THE AIR. FLAMMABLE GASES OR VAPORS INCLUDE BUT ARE NOT LIMITED TO; LIGHTER FLUID, SOLVENT TYPE CLEANERS, OIL-BASE PAINTS, GASOLINE, ALCOHOL OR AEROSOL SPRAYS. EXPLOSIVE DUSTS INCLUDE BUT ARE NOT LIMITED TO: COAL, MAGNESIUM, GRAIN, OR GUN POWDER. TO REDUCE THE RISK OF HEALTH HAZARDS FROM VAPORS OR DUST, DO NOT VACUUM TOXIC MATERIALS.

Blower Operation




WARNING: ALWAYS WEAR SAFETY GOGGLES BEFORE USING BLOWER. KEEP BYSTANDERS CLEAR FROM BLOWING DEBRIS. WEAR A DUST MASK IF BLOWING CREATES DUST THAT MIGHT BE INHALED.

1. Make sure that the power cord is disconnected from the socket (Fig. 1).
2. Unscrew the inserted hose assembly from the suction port with a left-hand rotation (Fig. 2).
3. Insert the main cannula of the hose assembly into the air outlet at the back of the head and tighten it with the right-hand rotation (Fig. 3).
4. Insert the power cord (Fig. 4).
5. Start the switch button (Fig. 5).
6. Hold the hose assembly, let outlet port aimed at the leaves and so on (Fig. 6).

Maintenance

Filter Cleaning



1. Periodically check the cleaning filter to maintain performance.
2. If the suction very tiny dust, the filter may need more frequent cleaning.
3. Wash filter sponge with cold or warm water without the use of detergent (Fig. 1 and Fig. 2).
4. Keep the cleaned parts in a wide area to dry, try to keep dry and dry for at least 24 hours. Do not put the filter in a dishwasher, washing machine, roller dryer, oven, microwave oven or open flame (Fig. 3).

General

- After cleaning the barrels, filters, and related accessories, check if leaks. After each use, clean the filter and do not always use a wet filter.
- Check the plug. If damaged, replace the plug.
- Check whether there is something blocking the air intake. If any, please remove and clean.
- Carefully handle the machine, do not handle roughly.
- Keep the machine dry.
- If filter is covered with dust, wash with cold water, if necessary. A neutral detergent cleaner can also be used. Do not use corrosive objects to clean. Do not put entire head directly in the water.

- Do not let the machine work for a long time, each working time 2 hours or less. Otherwise, it will reduce the machine life.
- After a long time, the filter will be covered the dust, and the suction force will be weakened. To avoid this, always clean the filter.
- If any abnormal vibration, noise, or smell is detected, immediately stop using the machine, and clean immediately.

© Unimac

Troubleshooting

WARNING! TO REDUCE THE RISK OF ELECTRIC SHOCK, UNPLUG BEFORE TROUBLESHOOTING.

Symptom	Possible Causes	Corrective Action
Vacuum will not operate.	No power supply.	Check power supply – cord, breakers, fuses.
	Faulty power cord.	Unplug and check the power cord. If damaged, have it repaired by a qualified professional.
	Container full.	Empty container.
Dust comes out from motor cover.	The cartridge filter or collection bag is missing or damaged.	Attach or replace cartridge filter or collection bag.
Reduced efficiency and motor/speed vibration.	There is a blockage in the nozzle or hose, or the container inlet. Or dust filter blocked by fine dust.	Check nozzle, hose, and container inlets for blockage. Take off the filter and clean it. Or install new cartridge filter.

© Unimac

Specifications

Function	Wet and dry vacuuming / blowing
Voltage	240V
Frequency	50HZ
Capacity	20L
Power	1400W
Certification	SAA
Tank diameter	30cm
Material of Tank	Stainless steel
Airflow rate	25L/S
Vacuum suction	Over 17Kpa
Vacuum Type	Bagless
Cord Length	4.5m
Hose diameter	32mm
Hose length	1.5m
Power Plug	10A Australian Standard (SAA Approved)

© Unimac



Some experts believe that the incorrect or prolonged use of almost any product may cause serious injury or death. To help reduce your risk of serious injury or death, refer to the information below. For more information, see www.datastreamserver.com/safety

- Consult all documentation, packaging, and product labelling before use. Note that some products feature documentation available online. It is recommended to print and retain the documentation.
- Before each use, check the product for loose/broken/damaged/missing parts, wear, or leaks (if applicable). Never use a product with loose/broken/damaged/missing parts, wear, or leaks.
- Products must be inspected and serviced (if applicable) by a qualified technician every 6 months. This is based on average residential use by persons of average size and strength, and on a property of average metropolitan size. Use beyond these recommendations may require more frequent inspections/servicing.
- Ensure that all users of the product have completed a suitable industry recognised training course before being allowed access to the product.
- The product has been supplied by a general merchandise retailer that may not be familiar with your specific application or description of application. Be sure to attain third-party approval from a qualified specialist for your application before use, regardless of any assurances from the retailer or its representatives.
- This product is not intended for use where fail-safe operation is required. As with any product (for example, automobile, computer, toaster), there is the possibility of technical issues that may require the repair or replacement of parts, or the product itself. If the possibility of such failure and the associated time it may take to rectify could in any way inconvenience the user, business, or employee, or financially affect the user, business, or employee, then the product is not suitable for your requirements. This product is not intended for use where incorrect operation or a failure of any kind, including but not limited to, a condition requiring product return, replacement, parts replacement, or service by a technician may cause financial loss, loss of employee time or an inconvenience requiring compensation.
- If this product has been purchased in error when considering the information presented here, contact the retailer directly for details of their returns policy, if required.



© Unimac. All rights reserved. No part of this document, including descriptive content, concepts, ideas, diagrams, or images may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, scanning, or recording, or any information storage and retrieval system, without express permission or consent from the publisher.