



For household
Use Only

1-800-898-3002
help@homelabs.com
homelabs.com/help

© 2018 hOmeLabs LLC
37 East 18 Street, 7th Floor
New York, NY 10003

All rights reserved. hOme™, Printed in China.




FILTER

Compact Air Purifier

home™
homelabs.com

HME020271N
HME020272N


Before using your FILTER, please read this manual.



REPLACING YOUR FILTER

1. Press the On/Off Button to turn OFF your appliance.
2. Make sure to unplug the appliance from the outlet.
3. Flip the unit upside down, turn the Filter Cover handle clockwise to the “OPEN” position and remove the cover (Fig 1).
4. Remove the Multifunctional Filter from the purifier (Fig 2).
5. Remove the Multifunctional Filter from the plastic bag (Fig 3).
6. Install the Multifunctional Filter with the tabs face up and outward (Fig 4).
7. Place the Filter Cover on the bottom of the air purifier, aligning the arrows to twist the handle clockwise to the “LOCK” position to secure the filters (Fig 5).
8. After replacing the filter, turn the appliance on. Press and hold the Light button for 3 seconds. The indicator light will turn out. The filter is now successfully reset.

If you have any further questions, please contact the hOme™ Customer Support hotline at **1-800-898-3002** or visit **homelabs.com** to chat with a customer support agent.

 **WARNING:** Always make sure the appliance is turned off and unplugged before replacing your filter.

