

UNIVERSAL DISPENSER BEACON - USER MANUAL

Visit start.kontakt.io to create a customer account and add your devices to the customer panel using your Order ID. Download the app and activate your Universal Dispenser Beacon. Follow the instructions in the Kontakt Device Manager mobile app to configure your Universal Dispenser Beacon.

Frequency (MHZ): **2402.0 - 2480.0**

Maximum RF power: **+4dBm (2.5 mW)**

Universal Dispenser Beacon can be mounted externally to any supported Soap Dispenser (contact tech support to check for supported models). It is a dispense event sensor used to monitor hand hygiene compliance in Healthcare facilities. Battery: CP804062 Lithium Pouch Cell; 5000mAh 3.6V.

Kontakt Micro-Location Sp. z o.o. ul. Stoczniewców 3 30-709 Kraków POLAND, hereby declares that this device is in compliance with Directive 2014/53/EU. EU Declaration of Conformity: <https://kontakt.io/compliance-universal-dispenser-beacon>

Manufactured for:

Kontakt Micro-Location Sp. z o.o. ul. Stoczniewców 3 30-709 Kraków POLAND

PNR: KHWSN300F001

UNIVERSAL DISPENSER BEACON - INSTRUKCJA UŻYTKOWANIA

Odwiedź stronę start.kontakt.io, aby zalogować się konto klienta i dodać swoje urządzenia do panelu klienta za pomocą Order ID. Pobierz aplikację i aktywuj swój Universal Dispenser Beacon. Postępuj zgodnie z instrukcjami w aplikacji mobilnej Kontakt Device Manager, aby skonfigurować Universal Dispenser Beacon.

Częstotliwość (MHz): **2402.0 - 2480.0**

Maksymalna moc radiowa: +4dBm (**2,5 mW**)

Universal Dispenser Beacon można zamontować zewnątrz na dowolnym obsługiwany dozownik mydła (skontaktuj się z pomocą techniczną, aby sprawdzić obsługiwane modele). Jest to czujnik zdarzeń dozowania służący do monitorowania zgodności z zasadami higieny rąk w placówkach ochrony zdrowia. Bateria: CP804062 ogniwo litowe w obudowie pouch; 5000mAh 3,6V.

Kontakt Micro-Location Sp. z o.o. ul. Stoczniewców 3 30-709 Kraków POLSKA niniejszym oświadcza, że niniejsze urządzenie jest zgodne z dyrektywą 2014/53/UE. Deklaracja zgodności UE:

<https://kontakt.io/compliance-universal-dispenser-beacon>

Wyprodukowano dla: Kontakt Micro-Location Sp. z o.o. ul. Stoczniewców 3 30-709 Kraków POLSKA

PNR: KHWSN300F001

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC warning:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.