




Freestanding Thermoelectric Wine Cooler

User Guide



IVFWCT062B
Holds 6 bottles

IVFWCT082HB
Holds 8 bottles

IVFWCT082B
Holds 8 bottles

IVFWCT121B
Holds 12 bottles

Thank you for purchasing the Ivation Freestanding Thermoelectric Wine Cooler. This User Guide is intended to provide you with guidelines to ensure that operation of this product is safe and does not pose risk to the user. Any use that does not conform to the guidelines described in this User Guide may void the limited warranty.

Please read all directions before using the product and retain this guide for reference. This product is intended for household use only. It is not intended for commercial use.

This product is covered by a limited one-year warranty. Coverage is subject to limits and exclusions. See warranty for details.


This product is the next best thing to having a real wine cooler in your home. It protects your favorite bottles and stores them at the precise recommended temperatures for red and/or white wines. The advanced compressor cooling system delivers the optimal environment for those special vintages, preserving their unique flavor and delicacy.

TABLE OF CONTENTS

- 3 FEATURES**
- 4 SAFETY PRECAUTIONS**
- 5 PRODUCT OVERVIEW**
- 6 USAGE**
- 7 SPECIFICATIONS**
- 8 TROUBLESHOOTING**
- 9 WARRANTY**
- 10 GET IN TOUCH!**

WINE COOLER FEATURES

- Maintains the perfect temperature for red and white wines
- Efficient thermoelectric cooling
- Low noise, low vibration – will not disturb sediment
- Touch controls and LCD display
- Soft interior lighting with on/off control
- Selectable Celsius or Fahrenheit temperature settings
- Temperature adjustable in 1° increments
- Pull-out chrome shelves
- Automatic panel lock
- Tempered smoked glass door
- Black metal cabinet
- Solid, CFC-free polyurethane foam insulation



WARNING! To reduce the risk of fire, electrical shock, or injury when using your appliance, follow these basic precautions:

Read all instructions before using the product.

Never allow children to operate, play with, or crawl inside the appliance.

Never clean appliance parts with flammable fluids. The fumes can create a fire hazard or explosion.

Do not store or use gasoline or any other flammable vapors or liquids in the vicinity of this or any other appliance. The fumes can create a fire hazard or explosion.

Do not repair or replace any part of the unit or attempt any servicing unless specifically recommended in the user-maintenance instructions or in published user-repair instructions. Replace the fuse with the same type.

Position your wine cooler so that the plug is accessible.

Keep your wine cooler out of direct sunlight.

Do not place next to heat generating appliances.

Place the wine cooler on a level surface that is strong enough to support the unit when it is fully loaded. To level your wine cooler, adjust the front feet located at the bottom of the unit.

Important: Position the cooler in a dry, well-ventilated space with ambient temperature between 50° – 80°F (10° – 26°C).

Before connecting the unit to a power source, allow it stand upright for approximately 2 hours. This will reduce the possibility of any system malfunctions which may have occurred from handling during transportation.

When positioning the wine cooler, leave clearance space of 6 inches in the back and 10 inches on both sides. Do not place any objects on top of the unit that may block air circulation.

This unit requires a standard 110V-60Hz electrical outlet. The unit should be properly grounded for your safety and in order to minimize the possibility of electrical shock. The power cord is equipped with a 3-prong plug.

Never cut or remove the ground wire from the supplied power cord.

The use of extension cords is not recommended.

The cord should be secured behind the wine cooler. Also, to prevent accidental injury, do not expose or dangle the cord.

Do not install the wine cooler in a closed cabinet without proper ventilation.

Do not remove the feet on the bottom of the wine cooler. The unit requires at least 2 inches (50mm) of ground clearance.

NOTE: If you are discarding an old electric wine cooler, remove the door and leave the shelves in place so that children may not easily climb inside.

APPLIANCE SAFETY

Your safety and the safety of others are very important.

We have provided many important safety messages in this manual and on your appliance. Always read and obey all safety messages.



This is the Safety Alert Symbol. This symbol alerts you to potential hazards that can kill or injure you and others.

All safety messages will follow the Safety Alert Symbol and either the words "DANGER", "WARNING" or "CAUTION".



Danger means that failure to heed this safety statement may result in severe personal injury or death.



Warning means that failure to heed this safety statement may result in extensive product damage, serious personal injury, or death.



Caution means that failure to heed this safety statement may result in minor or moderate personal injury, or property or equipment damage.

All safety messages will alert you to what the potential hazard is, tell you how to reduce the chance of injury and let you know what can happen if the instructions are not followed




California Proposition 65
WARNING: Cancer
and Reproductive Harm -
www.P65Warnings.ca.gov


GET TO KNOW YOUR WINE COOLER

- | | |
|---------------------|-------------------------------|
| 1 Cabinet | 6 Foot |
| 2 Shelves | 7 Upper door hinge with cover |
| 3 Fan | 8 Tempered glass door |
| 4 Fan cover | 9 Door gasket |
| 5 Ventilation grill | 10 Bottom hinge |


IVFWCT062B




IVFWCT082HB



IVFWCT082B



IVFWCT121B



Model	Storage Capacity	Temperature Range
IVFWCT062B	6 Standard Bottles	46 °F - 64 °F (8 °C - 18 °C)
IVFWCT082HB	8 Standard Bottles	46 °F - 64 °F (8 °C - 18 °C)
IVFWCT082B	8 Standard Bottles	46 °F - 64 °F (8 °C - 18 °C)
IVFWCT121B	12 Standard Bottles	46 °F - 64 °F (8 °C - 18 °C)

RECOMMENDED TEMPERATURE

	Fahrenheit	Celsius
Red Wines	57° - 65°	14° - 18°
White Wines, Champagnes and Sparkling Wines, and Dry Varietals	49° - 58°	9° - 14°
Rosé Wines	51° - 53°	10° - 11°

OPERATION

- When you first turn on the wine cooler, or restart it after an extended period of non-use, there could be a few degrees variance between the temperature you select and the one indicated on the LCD readout. This is normal and it is due to the length of the activation time. Once the wine cooler is allowed for a few hours normal operation will resume.
- Place the cooler in a dry, well-ventilated space with ambient temperature between 50° - 80°F (10° - 26°C).
- If the ambient temperature is above or below the recommended range, the unit's performance may be affected. Extreme cold or hot conditions may cause the interior temperature to fluctuate. This will then prevent the optimal interior temperature range from being reached. In addition, the temperature may fluctuate depending on whether the interior light is on or off, and whether the bottles are located on the upper, middle, or lower racks.

CONTROL PANEL:



Your wine cooler is equipped with a control panel lock feature. The lock will automatically activate 20 seconds after the last button is pressed.

To unlock the control panel, press and hold the  button for 2 seconds. You will hear a "BEEP" sound to alert you that the panel is unlocked.

Set the temperature inside the wine cooler by pressing the  (increase) and  (decrease) buttons to adjust the temperature in 1° increments.


You can select the temperature to display in Fahrenheit or Celsius by pressing and holding the  button for 2 seconds.

Turn the interior light on or off by pressing the  button.


The light will be turned off automatically if it remains on for 10 minutes. Press the  button again to turn it back on.

ELECTRICAL DIAGRAM


IVFWCT082B IVFWCT121B



IVFWCT082HB



IVFWCT062B



TECHNICAL SPECIFICATIONS

IVFWCT062B**Power Supply:** 115V / 60 Hz**Rated Power:** 58W**Capacity:** 17Liters / 6 Bottles**Temperature Range:** 46°F -64 °F (8°C-18 °C)**Unit Dimensions (W x D x H):**
10.4" x20.3" x15.5" (26.5x51.5x 39.3cm)**Net Weight:** 21 lbs (9.5 kg)IVFWCT082HB**Power Supply:** 115 V / 60 Hz**Rated Power:** 65 W**Capacity:** 21Liters / 8 Bottles**Temperature Range:** 46 °F - 64 °F (8 °C - 18 °C)**Unit Dimensions (W x D x H):**
17" x19.5" x12" (43x49.5x 30.5cm)**Net Weight:** 24.3 lbs(11 kg)IVFWCT082B**Power Supply:** 115 V / 60 Hz**Rated Power:** 65 W**Capacity:** 21.6 Liters / 8 Bottles**Temperature Range:** 46 °F - 64 °F (8 °C - 18 °C)**Unit Dimensions (W x D x H):**
10.4" x20.1" x 18.7" (26.5 x 51 x 47.5 cm)**Net Weight:** 24.3 lbs. (11 kg)IVFWCT121B**Power Supply:** 115 V / 60 Hz**Rated Power:** 65 W**Capacity:** 36 Liters/12 Bottles**Temperature Range:** 46 °F - 64 °F (8 °C - 18 °C)**Unit Dimensions (W x D x H):**
10.4" x 20.3" x 25.6" (26.5 x 51.5 x 65 cm)**Net Weight:** 30.9 lbs. (14kg)

TROUBLESHOOTING

PROBLEM	POSSIBLE CAUSES
The wine cooler will not operate	The unit may be plugged in using a different voltage. Also, the circuit breaker may have tripped or a fuse has blown.
The wine cooler is not cold enough.	Check the temperature control settings, as the external environment may be too hot. The door may be opened too frequently. The door is not closed completely. The door seal does not seal properly. The wine cooler does not have sufficient clearance.
The wine cooler vibrates while operating.	Make sure the unit is placed on a level, stable surface.
The wine cooler produces a lot of noise.	Make sure the unit is placed on a level, stable surface. Check the fan.
The wine cooler will not close properly.	Make sure the unit is placed on a level, stable surface. The doors are reversed and not properly installed. The seal has weakened.
The LED display does not work.	There may be a problem with the main control board. There may be a problem with the plug.
There is an LED display error.	There is a PCB problem.
The buttons do not function.	The temperature control panel may be damaged.
Frost or ice developed inside the wine cooler.	Ambient temperature too low. The wine cooler needed to be restarted.

LIMITED WARRANTY TO ORIGINAL CONSUMER

This Ivation Freestanding Thermoelectric Wine Cooler ("Product"), including any accessories included in the original packaging, as supplied and distributed new by an authorized retailer is warranted by C&A Marketing, Inc. (the "Company") to the original consumer purchaser only, against certain defects in material and workmanship ("Warranty") as follows:

To receive Warranty service, the original consumer purchaser must contact the Company or its authorized service provider for problem determination and service procedures. Proof of purchase in the form of a bill of sale or receipted invoice, evidencing that the Product is within the applicable Warranty period(s), MUST be presented to the Company or its authorized service provider in order to obtain the requested service.

Service options, parts availability, and response times may vary and may change at any time. In accordance with applicable law, the Company may require that you furnish additional documents and/or comply with registration requirements before receiving warranty service. Please contact our customer service for details on obtaining warranty service:

Email: info@myivation.com

Phone: 1-866-849-3049

Shipping expenses to the Company's Return Facility are not covered by this warranty, and must be paid by the consumer. The consumer likewise bears all risk of loss or further damage to the Product until delivery to said facility.

EXCLUSIONS AND LIMITATIONS The Company warrants the Product against defects in materials and workmanship under normal use for a period of ONE (1) YEAR from the date of retail purchase by the original end-user purchaser ("Warranty Period"). If a hardware defect arises and a valid claim is received within the Warranty Period, the Company, at its sole option and to the extent permitted by law, will either (1) repair the Product defect at no charge, using new or refurbished replacement parts, (2) exchange the Product with a Product that is new or which has been manufactured from new or serviceable used parts and is at least functionally equivalent to the original device, or (3) refund the purchase price of the Product.

A replacement Product or part thereof shall enjoy the warranty of the original Product for the remainder of the Warranty Period, or ninety (90) days from the date of replacement or repair, whichever provides you longer protection. When a Product or part is exchanged, any replacement item becomes your property, while the replaced item becomes the Company's property. Refunds can only be given if the original Product is returned.

This Warranty does not apply to:

- (a) Any non-Ivation Freestanding Thermoelectric Wine Cooler product, hardware or software, even if packaged or sold with the Product;
- (b) Damage caused by use with non-Ivation Freestanding Thermoelectric Wine Cooler products;
- (c) Damage caused by accident, abuse, misuse, flood, fire, earthquake, or other external causes;
- (d) Damage caused by operating the Product outside the permitted or intended uses described by the Company;
- (e) Damage caused by third party services;
- (f) A Product or part that has been modified to alter functionality or capability without the written permission of the Company;
- (g) Consumable parts, such as batteries, fuses, and bulbs;
- (h) Cosmetic damage; or
- (i) If any Ivation Freestanding Thermoelectric Wine Cooler serial number has been removed or defaced.

This Warranty is valid only in the country where the consumer purchased the Product, and only applies to Products purchased and serviced in that country.

The Company does not warrant that the operation of the Product will be uninterrupted or error-free. The Company is not responsible for damage arising from your failure to follow instructions relating to its use.

NOTWITHSTANDING ANYTHING TO THE CONTRARY AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, THE COMPANY PROVIDES THE PRODUCT "AS-IS" AND "AS-AVAILABLE" FOR YOUR CONVENIENCE AND THE COMPANY AND ITS LICENSORS AND SUPPLIERS EXPRESSLY DISCLAIM ALL WARRANTIES AND CONDITIONS, WHETHER EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, QUIET ENJOYMENT, ACCURACY, AND NON-INFRINGEMENT OF THIRD-PARTY RIGHTS. THE COMPANY DOES NOT GUARANTEE ANY SPECIFIC RESULTS FROM THE USE OF THE PRODUCT, OR THAT THE COMPANY WILL CONTINUE TO OFFER OR MAKE AVAILABLE THE PRODUCT FOR ANY PARTICULAR LENGTH OF TIME. THE COMPANY FURTHER DISCLAIMS ALL WARRANTIES AFTER THE EXPRESS WARRANTY PERIOD STATED ABOVE.

YOU USE THE PRODUCT AT YOUR OWN DISCRETION AND RISK. YOU WILL BE SOLELY RESPONSIBLE FOR (AND THE COMPANY DISCLAIMS) ANY AND ALL LOSS, LIABILITY, OR DAMAGES RESULTING FROM YOUR USE OF THE PRODUCT.

NO ADVICE OR INFORMATION, WHETHER ORAL OR WRITTEN, OBTAINED BY YOU FROM THE COMPANY OR THROUGH ITS AUTHORIZED SERVICE PROVIDERS SHALL CREATE ANY WARRANTY.

IN NO EVENT WILL THE COMPANY'S TOTAL CUMULATIVE LIABILITY ARISING FROM OR RELATED TO THE PRODUCT, WHETHER IN CONTRACT OR TORT OR OTHERWISE EXCEED THE FEES ACTUALLY PAID BY YOU TO THE COMPANY OR ANY OF ITS AUTHORIZED RESELLERS FOR THE PRODUCT AT ISSUE IN THE LAST YEAR FROM YOUR PURCHASE. THIS LIMITATION IS CUMULATIVE AND WILL NOT BE INCREASED BY THE EXISTENCE OF MORE THAN ONE INCIDENT OR CLAIM. THE COMPANY DISCLAIMS ALL LIABILITY OF ANY KIND OF ITS LICENSORS AND SUPPLIERS. IN NO EVENT WILL THE COMPANY OR ITS LICENSORS, MANUFACTURERS, AND SUPPLIERS BE LIABLE FOR ANY INCIDENTAL, DIRECT, INDIRECT, SPECIAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES (SUCH AS, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS, BUSINESS, SAVINGS, DATA, OR RECORDS) CAUSED BY THE USE, MISUSE, OR INABILITY TO USE THE PRODUCT.

Nothing in these terms shall attempt to exclude liability that cannot be excluded under applicable law. Some countries, states, or provinces do not allow the exclusion or limitation of incidental or consequential damages or allow limitations on warranties, so certain limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may have other rights that vary from state to state or province to province. Contact your authorized retailer to determine if another warranty applies.

GET IN TOUCH!

✉ info@myivation.com

☎ 1-866-849-3049

IVATION is a trademark of C&A IP Holdings LLC, in the U.S, Canada, and the E.U.

All other products, brand names, company names, and logos are trademarks of their respective owners, used merely to identify their respective products, and are not meant to connote any sponsorship, endorsement, or approval.

Distributed by C&A Marketing, Inc., 114 Tived Lane East, Edison, NJ 08837.
MADE IN CHINA

© 2025. C&A IP Holdings LLC. All Rights Reserved.