

4-Post Open Frame Rack with Casters

Thank you for purchasing a NavePoint product. NavePoint intends this manual to guide you through a smooth installation of the product. NavePoint assumes that you are qualified in the servicing of computer equipment and trained in recognizing any hazards that may occur in the installation of this product. If you have any questions regarding the installation or use of your product, please call us at 888.505.1363.



Examine the package for any damaged or loose parts. If anything is damaged or missing, contact NavePoint for assistance. Do not attempt to install or use product if it has been damaged.

The information contained in this document is subject to change without notice.

NavePoint makes no warranty of any kind with regard to this material, including, but not limited to the implied warranties of merchantability and fitness for a particular purpose.

NavePoint shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

NavePoint assumes no responsibility for the use, application, or reliability of the software or hardware that you install into the product. Always install the heaviest equipment in the bottom.

It is highly recommended that installation of this product be performed by a qualified and experienced installer. Improper installation of this product could result in damage to the product, other equipment, or personal injury. NavePoint cannot be held responsible for damage to equipment or personal injury resulting from improper use, installation or the misuse of information presented in this document.



www.NavePoint.com
customerservice@navepoint.com
© 2017 NavePoint, LLC

Rev. 201708

Important information-
Keep this information for further reference.


WARNING

Limitations of Liability: In no event will NavePoint, LLC. (or its officers, directors, employees or agents) be liable for any damages, whether direct or indirect, special, punitive, incidental or consequential damages (including, but not limited to, lost profits or revenue, loss of use, lost business opportunities or loss of goodwill) or for the costs of procuring substitute products, arising out of or in connection with the use of the product, whether such liability arises from any claim based upon contract, warranty, tort (including negligence), product liability or otherwise, whether or not seller has been advised of the possibility of such loss or damage. In no event will seller's total cumulative liability, from all causes of action and all theories of liability, exceed the total amounts actually paid to seller by customer under the order that gives rise to any liability hereunder.

Instructions for Products:


00301007 - 22U
00301008 - 42U
00301104 - 42U
00301105 - 22U
00301106 - 42U
00301107 - 22U

Equipment Mounting Hardware
00301007/22U, 00301105/22U, 00301107/22U M6 Cage Nut, Screws and Plastic Washers x 20
00301008/42U, 00301104/42U, 00301106/42U M6 Cage Nut, Screws and Plastic Washers x 40



Part	Quantity
A	Horizontal Cross bar x2
B	Bottom Support Beam x2
C	Vertical Rail x4
D	Casters x4
E	Top Support Beams x2
F	M6 Screws x72
G	M6 Flange Nuts x72

- 1 Attach Horizontal Cross Bar (A) at the bottom of two of the vertical Rails (C) using 8 M6 Screws (F) and 8 M6 Flange Nuts (G).
- 2 Attach Horizontal Cross Bar (A) at the top of the Vertical Rails (C) using 8 M6 Screws (F) and 8 M6 Flange Nuts (G).





3

Repeat step 1 and step 2 to attach Horizontal Cross Bars(A) to the other two Vertical Rails (C).

4

Attach two Casters (D) to each of the Bottom Support Beams (B) using 4 M6 Screws (F) and 4 M6 Flange nuts (G) for each Caster - NOTE: each support beam should have 1 Caster with Brake.



5

Attach Bottom Support Beams (B) to Frames using 8 M6 Screws (F) and 8 M6 Flange Nuts (G).

6

Attach Top Support Beams (E) to Frames using 8 M6 Screws (F) and 8 M6 Flange Nuts (G).