

nuwave®

OXYPURE® SMART AIR PURIFIER

Owner's Manual

Model 47001 - 47009
Rev.01



Questions or Concerns?
help@nuwavenow.com

THANK YOU!

Congratulations on your NuWave® purchase. We know there are many options available and sincerely appreciate the trust you have placed in us.

For the last 30 years, we have committed to introducing products that promote healthy living at affordable prices. By combining the highest quality designs with cutting edge technology, we have always strived to blend feature, function, and innovation in every product we make. We hope you will agree.

We would love to hear from you. Please feel free to reach out with any feedback or comments that could improve your experience. We would also enjoy hearing about your successes. The best way to reach us is by email: help@nuwavenow.com

Scan to Email



help@nuwavenow.com

Scan to Register



nuwavenow.com/qr

Register Today!

1. Scan the QR code or visit www.nuwavenow.com/QR to Register.
2. Have your proof of purchase! You will need it to register your product.
3. Locate your serial and model numbers to have ready.

Note: You can locate the model and serial numbers, as well as the QR code, on the label on the back of the unit.

Connect with Us!



#nuwavenow

Visit nuwavenow.com to see other great products and accessories.

TABLE OF CONTENTS

OWNER'S MANUAL

| | |
|---|--------------|
| Important Safeguards | 4-5 |
| Parts & Accessories | 6 |
| Assembly | 7 |
| WiFi Connection..... | 8-9 |
| Operation | 9-12 |
| Cleaning & Maintenance | 12-15 |
| Troubleshoot Guide | 16 |
| Limited Warranty | 17-19 |

Para la versión en español de este manual, visita www.nuwavenow.com



U.S. Environmental Protection Agency



This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

IMPORTANT SAFEGUARDS

HOUSEHOLD USE ONLY • READ ALL INSTRUCTIONS BEFORE USE

ALWAYS KEEP THIS MANUAL HANDY FOR FUTURE REFERENCE.

READ ALL INSTRUCTIONS and WARNINGS: The failure to follow any of the important safeguards, warnings, or instructions for safe use is a misuse of the OxyPure that can void your warranty and create the risk of serious injury. When using the OxyPure, basic safety precautions should always be followed.

1. ONLY use the OxyPure for its intended purpose.
2. To protect against the risk of electrical shock, **DO NOT** immerse the cord, plug, or any part of the OxyPure in water or any other liquid.
3. Close supervision is necessary when the OxyPure is used by or near children. The OxyPure is not intended for use by children, persons with reduced physical, sensory, or mental capabilities, or those who lack expertise or knowledge of this device.
4. **DO NOT** operate the OxyPure with a damaged cord, plug, after any malfunction, or if the unit has been dropped or damaged in any way. Contact Customer Service by emailing help@nuwavenow.com for more information.
5. Discard the protective plastic covering the power plug before use.
6. **DO NOT** run the cord under carpeting, throw rugs, runners or other coverings.
7. **DO NOT** route the cord under furniture or appliances. Arrange the cord away from high-traffic areas where it will not pose a tripping hazard.
8. **DO NOT** plug the OxyPure into an outlet or power strip that is being used by other appliances.
9. Remove any dust or water from the plug, if needed.
10. **ALWAYS** set up the OxyPure on a flat, stable surface.
11. **DO NOT** set up the OxyPure where it could be pushed, kicked, or tripped over.
12. Leave at least 2-3 feet of space between the OxyPure's vents and any walls.
13. **DO NOT** install the OxyPure near a heating device, flammable or combustible gases or vapors, or in areas exposed to moisture or water.
14. **DO NOT** operate the OxyPure on its side.
15. **DO NOT** place objects on top of the OxyPure.
16. **DO NOT** sit or stand on, or lean against, the OxyPure.
17. Alteration or modification of any part of the OxyPure, or the use of attachments not recommended by the manufacturer, may cause fire, injury, or damage to property.
18. As with most electrical units, electrical parts are live even when the OxyPure is off. Be sure the OxyPure is unplugged when assembling.
19. **DO NOT** use the OxyPure in a factory or industrial setting where machine oil may be present in the air.
20. Turn the power OFF on the OxyPure before unplugging it.
21. Unplug the OxyPure from outlet when the unit is not in use or will be left unat-

IMPORTANT SAFEGUARDS

HOUSEHOLD USE ONLY • READ ALL INSTRUCTIONS BEFORE USE

tended for an extended period of time; before putting on or taking off parts; when removing or replacing the filters; and before cleaning.

22. **DO NOT** operate the OxyPure if an abnormal sound or motion is detected.
23. If a hard or foreign object comes into contact with the fan, do not operate. Turn off and unplug the OxyPure.
24. Inspect the OxyPure for any loose or missing parts before and after each use. If parts are loose, damaged, or missing, contact Customer Service by emailing help@nuwavenow.com.
25. **DO NOT** pull, lift, drag, pick up, or carry the OxyPure by its cord.
26. **DO NOT** block the air inlet or outlet vents.
27. **DO NOT** operate the OxyPure without filters or the Filter Access Panel in place.
28. **DO NOT** place anything with a strong odor or chemical on or close to the odor sensor.

FILTER CHANGING PRECAUTIONS

1. Once all filters have been removed, the body of the OxyPure can be washed with warm, soapy water. Dry thoroughly before replacing the filters.
2. **ALWAYS** use rubber gloves when handling the filters.
3. When removing dirty filters, **ALWAYS** do so outside or in a well ventilated area.
4. **ALWAYS** replace your filters with NuWave filters made for your model of air purifier.

ELECTRICAL INFORMATION

These servicing instructions are for use by qualified personnel only. To reduce the risk of electric shock, do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so.

Power-Supply Cords

A short, detachable power-supply cord is provided to reduce the risk of becoming entangled in, or tripping over, a longer cord. Longer detachable power-supply cords or extension cords are available and may be used if care is exercised in their use. If a longer, detachable power-supply cord or extension cord is used:

1. The marked electrical rating of the extension cord should be at least as great as the electrical rating of the appliance.
2. The longer cord should be arranged so that it will not drape over any countertop or tabletop where it could be pulled on or tripped over unintentionally.
3. The OxyPure should be operated on a separate electrical outlet from other operating appliances due to wattage limitations.


WARNING

RISK OF ELECTRIC SHOCK: To reduce the risk of electric shock, this equipment has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact qualified personnel to install the proper outlet. Do not alter the plug in any way.

These servicing instructions are for use by qualified personnel only. To reduce the risk of electric shock, do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so.

PARTS

- 1 Air Vent**
Part #: OXA1
- 2 Front Display Touchpad Panel**
Part #: OXA2
- 3 Handles**
Part #: OXA3
- 4 Odor Sensor**
Part #: OXP8
- 5 Base**
Part #: OXA4
- 6 Inflow Vent**
Part #: OXA10
- 7 Filter Slot Cover**
Part #: OXP6
- 8 Wheels**
Part #: OXP9
- 9a Sensor Cover**
Part #: OXP3
- 9b Filter Sensor**
Part #: OXP7
- 10 HEPA/Carbon Filter**
Part #: OXA5
- 11 Ozone Emission Removal Filter**
Part #: OXA6
- 12 Bio-Guard™ Filter**
Part #: OXA7
- 13 Stainless Steel Pre-Filter**
Part #: OXA8




ORDERING PARTS

Keeping your OxyPure up and running with new filters is a breeze.


1. Locate the part number on the above images, then
2. Contact NuWave Customer Service by emailing help@nuwavenow.com, or order online at www.nuwavenow.com.

ASSEMBLY



Open



Access to Filters



Close



**Stainless Steel
Pre-Filter**


Bio-Guard™ Filter

**Ozone Emission
Removal Filter**

**HEPA/Carbon
Filter**

Before Use:

1. Make sure the OxyPure® is unplugged. Open the panel on the back to expose the filters.
2. Pull the filters from their slots.
3. Remove the plastic wrapping from the filters.
4. Fully reinsert the filters into the Oxypure and close the panel.
5. Remove the sticker from the control panel.



Air Filter Assembly

The OxyPure® comes with four different preassembled filters inside the unit (see diagram on the right). Each filter is labeled with a number. Match these with the slot numbers when installing the filters. When the filters require cleaning, please refer to **Cleaning & Maintenance**.

THE NUWAVE CONNECT APP

MONITOR AND CONTROL THE OXYPURE REMOTELY

The OxyPure is equipped to operate using **WI-FI**. This allows you to conveniently operate your new air purifier from nearly any location, whether at home or while you are out and about, as long as you have a reliable Internet connection.

Download the NuWave Connect App

This is an optional feature that is not required to operate your OxyPure.

Using the QR reader in your Camera App:

1. Scan the QR code below.



2. It will take you to the App's download page on either the Google Play Store or the Apple AppStore, then just follow the download and installation instructions.

Downloading a QR reader App:

If your phone doesn't have that capability built-in, simply download a 3rd-Party QR Scanning App before scanning the NuWave QR Codes and you are ready to go.


1. Open your device' mobile app store (Apple App Store or the Google Play Store).



2. Search for "QR code readers."
3. Simply download the QR code reader to your phone, open it, scan the code and you are ready to go.

Wi-Fi

Auto Scan Mode

1. Once you download the NuWave® Connect app, ensure your phone is connected to your home Wi-Fi network on the 2.4GHz frequency and that your phone's Bluetooth is on.
2. Turn on the OxyPure and activate Wi-Fi Pairing Mode by pressing and holding  **POWER** until the light next to the **Wi-Fi** symbol begins to blink rapidly.
3. In the NuWave® Connect app, tap the + symbol, then tap **Auto Scan** and select your device.
4. Enter your **Wi-Fi** network's password and tap Confirm. If the connection is successful, the app will display "Added Successfully" on the screen.

WiFi LED Status Light Pairing Mode & Standby Mode

Solid Light.

The OxyPure is paired with the wifi network and ready to be used.

Rapid Blinking Light.

The OxyPure is in Pairing Mode. The OxyPure will stay in Pairing Mode for up to 3 minutes or until your device is paired.

Slowly Blinking Light.

The OxyPure is in AP Pairing Mode.

No Light. The OxyPure's WiFi is off.

If the OxyPure did not connect to your network, the Wi-Fi light will turn off. Repeat the steps for pairing. Make sure to select the proper Wi-Fi network and type the correct password.

Note: If your home network doesn't broadcast in a 2.4GHz or a dual band broadcast frequency, contact your ISP to inquire about setting up a 2.4GHz network.

AP Mode

1. If you can't connect your OxyPure using Auto Scan, follow the instructions in the app to reset the connection process.
2. Press and hold **Ⓜ POWER** until the Wi-Fi light begins blinking slowly to enable AP Mode.
3. Tap the **+** symbol, then select the OxyPure unit you want to add to the network.
4. Confirm that the Wi-Fi light on your OxyPure is blinking slowly and tap AP Mode on your phone screen.
5. Connect your phone to the available hotspot following the instructions on the screen.
6. Once connected, return to the NuWave Connect app and the unit will begin connecting automatically.

7. Once your OxyPure is successfully connected, tap Done.


EZ Mode

1. Tap the **+** symbol, then select the OxyPure unit you want to add to the network.
2. Enter and confirm your Wi-Fi network password.
3. Tap AP Mode in the top right of your screen, then select EZ Mode to switch pairing modes.
4. Confirm that the Wi-Fi light on your OxyPure is blinking rapidly.
5. Once the OxyPure is connected, tap Done.

SAVE THESE INSTRUCTIONS

OPERATING THE OXYPURE CONTROL PANEL • POWER • MODES & FUNCTIONS

The OxyPure's control panel allows you to turn the unit on and off, choose an operating mode or function (see below), and monitor your filter health.



Air/Odor Quality - Detects particles as small as 2.5/1000mm

Low PM Level High PM Level

| Particulate Matter (PM) with a diameter of 2.5 microns or less | | | | | |
|--|------|-------|-------|-------|---------|
| 0~5 | 5~10 | 10~20 | 20~30 | 30~50 | Over 50 |

| Fan Speeds | | | | | |
|------------|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |

Air and Odor LEDs

The OxyPure will display the Air/Odor quality based on the particulate matter in the air from low to high as represented below. If the PM level in the air exceeds the upper limit of the range, a warning is triggered with a beeping sound and a flashing LED. To turn off this warning, press AUTO and Fan Speed at the same time. Press the same buttons to turn the warning feature back on.

Low PM Level High PM Level

OPERATING THE OXYPURE

Filter Functions

Air purifiers operate more efficiently when all windows and doors are closed. The OxyPure can purify the air in extra-large rooms (up to 2,671sq.ft.per hour).

Stainless Steel Pre-Filter

Washable and reusable for up to 20 years.

Captures and collects large particles and allergens including pet hair, dander, and pollen.

Bio-Guard™ Filter:

Washable and reusable for up to 20 years.

8,000V, positive and negative charges capture particles as small as 0.1

microns, as well as smoke, pollen, and allergens.

Ozone Emission Removal Filter
Reusable for up to 20 years. Not washable.

Eliminates ozone emissions and other harmful airborne chemicals.

HEPA/Carbon Filter

Lifespan, 6 months to 1 year. Not Washable.

Captures and traps pollen, allergens, industrial emissions, VOCs including formaldehydes, household fumes, odors and nitrogen dioxides from gas stoves and car exhausts.



Power ON/OFF

1. Plug your OxyPure into an outlet. **POWER** will be lit in red and OxyPure will be in standby mode.
2. Press **POWER**. The OxyPure will turn on and **POWER** will be lit green.
 - Bars next to **AIR** and **ODOR** will illuminate, measuring current air quality.
 - The fan will start.
3. Press **POWER** again to turn the OxyPure off.
 - When you select a different mode other than the default **AUTO** before turning off, the OxyPure will run the previously selected mode when it is powered back on.



AUTO

When the **AUTO** function is used, your OxyPure will adjust the fan speed automatically (no time limit).

1. Press **AUTO**. The **AUTO** light will be lit.



ULTIMATE CLEAN

When in **ULTIMATE CLEAN** mode, the OxyPure will automatically adjust to the highest fan speed based on your air quality (no time limit).

1. Press **ULTIMATE CLEAN**. **ULTIMATE CLEAN** will be lit green.
2. Press **ULTIMATE CLEAN** again to turn it off.



SLEEP MODE

When in Sleep Mode the LED lights will be off but the fan will still be active. Adjust the fan speed to your preference prior to going into Sleep Mode.

1. Manually adjust **FAN SPEED**.
2. Press and hold **FAN SPEED** for 2 seconds to activate Sleep Mode.
 - The OxyPure will run at the fan speed that was previously selected.
3. To turn off Sleep Mode, press any button.

Note: **ULTIMATE CLEAN** and **TURBO** will work while the OxyPure is in Sleep Mode.

OPERATING THE OXPURE



FAN SPEED

You can adjust from 6 different speeds (LOW to HIGH).

1. Press **FAN SPEED** to adjust.
2. To go back to the lowest fan speed, continue to press **FAN SPEED** until the first bar is lit.



TIMER

Use the Timer function to choose the duration of operation.

1. Press **TIMER**. The bar next to ½ hour will be lit.
 - There are 6 preset times to choose from.
2. Press **TIMER** to increase time.
 - Choose from ½ hour, 1, 2, 4, 8, or 12 hours.
 - After pressing “TIMER” six times, all bars will be lit.
3. Press **TIMER** once more to turn the Timer off.



TURBO

The Turbo function cleans your air using the highest fan speed at selected times.

1. Press **TURBO** to adjust from the working time from ½ hour, 1, to 2 hours.
 - When the selected time has finished, Turbo will shut off automatically.
2. Press **TURBO** 4 times to exit Turbo mode.



AIR QUALITY INDICATOR

The OxyPure will automatically measure and display the current air quality in the room.

- The bars will illuminate around AIR and ODOR, indicating the current air quality. They will increase and decrease, and are color coded, according to air quality.

CLEAN AND REPLACE FILTER INDICATORS


- The lights next to CLEAN FILTER 2 and REPLACE FILTER 4 will illuminate, indicating that your filters will need to be cleaned or replaced.
- To reset the indicators, see “Resetting the Filter and Air Quality Indicators” in Cleaning & Maintenance.

2 BUTTONS FUNCTIONS



Eco-Friendly Mode allows you to save energy by turning the OxyPure fan and lights off when the unit is not needed. While in Eco Mode, the fan will automatically run when the PM level is high and remain off when the PM level is low.

1. Press **POWER** and **ULTIMATE CLEAN** at the same time POWER will be backlit yellow.
2. Press **POWER** and **ULTIMATE CLEAN** again to turn off Eco-Friendly Mode.



TURBO with TIMER

When using Turbo with Timer the default time is set to 2 hours.

1. Press **TURBO** to set the running time.
2. Press **TIMER** and set the running time.


OPERATING THE OXYPURE



TURBO with AUTO

Use the Turbo mode to set a time limit. Once the time is up, the OxyPure will switch to Auto Mode.

1. Press **TURBO** to adjust the running time from ½ hour, 1, or 2 hours.
2. Press **AUTO** to begin.




ULTIMATE CLEAN with TURBO

Cleans at the highest fan speed for The OxyPure runs Turbo mode for the set time, then switches to Ultimate Clean mode.

1. Press **ULTIMATE CLEAN**. The **ULTIMATE CLEAN** light will be lit green.
2. Press **TURBO**. The default is ½ hour, which can be adjusted from 1 to 2 hours.
3. Press **TURBO** a fourth time to turn it off.

CLEANING & MAINTENANCE

Your OxyPure can easily be moved from one location to another. Just hold the OxyPure by the handles on each side and roll the OxyPure to the chosen location. The wheels underneath provide extra maneuverability and mobility whenever it's needed.



Before First Use

Wipe the Top Vent and In Flow Vent with a slightly damp cloth or paper towel. Dry thoroughly before use.


After Use

Your OxyPure should be cleaned periodically and after excessive use to ensure proper performance and function. To clean the outsides of the OxyPure, use a cloth, paper towel or vacuum brush attachment to remove dust and other particles from the vents. Clean tougher buildup with a damp cloth or paper towel, then dry thoroughly.

Cleaning the Top Vent and In Flow Vent

1. Turn off and unplug the OxyPure.
2. Use a vacuum with a brush attachment to remove any dust and debris.
3. If needed, use a slightly wet paper towel or damp cloth to remove heavier buildup. Do not use any harsh abrasives or cleaning pads on the Top Vent or any other part of the OxyPure.


CLEANING & MAINTENANCE



Cleaning the Odor Sensor Opening

The Odor Sensor is located on the upper right side corner of the OxyPure underneath the small grill opening.

- Keep the Odor Sensor clear of dust and debris by cleaning with a vacuum brush attachment.
- **DO NOT** tamper or spray inside or near the odor sensor. This may cause the sensor to malfunction and void the warranty.




The **CLEAN FILTER 2** light will turn green in about 3 months to alert you that the Bio-Guard Filter **SHOULD** be cleaned to maintain optimal performance. When the light turns red (after about 6 months), the Bio-Guard Filter **MUST** be cleaned.

ON THE CONTROL PANEL:



● CLEAN FILTER 2


Filter Replacement Indicator



Bio-Guard™ Filter

The **REPLACE FILTER 4** light will turn green after 6 months to alert you that you **SHOULD** consider changing the HEPA/Carbon filter. When the light turns red (after about 12 months), you **MUST** replace the filter. Depending on your operating environment, you may wish to replace the Filter more frequently.


ON THE CONTROL PANEL:



● REPLACE FILTER 4


Filter Replacement Indicator

4 HEPA/Carbon Filter



Changing the Filters


The filters inside the Filter Slot need to be changed or cleaned on schedule to help your OxyPure maintain optimum performance.



1. Remove the Filter Slot Cover in the rear of the OxyPure using its built-in handle.
2. Slide out the filters that need cleaning or replacement.
3. Allow the washable filters to dry completely before you reinstall them.

- Never place a wet filter into the OxyPure.

- Ensure the Filter Slot Cover is properly aligned and secure when reattaching.



CLEANING & MAINTENANCE

- **DO NOT WASH the Ozone Emission Removal Filter or the HEPA/Carbon Filter.** The Ozone Emission Removal Filter should be replaced every 20 years. The HEPA/Carbon Filter should be replaced at least annually, and possibly more depending on how often the OxyPure is running and the environment in which it is operating.

Cleaning the Filters

To clean the Bio-Guard™ Filter:

1. Remove the Filter.
2. Spray the Filter with a mild degreaser and let it sit for 2-3 minutes.
3. Submerge the Filter in warm water, shake, and remove.
4. Repeat this process until the Filter is clean.
5. Rinse the Filter with warm water.
6. Dry the Filter **completely** before use.

To clean the Ozone Emission Removal Filter:

1. Remove the Filter.
2. Thoroughly clean the Filter using a handheld gently brush using a non-abrasive brush or soft, clean, dry cloth.
3. Repeat this process on the other side.
DO NOT WASH OR DRY WITH A BLOW DRYER OR OTHER HEAT SOURCE.
 - Clean this Filter outside your home if possible.

The Pre-Filter collects large particles and will need to be cleaned at least once every two months depending on use.

1. Use a vacuum with a brush attachment.
2. Clean the Filter with warm soapy water.
3. Rinse the Filter thoroughly and remove any soap particles.
4. Allow the Filter to dry completely **BEFORE** placing it back into the


OxyPure (up to 12-24 hours to dry). Resetting the Filter and Air Quality Indicators

5. To reset the Air Quality Indicator for Filter 2, press and hold down **TIMER** for 2 seconds until a beep is heard.
 - After the filter is cleaned or replaced and the indicator is reset, the first green bar around AIR will be lit.
6. To reset the Air Quality Indicator for Filter 4, press and hold down **TURBO** for 2 seconds until a beep is heard.
 - After the filter is cleaned or replaced and the indicator is reset, the first green bar around ODOR will be lit.

Cleaning the Filter Sensor

The Filter Sensor is located on the back, above the Filter Slot Cover.

1. Open the panel (Sensor Cover).
2. Using a dry cotton swab or small, soft brush, gently remove any dirt or dust from the Sensor.
3. For heavier buildup on the Sensor, wipe it with a slightly wet cotton swab.
4. Remove any moisture with a dry cotton swab.



- The Filter Sensor requires regular cleaning (approx. every 3 months) for the OxyPure to operate efficiently.
- If your OxyPure is set up in an area with high dust accumulation, more frequent cleaning of the Filter Sensor is needed.
- Do not use the cotton swab on any part or area other than the Filter Sensor.


CLEANING & MAINTENANCE

Cleaning the Top Vent

The Top Vent of your OxyPure can be removed to clean with mild soapy water and dried thoroughly.


To clean the surface underneath and Inner Vent Screen.

1. Turn the OxyPure off and unplug it from the wall outlet.
2. Lift the Top Vent using the built-in tab.
3. Using a vacuum with brush attachment or duster, clean any dust or accumulated particles from the surface and Inner Vent Screen.



To clean the inner wall opposite of the fan or to remove an object that has fallen through the Inner Vent Screen.

1. After removing the Top Vent, locate the two screws
2. Use a Phillips screwdriver to loosen the two screws (only).
3. Lift up the Inner Vent Screen.
4. After cleaning the inner wall with a soft cloth or paper towel, or duster. Reassemble the Inner Vent, retightening the two screws, and replace the Top Vent.
 - Make sure all parts are secure before plugging in the OxyPure and turning it on again.



Note: DO NOT unscrew the four outer screws located toward the corners. Doing so will void your warranty.

Do not immerse the OxyPure in water. Clean with a damp sponge or cloth and wipe dry.

Make sure all parts and covers are securely attached.

TROUBLESHOOTING GUIDE

The OxyPure does not turn on.

1. The plug is not in the wall outlet. Plug into wall outlet.
2. POWER on the touchpad panel is not on. Press POWER.
3. The Filter Slot Cover in the back rear is off or loose. Make sure Filter Slot Cover is on securely.

TIMER does not work when pressed.

The OxyPure is not reading the function selected. Press FAN SPEED or AUTO, then press TIMER.

The fans are not blowing.

1. An appropriate outlet is not being used. Make sure outlet has appropriate voltage for use.
2. The Filter Slot Cover in back rear is not properly in place. Make sure Filter Slot Cover is on securely.
3. Check the Air Vent for obstructions.

Speed of the airflow is not changing when FAN SPEED is pressed.

The OxyPure may be in AUTO mode. Set the OxyPure to another operating mode on the touchpad then press "FAN SPEED".

Airflow from the Top Vent is weak.

The air filter(s) are dirty. Change or clean the air filters.

The OxyPure is producing smoke or odor.

The air filter(s) are dirty. Change or clean the air filters. If the problem continues, contact Customer Service by emailing help@nuwavenow.com.

CLEAN and REPLACE FILTER Indicators have not reset after the filter(s) have been cleaned or changed.

1. The Filter Sensor is not reading the new filter. Turn the OxyPure off then on again. Press and hold down TIMER for 2 seconds until a beep is heard.
2. Turn the OxyPure off, unplug and adjust the filter(s). Plug in and turn the OxyPure ON again.
3. The Filter Slot Cover in back rear is not securely in place. Make sure Filter Slot Cover is on securely.
4. The Filter Sensor is dirty. Clean the Filter Sensor.

ULTIMATE CLEAN does not come on when pressed.

The OxyPure is not reading the function selected. Turn the OxyPure on and off by pressing **POWER** twice.

Power is blinking red.

1. The Bio-Guard™ filter is not properly installed or is loose. Turn off and unplug the OxyPure. Check that the filters are properly installed and are not loose. Plug in the OxyPure and press POWER to turn it on.
2. When the Filter Slot Cover is removed, POWER will be backlit solid red. Pressing POWER will make it blink. However, as a safety measure, the OxyPure will not operate when the Filter Slot Cover is removed. Ensure that Filter Slot Cover is installed securely.

The Odor Sensor is not resetting itself and not clearing all bars. All bars on the control panel are flashing.

Run the OxyPure manually for 8 hours or overnight. If the problem persists, contact Customer Service by emailing help@nuwavenow.com.

LIMITED WARRANTY

THE MANUFACTURER WARRANTIES

NuWave, LLC warrants that OxyPure Smart Air Purifier will be free from manufacturer defects for 5 years from the date of purchase, under normal household use, and when operated in accordance with the Manufacturer's written instructions. The Limited Warranty covers the Original Purchaser only. The Manufacturer will provide the necessary parts and labor to repair the product at the NuWave LLC Service Department. After the expiration of the warranty, the cost of the parts and labor will be the responsibility of the owner.

THE WARRANTY DOES NOT COVER

The Limited Warranty is voided if repairs are made by an unauthorized dealer, or the serial number data plate is removed or defaced. Normal deterioration of finish due to use or exposure is not covered by this Warranty. This Limited Warranty does not cover failure, damages, or inadequate performance due to accident, acts of God (such as lightning), fluctuations in electric power, alterations, abuse, misuse, misapplications, corrosive-type atmospheres, improper installation, failure to operate and maintain the OxyPure in accordance with the Manufacturer's written instructions, failure to regularly clean and maintain the reusable filters and regularly replace the HEPA/Carbon Filter in accordance with the Manufacturer's written instructions, abnormal use, commercial or rental uses, or resold units. NuWave LLC reserves the right to void the Limited Warranty, where allowable by law, for products purchased from an unauthorized dealer.

TO OBTAIN SERVICE

The owner shall have the obligation and responsibility to pay for all services and parts not covered by the warranty; prepay the freight to and from Service Department for any part or system returned under this warranty; and carefully package the product using adequate padding material to prevent damage in transit. The original container is ideal for this purpose. Include in the package the owner's name, address, daytime telephone number, a detailed description of the problem, and your Return Goods Authorization (RGA) number, by emailing help@nuwavenow.com to obtain the RGA number. Provide the cooking system model & serial number and proof of date of purchase (a copy of the receipt) when making claims under this warranty.

MANUFACTURER'S OBLIGATION

The Manufacturer's obligation under this Limited Warranty is limited, to the extent allowable by law, to repairing or replacing any part covered by this Limited Warranty which upon examination is found to be defective under normal use. The Limited Warranty is applicable only within the continental United States and only to the original purchaser of the manufacturer's authorized channels of distribution. **THE LIMITED WARRANTY MAY NOT BE ALTERED, VARIED OR EXTENDED EXCEPT BY A WRITTEN INSTRUMENT EXECUTED BY THE MANUFACTURER. THE REMEDY OF REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS LIMITED WARRANTY IS EXCLUSIVE. IN NO EVENT SHALL THE MANUFACTURER BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES TO ANY PERSON, WHETHER OR NOT OCCASIONED BY NEGLIGENCE OF THE MANUFACTURER, INCLUDING WITHOUT LIMITATION, DAMAGES FOR LOSS OF USE, COSTS OF SUBSTITUTION, PROPERTY DAMAGE, OR OTHER MONEY LOSS.**

LIMITED WARRANTY

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation exclusions may not apply. This Limited Warranty gives specific legal rights, and there may also be other rights which vary from state to state. **EXCEPT AS OTHERWISE EXPRESSLY PROVIDED ABOVE, THE MANUFACTURER MAKES NO WARRANTIES EXPRESSED OR IMPLIED ARISING BY LAW OR OTHERWISE, INCLUDING WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE TO ANY OTHER PERSON. READ YOUR OWNER'S MANUAL. IF YOU STILL HAVE ANY QUESTIONS ABOUT OPERATION OR WARRANTY OF THE PRODUCT, PLEASE CONTACT NUWAVE LLC.**

DISPUTE RESOLUTION PROCEDURE

For disputes relating to use of the website or use or purchase of a NuWave product or service (collectively "Disputes"), you agree to first contact NuWave LLC, by emailing legal@nuwavenow.com. If we cannot resolve your dispute informally, any and all disputes shall be submitted to final and binding arbitration. You may start the arbitration process by submitting in writing a demand to the American Arbitration Association ("AAA") and sending a copy to NuWave. NuWave will pay all filing costs. A single arbitrator of the AAA will conduct the arbitration in a location convenient to you or by phone. The arbitrator's award will be binding and may be entered as a judgment in a court of competent jurisdiction. The arbitration will be conducted in accordance with the provisions of AAA's Commercial Arbitration Rules and Mediation Procedures in effect at the time of submission of your demand for arbitration. See https://www.adr.org/sites/default/files/CommercialRules_Web.pdf. Except as may be required by law as determined by an arbitrator, no party or arbitrator may disclose the existence, content, or results of any arbitration hereunder without prior written consent of both parties.

A. WAIVER OF RIGHT TO SUE. By agreeing to arbitration, you understand that, to the maximum extent permitted by law, you are agreeing to waive your right to file suit in any court, to a court hearing, a judge trial, or a jury trial.

B. CLASS ACTION WAIVER. To the maximum extent permitted by law, you expressly agree to refrain from bringing or joining any claims in any representative or class-wide capacity, including but not limited to, bringing or joining any claims in any class action or class-wide arbitration.

C. OPT OUT PROCEDURE. To request to opt out of arbitration you must contact NuWave LLC by emailing help@nuwavenow.com. You will have 30 days from the date of product delivery to opt out of arbitration with respect to any dispute arising out of or relating to use or purchase of any NuWave product. If more than 30 days have passed, you are not eligible to opt out of arbitration and will have waived your right to sue or participate in a class action with respect to the dispute arising out of your purchase or use of a NuWave product. For any dispute arising out of your use of NuWave's website, you have 30 days from the date you provided information to the website to opt out of arbitration. If more than 30 days have passed, you are not eligible to opt out of arbitration and you will have waived your right to sue and participate in a class action with respect to the dispute arising out of your use of NuWave's website.

LIMITED WARRANTY

D. SOME MATTERS ARE NOT SUBJECT TO ARBITRATION. Notwithstanding the foregoing, the following shall not be subject to arbitration and may be adjudicated only in the state and federal courts of Illinois: (i) any dispute, controversy, or claim relating to or contesting the validity of our intellectual property rights and proprietary rights, including without limitation, patents, trademarks, service marks, copyrights, or trade secrets; (ii) an action by a party for temporary, preliminary, or permanent injunctive relief, whether prohibitive or mandatory, or other provisional relief; or (iii) interactions with governmental and regulatory authorities. You expressly agree to refrain from bringing or joining any claims in any representative or class-wide capacity, including but not limited to, bringing or joining any claims in any class action or any class-wide arbitration.

STATE OF CALIFORNIA PROPOSITION 65

WARNING

This product can expose you to chemicals including lead and Bisphenol A (BPA), which are known to the State of California to cause cancer, birth defects and other reproductive harm.

For more information go to: www.P65Warnings.ca.gov.

ADVERTENCIA

Este producto puede exponerle a químicos, incluidos el plomo y Bisfenol A (BPA), los cuales son conocidos en el Estado de California por causar cáncer, defectos de nacimiento u otros daños reproductivos.

Para mayor información, visite: www.P65Warnings.ca.gov.

READ YOUR OWNER'S MANUAL

If you still have any questions about operation or warranty of this product, please contact NuWave LLC by emailing help@nuwavenow.com.

nuwave®

OXPURE® SMART AIR PURIFIER

FOR HOUSEHOLD USE ONLY

120VAC / 60 Hz / 120W

Model: 47001 - 47009

Rev. 01

Para la versión en español de este manual,
visita www.nuwavenow.com.

For patent information please go to:

www.nuwavenow.com/legal/patent

Designed & Developed in USA

NuWave LLC
560 Bunker Ct.
Vernon Hills, IL 60061, U.S.A.

Email: help@nuwavenow.com

Made in China

©2023 • NuWave, NuWaveNow, and OxyPure are registered
trademarks of NuWave LLC • All Rights Reserved.

EPA Establishment Number: 101594-CHN-1

Item: BM47001- 47009

Rev.1-V7-CB

07-24-23