

# Watch Operation Guide 3575

CASIO®

## Contents

### About This Watch

General Guide

Indicators

Navigating Between Modes

Navigating Between Timekeeping Mode Screens

Charging

Viewing the Face in the Dark

Useful Features

### Linking with a Phone

Getting Ready

Auto Time Correction

Configuring World Time Settings

Phone Finder

Configuring Watch Settings

Changing the Home City Summer Time Setting

Checking the Watch Charge Level

Recording Your Current Location (TIME&PLACE)

Connection

- Connecting with a Phone
- Disconnecting from Your Phone
- Unpairing
- If you purchase another phone

### Time Adjustment

Time Adjustment Using a Time Signal

- Overview
- Appropriate Signal Reception Location
- Time Signal Reception Ranges
- Auto Time Calibration Signal Receive
- Manual Time Calibration Signal Receive
- Receive Level Indicator
- Signal Reception Precautions

Using Watch Operations to Adjust the Time Setting

Using the Watch in a Medical Facility or Aircraft

### World Time

Using CASIO WATCHES to Configure World Time City Settings

Checking World Time

World Time City Setting

Swapping Your Home Time and World Time

Moving to Another Time Zone

### Alarm

Using CASIO WATCHES to Configure Alarm Settings

Configuring Alarm Settings

Enabling the Hourly Time Signal

Turning Off an Alarm or the Hourly Time Signal

### Stopwatch

Measuring Elapsed Time

Measuring a Split Time

Timing the First and Second Place Finishers

### Timer

Using CASIO WATCHES to Configure Timer Settings

Setting the Countdown Start Time

Using the Timer

### Other Settings

Changing the Date Display Format

Enabling the Button Operation Tone

Resetting Watch Settings

### Specifications

### Other Information

City Table

Summer Time Table

Supported Phones

Copyrights and Registered Copyrights

### Troubleshooting

### Precautions

Operating Precautions

User Maintenance

Battery

Mobile Link Precautions

## About This Watch

This section provides an overview of the watch and introduces convenient ways it can be used.

### Watch Features

#### • Phone Linking

The watch supports connection and communication with a Bluetooth capable phone.

#### • Solar Charging

Sunlight and artificial light generate electricity for watch operation as it charges.

#### • Time Signal Reception

The watch receives a radio signal containing time information and uses it to keep its time setting accurate.

#### • World Time

The current time can be displayed for any one of 39 cities around the globe, as well as for UTC (Coordinated Universal Time).

You can select up to five cities in the World Time Mode.

#### • Alarm

An alarm sounds whenever a time specified by you is reached.

#### • Stopwatch

The stopwatch measures elapsed time in units of one second (1/100 second for the first hour) up to 24 hours.


#### • Timer

Countdown from a start time specified by you. An alarm sounds when the countdown reaches zero.

### Note

- The illustrations included in this operation guide have been created to facilitate explanation. An illustration may differ somewhat from the item it represents.

## General Guide



- ① Day of the week
- ② Month, day
- ③ Hour, minute, second

### A button

Holding down this button for at least two seconds in any mode displays the setting screen.

### B button

Press to turn on illumination.

### C button


Each press cycles between watch modes.

In any mode, hold down this button for at least one second to return to the Timekeeping Mode.

### D button

Pressing this button while any setting screen is displayed will change the setting.

## Indicators




- ① Displayed while there is a Bluetooth connection between the watch and a phone.
- ② Displayed during p.m. times while 12-hour timekeeping is being used.
- ③ Displayed while the watch is in charge recovery mode.
- ④ Displayed after time adjustment using time signal reception or connection with a phone was successful.  
The [RCVD] indicator will disappear in the cases below.
  - After you use watch operations to change Home City settings (time and date, city, summer time)
  - After the watch switches between standard time and summer time
  - After a time signal receive operation fails
  - After a phone-based time adjustment operation fails
- ⑤ Displayed when battery power is low.
- ⑥ Displayed while the snooze alarm is turned on.
- ⑦ Displayed while an alarm is turned on.
- ⑧ Displayed while the hourly time signal is enabled.
- ⑨ Displayed while the watch is indicating summer time.
- ⑩ Displayed while the button operation tone is disabled.
- ⑪ Displayed while Full Auto Light is enabled.

## Navigating Between Modes

Each press of (C) cycles between watch modes.


- In any mode, hold down (C) for at least one second to return to the Timekeeping Mode.



## Connecting with a Phone


Hold down (C) for at least three seconds to connect with a phone.

- To disconnect, press any button.



## Navigating Between Timekeeping Mode Screens

Each press of (A) in the Timekeeping Mode cycles the display information as shown below.




## Charging


This watch runs on power supplied from a rechargeable (secondary) battery that is charged by a solar panel. The solar panel is integrated into the face of the watch, and power is generated whenever the face is exposed to light.

### Charging the Watch

When you are not wearing the watch, put it in a location where it is exposed to bright light.



While you are wearing the watch, make sure that its face (solar panel) is not blocked from light by the sleeve of your clothing. Power generation efficiency is reduced even when the face of the watch is blocked only partially.



### Important!

- Some light sources and environments can cause the watch to become extremely hot during charging, which creates the risk of burn injury and damage to internal watch components. Avoid charging the watch under conditions like the ones described below, where the temperatures may exceed 60 °C (140 °F).
  - On the dashboard of a vehicle parked in the sun
  - Near incandescent lamps, camera lights, halogen lamps, or other sources of heat
  - In locations exposed to direct sunlight for long periods and other hot locations

## ● Low Battery

A low battery causes [LOW] to appear and disables non-timekeeping functions.



## ● Dead Battery

The digital display will go blank if the battery goes dead. This also clears all data. However, pairing information is not deleted.

### Important!

- Should the battery go low or go dead, expose the face (solar panel) to light as soon as possible.
- After the battery runs out, exposing the watch to light causes [CHG] to appear after a short while. Keep the watch exposed to light until the current time appears on the display.

### Note

- If [RECOVER] is shown on the display, it means all non-timekeeping functions are disabled due to high momentary battery power consumption.  
 [RECOVER] displayed.



## ● Charging Time Guidelines

The table below shows guidelines for approximate charging times.

### Charging Times Required for 1 Day of Operation

Light Level (Lux)	Approximate Charging Time
50,000	8 minutes
10,000	30 minutes
5,000	48 minutes
500	8 hours

### Charge Recovery Times

- Sunny day, outdoors (50,000 lux)

Dead battery → Medium charge	3 hours
Medium charge → High charge	22 hours
High charge → Full charge	6 hours

- Sunny day, near a window (10,000 lux)

Dead battery → Medium charge	8 hours
Medium charge → High charge	81 hours
High charge → Full charge	22 hours

- Overcast day, near a window (5,000 lux)

Dead battery → Medium charge	12 hours
Medium charge → High charge	131 hours
High charge → Full charge	35 hours

- Indoor fluorescent lighting (500 lux)

Dead battery → Medium charge	140 hours
Medium charge → High charge	-
High charge → Full charge	-

### Note

- Actual charging time depends on the charging environment, watch settings, and other factors.

## ● Power Saving Function

Leaving the watch in a dark location for about one hour between the hours of 10 p.m. and 5:50 a.m. causes the display to go blank and then the watch enters Level 1 power saving. If the watch is left in this condition for six or seven days, it enters Level 2 power saving.

Power Saving Level 1 :

Digital display goes blank to save power. The watch can connect with a phone at this level.

Power Saving Level 2 :

Digital display goes blank to save power. All functions are disabled.

### Recovering from Power Saving Operation

Use one of the operations below to exit power saving.

- Press any button.
- Move the watch to a bright location.
- Trigger Full Auto Light by angling the watch towards your face.

### Note

- The watch will not enter power saving in the cases below.
  - World Time Mode
  - Alarm Mode
  - While in the Stopwatch Mode
  - While in the Timer Mode
- Note that the watch also may enter power saving if its face is blocked from light by your sleeve while you are wearing it.


## Viewing the Face in the Dark

The watch has a light that illuminates the face for viewing in the dark.

### To illuminate the face manually

Press (B) to turn on illumination.

- Illumination turns off automatically if an alarm starts to sound.



### Important!


- Frequent use of illumination will run down the battery.

### Note

- Display illumination is disabled when any one of the conditions below exists.
  - While an alarm, timer alert, or other beeper is sounding
  - Time calibration reception in progress

### To illuminate the face when Auto Light is enabled

If Full Auto Light is enabled, face illumination turns on automatically whenever the watch is positioned at an angle of 40 degrees or more.



### Important!

- Auto Light may not operate properly when the watch is at a horizontal angle of 15 degrees or greater from horizontal as shown in the illustration below.



- Auto Light may operate unintentionally and run down the battery if the watch is blocked from light by your sleeve.
- Electro-static charge or magnetism can interfere with proper Full Auto Light operation. If this happens, try lowering your arm and then angle it towards your face again.
- When moving the watch you may note a slight rattling sound. This is the sound of Full Auto Light switch operation and does not indicate malfunction.

### Note

- Auto Light does not operate when available lighting is bright.
- Full Auto Light is disabled when any one of the conditions below exists.
  - While an alarm, timer alert, or other beeper is sounding
  - Time calibration reception in progress

### Configuring the Full Auto Light Setting

1. Enter the Timekeeping Mode.
  - ◀ [Navigating Between Modes](#)
2. Hold down (B) for at least three seconds to toggle Full Auto Light between enabled and disabled.
  - [LT] is displayed while Full Auto Light is enabled.




### Note

- Full Auto Light is disabled while battery power is depleted.

## ● Specifying the Illumination Duration

You can select either 1.5 seconds or three seconds as the illumination duration.

1. Enter the Timekeeping Mode.  
[🔗 Navigating Between Modes](#)
2. Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.



3. Press (C) 11 times to display [LIGHT].



4. Press (D) to select an illumination duration.

[1.5 S]: 1.5-second illumination  
 [3.0 S]: 3-second illumination



5. Press (A) to exit the setting screen.

## Useful Features

Pairing the watch with your phone makes a number of the watch's features easier to use.


### Auto time correction

[🔗 Auto Time Correction](#)



### Selection of More Than 300 World Time cities

[🔗 Configuring World Time Settings](#)



In addition, a number of other watch settings can be configured using your phone.

### To transfer data to a watch and to configure settings, you first need to pair the watch with your phone.

[🔗 Getting Ready](#)

- Your phone needs to have the "CASIO WATCHES" phone app installed to pair with the watch.

## Linking with a Phone

While there is a Bluetooth connection between the watch and phone (Mobile Link), the watch's current time setting is corrected automatically. You can also change the watch's other settings.

### Note

- This function is available only while the CASIO WATCHES phone app is running on the phone.
- This section describes watch and phone operations.  
 : Watch operation  
 : Phone operation

## Getting Ready

To use your watch in combination with a phone, you first need to pair them. Perform the steps below to pair the watch with a phone.

- ① Install the app on your phone.
- ② Configure Bluetooth settings.
- ③ Pair the watch with a phone.

### ● ① Install the app on your phone.

In Google Play or the App Store, search for the "CASIO WATCHES" phone app and install it on your phone.

### Important!

- To pair the watch, you must first install the "CASIO WATCHES" app and log in with a CASIO ID. If you already have a CASIO ID, use it to log in. If you do not have a CASIO ID, follow the on-screen instructions to register a new one and then use it to log in.

### ● ② Configure Bluetooth settings.

Enable the phone's Bluetooth.

### Note

- For details about setting procedures, see your phone documentation.

## ● ③ Pair the watch with a phone.


1. Move the phone to be paired with close to (within one meter of) the watch.
2. Tap the “CASIO WATCHES” icon.
  - Tap on the “My Watch” tab. Next, select the applicable product name.
3. Hold down (C) for at least three seconds. Release the button when and [CONNECT WITH A PHONE] start to flash.

At this time the time settings of your phone and watch are synced with each other.

- If pairing fails for some reason, [FAILED] appears on the display momentarily and then the watch returns to the Timekeeping Mode. Perform the pairing procedure again from the beginning.

Pairing started

Pairing complete



This completes the pairing operation. Once paired, the smartphone and watch automatically connect to synchronize the watch's time setting with that of the smartphone.

### Note


- The first time you start up the CASIO WATCHES phone app, a message will appear on your phone asking if you want to enable location information acquisition. Configure settings to allow background use of location information.

## Auto Time Correction

Your watch connects with a phone at preset times each day and correct its time settings automatically.

### ● Using This Function

Your watch corrects its time setting four times a day according to a preset schedule. If you leave your watch in the Timekeeping Mode, it will perform the correction operation automatically as you go about your daily life, without any operation required by you.



### Important!

- The watch may not be able to perform auto time correction under the conditions described below.
  - While the watch is too far away from its paired phone
  - While communication is not possible due to radio interference, etc.
  - While the phone is updating its system
  - While the CASIO WATCHES phone app is not running on the phone

### Note

- If there is a World Time City specified with the CASIO WATCHES phone app, its time will also be corrected automatically.
- The watch connects with the phone and performs auto time correction at around 12:30 a.m., 6:30 a.m., 12:30 p.m. and 6:30 p.m. The connection is automatically terminated after auto time correction is complete.
- Time signal auto-receive will be performed if there has been no auto time correction based on connection between the watch and phone for more than one day.

## ● Triggering Immediate Time Correction

The watch's time setting is corrected automatically whenever you establish a connection between the watch and a phone. Whenever you want to trigger immediate time correction, perform the procedure below to connect with a phone.


1. Enter the Timekeeping Mode.
  - [Navigating Between Modes](#)
2. Move the phone close to (within one meter of) the watch.
3. Press (D).

[TIME ADJUST] flashes to indicate that the watch has started the connection operation. Once the watch and phone are connected, [SUCCESS] appears, and then the watch adjusts its time setting based on information from the phone.

- At this time your current location is recorded by your phone.

Trying to connect

After time correction



### Note

- The connection is terminated automatically after time correction is complete.
- If time adjustment fails for some reason, [FAILED] appears.
- [RCVD] flashes when the receive operation starts, and [RCVD] stops flashing after it is complete.

## Configuring World Time Settings

Specifying a World Time City with the CASIO WATCHES phone app causes the watch's World Time City to change accordingly. Settings can be configured to perform auto summer time switching for the World Time City.




### Note

- The CASIO WATCHES phone app World Time lets you select from among approximately 300 cities as the World Time City.
- You can use the CASIO WATCHES phone app to configure settings for user cities that are not included in the watch's built-in World Time Cities. You must use the CASIO WATCHES phone app to select a user city as your World Time City.

### ● To select a World Time City


1. Tap the "CASIO WATCHES" icon.
2. Hold down (C) for at least three seconds. Release the button when ⌘ and [CONNECT WITH A PHONE] start to flash.
  - When a connection is established between the watch and phone, ⌘ and [CONNECT WITH A PHONE] stop flashing and remain on the display.
  - If connection fails for some reason, [FAILED] will appear on the display momentarily and then the watch will return to the Timekeeping Mode.



3. Perform the operation shown on the phone screen. The World Time setting will be reflected on the watch.

### ● Configuring the Summer Time Setting

1. Tap the "CASIO WATCHES" icon.
2. Hold down (C) for at least three seconds. Release the button when ⌘ and [CONNECT WITH A PHONE] start to flash.
  - When a connection is established between the watch and phone, ⌘ and [CONNECT WITH A PHONE] stop flashing and remain on the display.
  - If connection fails for some reason, [FAILED] will appear on the display momentarily and then the watch will return to the Timekeeping Mode.



3. Perform the operation shown on the phone screen to select a summer time setting.
  - "Auto"  
The watch switches between standard time and summer time automatically.
  - "OFF"  
The watch always indicates standard time.
  - "ON"  
The watch always indicates summer time.

### Note


- While the summer time setting is "Auto", the watch switches between standard time and summer time automatically. You do not need to switch between standard time and summer time manually. Even if you are in an area that does not observe summer time, you can leave the watch's summer time setting as "Auto".
- Changing the time setting manually with a watch operation will cancel auto standard time/summer time switching.
- For information about summer time periods, refer to the "Summer Time Table".  
[Summer Time Table](#)

## ● Swapping Your World Time and Home Time

1. Tap the "CASIO WATCHES" icon.
2. Hold down (C) for at least three seconds. Release the button when ⌘ and [CONNECT WITH A PHONE] start to flash.
  - When a connection is established between the watch and phone, ⌘ and [CONNECT WITH A PHONE] stop flashing and remain on the display.
  - If connection fails for some reason, [FAILED] will appear on the display momentarily and then the watch will return to the Timekeeping Mode.

Trying to connect

Connected



3. Perform the operation shown on the phone screen to swap your Home Time with your World Time.

### Note

- Auto time correction does not work for 24 hours after swapping the Home Time and World Time.

## Phone Finder

You can use phone finder to trigger a tone on the phone to make it easy to find. The tone is forced to sound even if the phone is in vibrate mode.


### Important!

- Do not use this function in areas where phone call tones are restricted.
- The tone sounds at a high volume. Do not use this function when listening to phone output over earphones.

1. If the watch is connected with a phone, press any button to terminate the connection.

Connected

Disconnected




2. If the watch is in any mode besides the Timekeeping Mode, hold down (C) for at least one second to enter the Timekeeping Mode.
3. Hold down (D) for at least five seconds. Release the button when ⌘ and [PHONE FINDER] start to flash.

The phone sounds a tone when it establishes a connection with the watch.

- It takes a few seconds before the phone tone sounds.

Getting ready to connect with phone

Sounding phone alert sound



4. Press any button to stop the tone.
  - You can press any watch button to stop the phone tone only during the first 30 seconds after it starts to sound.


## Configuring Watch Settings

Alarm time, timer start time, and other settings can also be configured using the CASIO WATCHES phone app.

1. Tap the "CASIO WATCHES" icon.
2. Hold down (C) for at least three seconds. Release the button when ⌘ and [CONNECT WITH A PHONE] start to flash.
  - When a connection is established between the watch and phone, ⌘ and [CONNECT WITH A PHONE] stop flashing and remain on the display.
  - If connection fails for some reason, [FAILED] will appear on the display momentarily and then the watch will return to the Timekeeping Mode.

Trying to connect


Connected



3. Select the setting you want to change and then perform the operation shown on the phone screen.

## Changing the Home City Summer Time Setting

1. Tap the "CASIO WATCHES" icon.
2. Hold down (C) for at least three seconds. Release the button when and [CONNECT WITH A PHONE] start to flash.
  - When a connection is established between the watch and phone, and [CONNECT WITH A PHONE] stop flashing and remain on the display.
  - If connection fails for some reason, [FAILED] will appear on the display momentarily and then the watch will return to the Timekeeping Mode.




3. Perform the operation shown on the phone screen to change your Home City summer time setting.

## Checking the Watch Charge Level

Use the procedure below to check the current charge level with CASIO WATCHES.

1. Tap the "CASIO WATCHES" icon.
2. Hold down (C) for at least three seconds. Release the button when and [CONNECT WITH A PHONE] start to flash.
  - When a connection is established between the watch and phone, and [CONNECT WITH A PHONE] stop flashing and remain on the display.
  - If connection fails for some reason, [FAILED] will appear on the display momentarily and then the watch will return to the Timekeeping Mode.



3. Use CASIO WATCHES to check the charge level.

## Recording Your Current Location (TIME&PLACE)


While traveling or otherwise on the go, you can use the procedure below to record your current location, along with the time and date, on your phone. Recorded location information can be viewed on the CASIO WATCHES phone app map.

### Recording Your Current Location

1. Enter the Timekeeping Mode.
  - [Navigating Between Modes](#)
2. When you are in the location you want to record, press (D).

This records, in phone memory, your latitude and longitude and the current date and time, and displays [SUCCESS] on the watch.

- At this time the time settings of your phone and watch are synced with each other.



### Viewing a Recorded Location on a Map

1. Tap the "CASIO WATCHES" icon.
2. Perform the operation shown on the phone screen to view recorded location information.

### Note

- You can use the CASIO WATCHES phone app to delete recorded location information.

## Connection

### Connecting with a Phone


Your watch can connect with a phone that is paired with it.

- If the watch is not paired with the phone you want to connect with, refer to the information below and pair them.

③ [Pair the watch with a phone.](#)

### Connecting with a Phone

1. Move the phone close to (within one meter of) the watch.
2. Hold down (C) for at least three seconds. Release the button when and [CONNECT WITH A PHONE] start to flash.
  - When a connection is established between the watch and phone, and [CONNECT WITH A PHONE] stop flashing and remain on the display.
  - If connection fails for some reason, [FAILED] will appear on the display momentarily and then the watch will return to the Timekeeping Mode.



### Important!


- If you have problems establishing a connection, it could mean that the CASIO WATCHES phone app is not running on your phone. On your phone's home screen, tap the "CASIO WATCHES" icon. After the app starts up, hold down the watch's (C) button for at least three seconds.

### Note

- The connection is terminated if you do not perform any operation on the watch or phone for a fixed amount of time. To specify the connection limit time, perform the following operation with the CASIO WATCHES phone app: "Watch settings" → "Connection time with the app". Next, select a setting of 3 minutes, 5 minutes, or 10 minutes.

### Disconnecting from Your Phone

Pressing any button terminates a Bluetooth connection and return to the Timekeeping Mode.



### Unpairing


Unpairing the watch from a phone requires both the CASIO WATCHES phone app and watch operations.

#### Deleting Pairing Information from the CASIO WATCHES phone app


1. Tap the "CASIO WATCHES" icon.
2. Perform the operation shown on the phone screen to unpair.

#### Deleting Pairing Information from the Watch

1. Hold down (C) for at least one second to enter the Timekeeping Mode.
2. Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.




3. Press (C) twice. This causes the seconds to flash.



4. Hold down (B) for at least three seconds. Release the button when [HOLD] disappears from the [PAIRING CLEAR] / [HOLD] display.

This deletes the pairing information from the watch and returns to the timekeeping display.



5. Press (A) to return to the Timekeeping Mode.

#### If you purchase another phone

You need to perform the pairing operation whenever you want to establish a Bluetooth connection with a phone for the first time.

[Deleting Pairing Information from the Watch](#)

③ [Pair the watch with a phone.](#)

## Time Adjustment

Your watch can obtain date and time information by connecting with a phone and by receiving time signals, which it uses to adjust its settings.

### Important!

- When you are on an aircraft or in any other location where radio signals may cause problems, enable the watch's Airplane Mode to disable connection with your phone.


[Using the Watch in a Medical Facility or Aircraft](#)

Referring to the information below, configure the time setting in accordance with the method that suits your own lifestyle.

Do you use a phone?

Time correction by connecting with your phone is recommended.

[Auto Time Correction](#)




Can you receive a time signal in your area?

While the watch's Home Time City setting is one where a time signal can be received, the watch's time and day settings can be adjusted in accordance with the signal.

[Time Signal Reception Ranges](#)

[Setting a Home City](#)



Other than the above.

If you are unable to connect with a phone and are unable to receive a time signal, you can perform watch button operations to adjust its time setting.

[Using Watch Operations to Adjust the Time Setting](#)



## Time Adjustment Using a Time Signal

### Overview

The watch's time and day settings can be configured in accordance with a received time calibration signal.

### Important!

- In order to make it possible for the current time setting to be adjusted correctly based on time calibration signal reception, you need to specify the time zone where you are using the watch.
- If the watch was unable to connect with a phone even once for time correction during the previous day while connection with a phone is being used, it will automatically try to receive a time calibration signal.

### Note


- Areas where time calibration signal reception is supported are limited. When the watch is in an area where time calibration signal reception is not possible, connect with a phone to adjust time and day settings.

[Time Signal Reception Ranges](#)

## Appropriate Signal Reception Location

A time calibration signal can be received while the watch is near a window.

- Position the watch so its 12 o'clock side is facing the window.
- Keep metal objects away from the watch.
- Do not move the watch.
- Do not perform any operation on the watch.



### Note

- You may experience time calibration signal reception problems in the areas described below.
  - Among or near buildings
  - While riding in a vehicle
  - Near household appliances, office machines, mobile phones, etc.
  - On a construction site, in an airport, or any other location where radio wave interference occurs
  - Near high-voltage lines
  - In mountainous areas or behind a mountain

## Time Signal Reception Ranges

### ● Japan (JJY)

The Japan time signal radio stations are located on Mt. Otakadoya in Fukushima and Mt. Hagane in Fukuoka/Saga.

The reception range of the Japanese time signals is approximately 1,000 km from each transmission station.

### ● China (BPC)

The China time signal radio station is located in Shangqiu, Henan Province, China.

The reception range of the Chinese time signal is approximately 1,500 km from the transmission station.

### ● United States (WWVB)

The United States time signal radio station is located in Fort Collins, Colorado.

The reception range of the U.S. time signal is approximately 3,000 km from the transmission station.

### ● U.K. (MSF)/Germany (DCF77)

The U.K. time signal radio station is located in Anthorn, Cumbria.

The German time signal radio station is located in Mainflingen, southeast of Frankfurt. The reception range of the U.K. and German time signals is approximately 1,500 km from each transmission station.

### Note

- Even if you are within the normal reception range of a time calibration signal, reception may be made impossible by the following factors: geographic contours, weather, the season, the time of day, wireless noise.
- A time calibration signal cannot be received while the city selected as your Home City is one that does not support signal reception.

## Auto Time Calibration Signal Receive

An automatic time calibration signal receive operation is performed and the time and day settings are corrected between midnight and 5:00 a.m. Once a signal receive operation is successful, no more auto receive operations are performed that day.

1. Place the watch near a window or some other location appropriate for signal reception.
  - [RCVD] flashes while time signal reception is in progress.
  - When the receive operation is successful, the time and day settings are corrected automatically, and the [RCVD] indicator appears.

### Note

- Reception takes anywhere from about two minutes to about 10 minutes. It can take as long as 20 minutes.

## Manual Time Calibration Signal Receive

1. Place the watch near a window or some other location appropriate for time signal reception.
2. Enter the Timekeeping Mode.
  - [Navigating Between Modes](#)
3. Hold down (D) for at least two seconds until [RCVD] flashes.

This indicates that the receive operation has started. After the receive operation is complete, the watch's time and day settings will be corrected accordingly.



Receive level indicator


- The receive level indicator shows the signal level ([L1], [L2], [L3]) while a receive operation is in progress.
  - [Receive Level Indicator](#)

## Note

- When a receive operation is successful, [RCVD] will appear, and the time and day settings will be adjusted automatically.
- If a receive operation fails for some reason, [RCVD] disappears and [FAILED] appears on the display. To return to the unadjusted timekeeping display, press any button.
- The receive operation takes anywhere from about two minutes to about 10 minutes. It can take as long as 20 minutes.
- Time calibration signal reception is better at night than during the day.

## Receive Level Indicator

While a receive operation is in progress, its current status is indicated on the display as shown below. Use the receive level indicator to find a location where signal reception is stable.



Receive level indicator



## Note

- It takes about 10 seconds for time signal reception conditions to stabilize.
- Reception conditions are affected by weather, the time of day, the surrounding environment, etc.

## Signal Reception Precautions

- When the watch is unable to adjust its time in accordance with a calibration signal for some reason, average timekeeping accuracy is within  $\pm 15$  seconds per month.
- Note that an internal decoding process the watch performs after it receives a signal may cause the time setting to be slightly off (by less than one second).
- Time calibration signal reception is not possible under the conditions described below.
  - While battery power is low
  - While the watch is in the Stopwatch Mode, Timer Mode, or Alarm Mode
  - When the watch is at Level 2 power saving
  - While a timer countdown operation is in progress
  - While auto time correction is disabled
  - While the Home City area setting is one where time signal reception is not possible
  - While the watch is outside the time signal reception range
- When the receive operation is successful, the time and/or day settings will be corrected automatically. Summer time will not be applied correctly in the case described below.
  - When the summer time start date and time, end date and time, or other rules are changed by authorities

## Using Watch Operations to Adjust the Time Setting

If your watch cannot connect with a phone for some reason, you can use watch operations to adjust date and time settings.


### Setting a Home City

Use the procedure in this section to select a city to use as your Home City. If you are in an area that observes summer time, you can also configure a summer time setting.

## Note

- The initial factory default summer time setting for all cities is [AUTO]. In many cases, the [AUTO] setting lets you use the watch without switching between summer time and standard time.

1. Enter the Timekeeping Mode.  
[Navigating Between Modes](#)
2. Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.



3. Use (B) and (D) to change the Home City setting.
  - Holding down (B) or (D) scrolls through settings at high speed.
  - For details refer to the information below.  
[City Table](#)
4. Press (C).

5. Use (D) to select a summer time setting.  
Each press of (D) cycles through available settings in the sequence shown below.

• [AUTO]

The watch switches between standard time and summer time automatically.

• [OFF]

The watch always indicates standard time.

• [ON]

The watch always indicates summer time.



6. Press (A) to complete the setting operation.

**Note**


- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.

● **Setting the Time/Date**

1. Enter the Timekeeping Mode.


🔗 [Navigating Between Modes](#)

2. Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.



3. Keep pressing (C) until the setting you want to change is flashing.

- Each press of (C) moves the flashing to the next setting in the sequence shown below.



4. Configure the date and time settings.

- To reset the seconds to 00: Press (D). 1 is added to the minutes when the current count is between 30 and 59 seconds.

- For all the other settings, use (B) and (D) to change the flashing setting. Holding down (B) or (D) scrolls through settings at high speed.

5. Repeat steps 3 and 4 to select time and date settings.

6. Press (A) to complete the setting operation.

**Note**

- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.

● **Switching between 12-hour and 24-hour Timekeeping**


You can specify either 12-hour format or 24-hour format for the time display.

1. Enter the Timekeeping Mode.

🔗 [Navigating Between Modes](#)

2. Hold down (A) for at least two seconds.

Release the button when the name of the currently selected Home City appears on the display.




- Press (C) eight times.

This displays [FORMAT].



- Press (D) to toggle the setting between [12H] (12-hour timekeeping) and [24H] (24-hour timekeeping).



- Press (A) to complete the setting operation.


### Note

- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.

## Using the Watch in a Medical Facility or Aircraft

Whenever you are in a hospital, on an aircraft, or in any other location where auto time calibration signal receive or connection with a phone may cause problems, you can perform the procedure below to disable auto time correction. To re-enable auto time correction, perform the same operation again.

- Enter the Timekeeping Mode.  
[Navigating Between Modes](#)
- Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.



- Press (C) 12 times.  
This displays [RECEIVING].



- Press (D) to change the auto time correction settings.  
[OFF]: Auto time correction disabled.  
[ON]: Auto time correction enabled.
- Press (A) to complete the setting operation.

## World Time

You can view the current time in 55 cities (38 time zones), and UTC (Coordinated Universal Time) time.



## Using CASIO WATCHES to Configure World Time City Settings

If the watch is paired with a phone, you can also use the CASIO WATCHES phone app to set the World Time city.

[Configuring World Time Settings](#)

### Note


- World Time cities that can be selected only by using the CASIO WATCHES phone app cannot be selected using watch operations.

## Checking World Time

1. Enter the World Time Mode.

[🔗 Navigating Between Modes](#)

Entering the World Time Mode causes a World Time number and city name to appear first. After that, the display will appear as shown below.



- Pressing (A) displays the city for the displayed time.
- To change the selected World Time city, press (D).

## World Time City Setting

You can specify up to two cities as your World Time favorites. If a city observes Daylight Saving Time, you can configure its time setting accordingly.

### Note

- The initial factory default summer time setting for all cities is [AUTO]. In many cases, the [AUTO] setting lets you use the watch without switching between summer time and standard time.

1. Enter the World Time Mode.

[🔗 Navigating Between Modes](#)

2. Use (D) to display the World Time number whose setting you want to configure.

World Time number



3. Hold down (A) for at least two seconds.

This causes the currently selected city name to flash.



4. Use (B) and (D) to display the city you want to specify as a World Time City.

- Holding down (B) or (D) scrolls through settings at high speed.

5. If you want to change the summer time setting, press (C).

6. Use (D) to select a summer time setting.

- [AUTO]  
The watch switches between standard time and summer time automatically.
- [OFF]  
The watch always indicates standard time.
- [ON]  
The watch always indicates summer time.



7. Press (A) to complete the setting operation.

### Note


- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.
- While [UTC] is selected as the city, you will not be able to change or check the summer time setting.
- If you select a World Time City with the CASIO WATCHES phone app and then change to a different city with a watch operation, the CASIO WATCHES city information is deleted from the watch.

[🔗 Configuring World Time Settings](#)

## Swapping Your Home Time and World Time

In the World Time mode, press (A) and (B) at the same time to swap your Home City time with your World Time.

Example: To swap your Home City (Tokyo) with your World Time City (New York)



### Note

- This function comes in handy when you need to move to another time zone. For details about how to use it, go to the section below.


[🔗 Moving to Another Time Zone](#)

## Moving to Another Time Zone

Use the procedure below to easily change day and time settings of the watch to a destination location.

### ● Before Boarding

1. Configure the World Time to the current time at your destination.



- Using CASIO WATCHES to Configure Settings
- Using Watch Operations to Configure Settings


2. Disable auto time correction.



- Using the Watch in a Medical Facility or Aircraft

### ● After Arriving

1. Swap the origin time zone time with the destination time zone time.



- Using CASIO WATCHES to Configure Settings
- Using Watch Operations to Configure Settings

2. Enable auto time correction.

- Using the Watch in a Medical Facility or Aircraft

3. Correct the time setting.


- Triggering Immediate Time Correction

## Alarm

The watch will beep when the alarm time is reached. You can configure up to four standard daily alarms, and one daily alarm with snooze. The hourly time signal causes the watch to beep every hour on the hour.

- Snooze causes the alarm to sound up to seven times, at five-minute intervals.
- The alarm sound is muted in the cases described below.
  - When battery power is low
  - When watch is at Level 2 power saving

- Power Saving Function



## Using CASIO WATCHES to Configure Alarm Settings

If the watch is paired with a phone, you can also use the CASIO WATCHES phone app to set alarms.

- Configuring Watch Settings

## Configuring Alarm Settings

1. Enter the Alarm Mode.
  - Navigating Between Modes
2. Use (D) to display the alarm screen (alarm number [1] to [4] or [SNZ]) whose setting you want to change.

Alarm number



Alarm time

3. Hold down (A) for at least two seconds. Release the button when the hours digits start to flash.

- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.



Alarm hour

4. Use (B) and (D) to change the hour setting.

- Holding down (B) or (D) scrolls through settings at high speed.
- If you are using 12-hour timekeeping, [P] indicates p.m.



5. Press (C).

This causes the minutes digits to flash.



Alarm minute

6. Use (B) and (D) to set the minute setting.

7. Press (A) to exit the setting screen.

- [ALM] (alarm) is shown on the display while an alarm is turned on.



## ● Testing the alarm

In the Alarm Mode, hold down (D) to sound the alarm.

## ● To stop the alarm

Pressing any button while the beeper is sounding stops it.

Snooze causes the alarm to sound up to seven times, at five-minute intervals. To cancel a snooze alarm, turn [SNZ] off.

🔗 [Turning Off an Alarm or the Hourly Time Signal](#)

### Note

- A beeper sounds for 20 seconds when an alarm time is reached.
- The watch automatically returns from the Alarm Mode to the Timekeeping Mode if you do not perform any operation for about two or three minutes.

## Enabling the Hourly Time Signal

1. Enter the Alarm Mode.  
🔗 [Navigating Between Modes](#)
2. Use (D) to display the hourly time signal screen ([SIG]).



3. Press (A) to toggle the hourly time signal between enabled and disabled.
  - [SIG] is shown on the display while the hourly time signal is turned on.



## Turning Off an Alarm or the Hourly Time Signal

To stop an alarm or the hourly time signal from sounding, perform the steps below to turn it off.

- To have an alarm or hourly time signal sound again, turn it back on.

### Note

- Indicators are displayed while any of the alarms or the hourly time signal is turned on.
- The applicable indicators are not displayed while all of the alarms are turned off and/or the hourly time signal is turned off.



1. Enter the Alarm Mode.  
🔗 [Navigating Between Modes](#)
2. Use (D) to scroll through the alarm ([1] to [4], [SNZ]) and hourly time signal ([SIG]) screens until the one you want to turn off is displayed.

Alarm number or hourly time signal



3. Press (A) to turn off the displayed alarm or the hourly time signal.
  - Each press of (A) toggles between on and off.
  - Turning off all alarms causes [ALM] (alarm) to disappear from the display. Turning off the hourly time signal causes [SIG] (hourly time signal) to disappear.



### Note

- If [ALM] (alarm) is still displayed after you turn off an alarm, it means that at least one of the other alarms is still turned on. To turn off all of the alarms, repeat steps 2 and 3 until the [ALM] (alarm) indicator is no longer displayed.


## Stopwatch

The stopwatch measures elapsed time in 1/100-second units for the first hour, and in 1-second units after that for up to 23 hours 59 minutes 59 seconds (24 hours).




### Measuring Elapsed Time

- Enter the Stopwatch Mode.  
[Navigating Between Modes](#)
- Use the operations below to measure elapsed time.



- Measurement is in 1/100-second units for the first hour. After that, measured time is displayed in one-second units.




- While measurement is in progress, [- -] is displayed for the 1/100-second digits.

- Press (A) to reset the measurement time to all zeros.


### Measuring a Split Time

- Enter the Stopwatch Mode.  
[Navigating Between Modes](#)
- Use the operations below to measure elapsed time.

- Pressing (A) displays the elapsed time from the start of a race up to the point when you pressed the button (split time).



- Measurement is in 1/100-second units for the first hour. After that, measured time is displayed in one-second units.



- While measurement is in progress, [- -] is displayed for the 1/100-second digits.

- Press (A) to reset the measurement time to all zeros.


### Timing the First and Second Place Finishers

- Enter the Stopwatch Mode.  
[Navigating Between Modes](#)
- Use the operations below to measure elapsed time.



- \* This displays the time of the first finisher.

- Measurement is in 1/100-second units for the first hour. After that, measured time is displayed in one-second units.



- While measurement is in progress, [- -] is displayed for the 1/100-second digits.

- Press (A) to display the time of the second finisher.
- Press (A) to reset the measurement time to all zeros.

## Timer

The timer counts down from a start time specified by you. A beeper sounds when the end of the countdown is reached.

- The beeper is muted when battery power is low.



### Using CASIO WATCHES to Configure Timer Settings

If the watch is paired with a phone, you can also use the CASIO WATCHES phone app to set the timer start time.

[Configuring Watch Settings](#)

### Setting the Countdown Start Time

The countdown start time can be set in 1-second units up to 24 hours.

- If a timer countdown operation is in progress, reset the timer to its current start time before performing this operation.

[Using the Timer](#)

1. Enter the Timer Mode.  
[Navigating Between Modes](#)
2. Hold down (A) for at least two seconds.  
This causes the hours digits to flash.



3. Use (B) and (D) to change the timer hours setting.
  - Holding down (B) or (D) scrolls through settings at high speed.

4. Press (C).  
This causes the minutes digits to flash.



5. Use (B) and (D) to change the timer minutes setting.
6. Press (C).  
This causes the seconds digits to flash.



7. Use (B) and (D) to change the seconds setting.
8. Press (A) to exit the setting screen.

#### Note


- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.
- Setting a start time of [0:00 00] performs a countdown of 24 hours.

### Using the Timer

1. Enter the Timer Mode.  
[Navigating Between Modes](#)



2. Use the operations below to perform a timer operation.




- A beeper sounds for 10 seconds to let you know when the end of a countdown is reached.
  - You can reset a paused countdown to its start time, by pressing (A).
3. Press any button to stop the tone.

## Other Settings

This section explains other watch settings you can configure.

### Changing the Date Display Format

1. Enter the Timekeeping Mode.  
[🔗 Navigating Between Modes](#)
2. Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.



3. Press (C) nine times. This displays a screen for selecting the date display format.
4. Press (D) to select a date display format.  
 [MM-DD]: Month, day  
 [DD-MM]: Day, month



5. Press (A) to exit the setting screen.


#### Note

- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.

### Enabling the Button Operation Tone

Use the procedure below to enable or disable the tone that sounds when you press a button.


1. Enter the Timekeeping Mode.  
[🔗 Navigating Between Modes](#)
2. Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.



3. Press (C) 10 times. This displays [KEY SOUND].



4. Press (D) to select [ON] or [OFF].  
 [ON]: Operation tone enabled.  
 [OFF]: Operation tone disabled.



5. Press (A) to exit the setting screen.

#### Note


- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.
- Note that alarm and timer tones still sound even while the operation tone is muted.

### Resetting Watch Settings

This section explains how to return the watch settings below to their initial factory defaults.

- Watch Settings
- Stopwatch
- Timer
- Alarm


1. Enter the Timekeeping Mode.  
[🔗 Navigating Between Modes](#)
2. Hold down (A) for at least two seconds. Release the button when the name of the currently selected Home City appears on the display.



3. Press (C) twice. This causes the seconds to flash.



4. Hold down (B) for at least seven seconds. Release the button when [HOLD] disappears from the [SETTING CLEAR] / [HOLD] display.



#### Note

- While the setting is being configured, the watch will exit the setting operation automatically after about two or three minutes of non-operation.
- Resetting the watch also deletes information for pairing the watch with a phone, and unpair them.

## Specifications

### Accuracy at normal temperature :

±15 seconds per month when time correction by time calibration signal reception or by communication with a phone is not possible.

### Timekeeping :

Hour, minute, second, month, day, day of the week  
a.m./p.m.(P)/24-hour timekeeping  
Full Auto Calendar (2000 to 2099)

### Signal Receive Functions :

Auto receive, manual receive  
Auto summer time switching  
Auto transmitter selection (for JJY, MSF/DCF77)  
Receivable call signs:  
JJY (40 kHz/60 kHz), WWVB (60 kHz), MSF (60 kHz), DCF77 (77.5 kHz), BPC (68.5 kHz)  
OFF: Signal receive disabled

### World Time :

Two World Time: Current time in 55 cities (38 time zones) + UTC; Auto summer time switching  
Home City/World Time City swapping

### Alarm :

Daily alarm  
Alarms: 5 (with one snooze alarm)  
Setting units: Hours, minutes  
Beeper: 20 seconds  
Hourly time signal  
Beeps every hour on the hour

### Stopwatch :

Measurement unit: 1/100 seconds (first hour); 1 second (after first hour)  
Measurement range: 23 hours, 59 minutes, 59 seconds (24 hours)  
Measurement functions: Elapsed time, split time, two finishes

### Timer :

Measuring unit: 1 second  
Countdown range: 24 hours  
Setting unit: 1 second  
Time up: 10-second beeper

### Mobile Link :

Auto Time Correction  
Time setting corrected automatically at preset time  
One-touch Time Correction  
Manual connection and time correction  
Phone finder  
Watch operation sounds the alert sound of the mobile phone  
World Time  
Current time for approximately 300 cities selected for the watch  
Home Time/World Time swapping  
Auto Summer Time Switching  
Automatic switching between standard time and summer time  
Timer Settings  
Alarm Settings  
TIME&PLACE  
Main display font switching  
Data Communication Specifications  
Bluetooth®  
Frequency Band: 2400MHz to 2480MHz  
Maximum Transmission: 0 dBm (1 mW)  
Communication range: Up to 2 meters (depends on environment)

### Other :

LED backlight (afterglow with selectable 1.5 or 3-second duration), Full Auto light, Power Saving, operation tone enable/disable, selectable date format, auto time correction enable/disable

### Power Supply :

Solar panel and one rechargeable battery (Type: CTL1616)  
Battery nominal voltage: 2.3V  
Battery operating time: Approximately 6 months  
Conditions:  
Not exposed to light under the conditions below.  
Auto time correction by smartphone: 4 times/day  
Alarm: Once for 20 seconds/day  
Illumination: Once for 1.5 seconds/day  
Power Saving: 6 hours/day

Specifications are subject to change without notice.

## Other Information

This section provides non-operational information you also need to know. Refer to this information as required.

### City Table

City		Offset
UTC	Coordinated Universal Time	
LIS: LISBON *	Lisbon	0
LON: LONDON *	London	
MAD: MADRID *	Madrid	
PAR: PARIS *	Paris	
ROM: ROME *	Rome	+1
BER: BERLIN *	Berlin	
STO: STOCKHOLM *	Stockholm	
ATH: ATHENS *	Athens	
CAI: CAIRO	Cairo	+2
JRS: JERUSALEM	Jerusalem	
MOW: MOSCOW	Moscow	+3
JED: JEDDAH	Jeddah	
THR: TEHRAN	Tehran	+3.5
DXB: DUBAI	Dubai	+4
KBL: KABUL	Kabul	+4.5
KHI: KARACHI	Karachi	+5
DEL: DELHI	Delhi	+5.5
KTM: KATHMANDU	Kathmandu	+5.75
DAC: DHAKA	Dhaka	+6
RGN: YANGON	Yangon	+6.5
BKK: BANGKOK	Bangkok	+7

City	Offset
SIN: SINGAPORE	Singapore
HKG: HONG KONG *	Hong Kong
BJS: BEIJING *	Beijing
TPE: TAIPEI *	Taipei
EUC: EUCLA	Eucla
SEL: SEOUL *	Seoul
TYO: TOKYO *	Tokyo
ADL: ADELAIDE	Adelaide
GUM: GUAM	Guam
SYD: SYDNEY	Sydney
LDH: LORD HOWE ISLAND	Lord Howe Island
NOU: NOUMEA	Noumea
WLG: WELLINGTON	Wellington
CHT: CHATHAM ISLAND	Chatham Islands
TBU: NUKUALOFA	Nuku'alofa
CXI: KIRITIMATI	Kiritimati
---: BAKER ISLAND	Baker Island
PPG: PAGO PAGO	Pago Pago
HNL: HONOLULU	Honolulu
NHV: MARQUESAS ISLANDS	Marquesas Islands
ANC: ANCHORAGE	Anchorage
YVR: VANCOUVER *	Vancouver
LAX: LOS ANGELES *	Los Angeles
YEA: EDMONTON *	Edmonton
DEN: DENVER *	Denver

City	Offset
MEX: MEXICO CITY *	Mexico City
CHI: CHICAGO *	Chicago
NYC: NEW YORK *	New York
YHZ: HALIFAX *	Halifax
YYT: ST. JOHN'S	St. John's
BUE: BUENOS AIRES	Buenos Aires
RIO: RIO DE JANEIRO	Rio de Janeiro
FEN: F. DE NORONHA	Fernando de Noronha
RAI: PRAIA	Praia

\* Cities where time calibration signal reception is possible.

- The information in the above table is current as of January 2025.
- Time zones may change and UTC differentials may become different from those shown in the table above.

## Summer Time Table

When [AUTO] is selected for a city that observes summer time, switching between standard time and summer time will be performed automatically at the timing shown in the table below.

### Note

- Summer time start and end dates for your current location may be different from those shown below. If this happens, you can have new summer time information for your Home City and World Time City sent to the watch by connecting the watch with a phone. If the watch is not connected with a phone, you can change the summer time setting manually.

City Name	Summer Time Start	Summer Time End
Lisbon	01:00, last Sunday in March	02:00, last Sunday in October
London	01:00, last Sunday in March	02:00, last Sunday in October
Madrid	02:00, last Sunday in March	03:00, last Sunday in October
Paris	02:00, last Sunday in March	03:00, last Sunday in October
Rome	02:00, last Sunday in March	03:00, last Sunday in October
Berlin	02:00, last Sunday in March	03:00, last Sunday in October
Stockholm	02:00, last Sunday in March	03:00, last Sunday in October
Athens	03:00, last Sunday in March	04:00, last Sunday in October
Cairo	00:00, last Friday in April	24:00, last Thursday in October
Jerusalem	02:00, the Friday before the last Sunday in March	02:00, last Sunday in October
Sydney, Adelaide	02:00, first Sunday in October	03:00, first Sunday in April
Lord Howe Island	02:00, first Sunday in October	02:00, first Sunday in April
Wellington	02:00, last Sunday in September	03:00, first Sunday in April

City Name	Summer Time Start	Summer Time End
Chatham Islands	02:45, last Sunday in September	03:45, first Sunday in April
Anchorage	02:00, second Sunday in March	02:00, first Sunday in November
Vancouver	02:00, second Sunday in March	02:00, first Sunday in November
Los Angeles	02:00, second Sunday in March	02:00, first Sunday in November
Edmonton	02:00, second Sunday in March	02:00, first Sunday in November
Denver	02:00, second Sunday in March	02:00, first Sunday in November
Chicago	02:00, second Sunday in March	02:00, first Sunday in November
New York	02:00, second Sunday in March	02:00, first Sunday in November
Halifax	02:00, second Sunday in March	02:00, first Sunday in November
St. John's	02:00, second Sunday in March	02:00, first Sunday in November

- The information in the above table is current as of January 2025.

## Supported Phones

For information about phones that can connect with the watch, visit the CASIO website.

[https://world.casio.com/os\\_mobile/wat/](https://world.casio.com/os_mobile/wat/)

## Copyrights and Registered Copyrights

- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by CASIO Computer Co., Ltd. is under license.
- iPhone and App Store are trademarks of Apple Inc. in the United States and other countries.
- IOS is a trademark or registered trademark of Cisco Systems, Inc.
- Android and Google Play™ are trademarks or registered trademarks of Google LLC.
- Other company names and product names used herein are trademarks or registered trademarks of their respective companies.

## Troubleshooting

### Signal Reception (Time Calibration Signal)

**Q1** The watch cannot perform a receive operation.

Is the watch's battery charged?

Signal reception is not possible while battery power is low. Keep the watch exposed to light until it recharges sufficiently.

🔗 [Charging](#)

Is the watch in the Timekeeping Mode?

Time signal receive is performed only while the watch is in the Timekeeping Mode. Return to the Timekeeping Mode.

🔗 [Navigating Between Modes](#)

Is your Home City setting correct for your location?

The watch will not indicate the correct time if the Home City setting is wrong. Change your Home City setting so it correctly reflects your location.

🔗 [Setting a Home City](#)

Is the watch connected with a phone?

Auto receive of signals by the watch is disabled while it is connected with a phone.

🔗 [Time Adjustment Using a Time Signal](#)

After checking the above, the watch still cannot perform a receive operation.

Time calibration signal reception is not possible under the conditions described below.

- When watch is at Level 2 power saving
- Timer countdown operation in progress

If successful reception is not possible for some reason, you can adjust the time and day settings manually.

**Q2** The signal receive operation always fails.

Is the watch in a location that is appropriate for signal reception?

Check your surroundings and move the watch to a location where signal reception is better.

🔗 [Appropriate Signal Reception Location](#)

Did you avoid touching the watch while the receive operation was in progress?

Minimize movement of the watch and do not perform any watch operation while a receive operation is in progress.

Is there an alarm configured to sound during the same period that the signal receive operation is performed?

Receive stops if an alarm operation starts while it is being performed. Disable the alarm.

🔗 [Turning Off an Alarm or the Hourly Time Signal](#)

Is the signal transmitter in your area transmitting a signal?

The transmitter of the time calibration may not be transmitting a signal. Try again later.

**Q3** Signal reception should have been successful, but the watch's time and/or day is wrong.

Adjust time and day settings manually.

🔗 [Using Watch Operations to Adjust the Time Setting](#)

### I can't pair the watch with a phone.

**Q1** I've never been able to establish a (pairing) connection between the watch and phone.

Are you using a supported phone model?

Check if the phone model and its operating system are supported by the watch.

For information about supported phone models, visit the CASIO Website.

🔗 [https://world.casio.com/os\\_mobile/wat/](https://world.casio.com/os_mobile/wat/)

Did you install the CASIO WATCHES phone app on your phone?

The CASIO WATCHES phone app needs to be installed on your phone in order to connect with the watch.

🔗 [① Install the app on your phone.](#)

Are your phone's Bluetooth settings configured correctly?

Configure the phone's Bluetooth settings. For details about setting procedures, see your phone documentation.

#### iPhone Users

- "Settings" → "Bluetooth" → On
- "Settings" → "Privacy" → "Bluetooth" → "CASIO WATCHES" → On

#### Android Users

- Enable Bluetooth.

Other than the above.

Some phones need to have BT Smart disabled to use the CASIO WATCHES phone app. For details about setting procedures, see your phone documentation.

On the Home Screen, tap: "Menu" → "Settings" → "Bluetooth" → "Menu" → "BT Smart settings" → "Disable".

## I can't reconnect the watch and phone.

**Q1** The watch will not re-connect with the phone after they are disconnected.

Is the CASIO WATCHES phone app running?

The watch cannot re-connect with your phone unless the CASIO WATCHES phone app is running on the phone. On your phone's Home Screen, tap the "CASIO WATCHES" icon. Next, on the watch, hold down (C) for at least three seconds.



Have you tried turning your phone off and then back on again?

Turn your phone off and then back on, and then tap the "CASIO WATCHES" icon. Next, on the watch, hold down (C) for at least three seconds.



**Q2** I can't connect while my phone is in the Airplane Mode.

Connection with the watch is not possible while the phone's Airplane Mode is enabled. After disabling the phone's Airplane Mode, go to the phone's Home Screen and tap the "CASIO WATCHES" icon. Next, on the watch, hold down (C) for at least three seconds.



**Q3** I changed the phone's Bluetooth from enabled to disabled, and now I can't connect anymore.

On your phone, re-enable Bluetooth, and then go to the Home Screen and tap the "CASIO WATCHES" icon. Next, on the watch, hold down (C) for at least three seconds.



**Q4** I can't connect after turning off the phone.

Turn your phone off and then back on, and then tap the "CASIO WATCHES" icon. Next, on the watch, hold down (C) for at least three seconds.



## Phone-Watch Connection

**Q1** I can't establish a connection between the phone and watch.

Have you tried turning your phone off and then back on again?

Turn your phone off and then back on, and then tap the "CASIO WATCHES" icon. Next, on the watch, hold down (C) for at least three seconds.



Has the watch been re-paired with the phone?

After deleting the pairing information from the CASIO WATCHES phone app and your phone, re-pair the watch and phone.

- 🔗 [Deleting Pairing Information from the CASIO WATCHES phone app](#)
- 🔗 ③ [Pair the watch with a phone.](#)

If you are unable to establish a connection...

After deleting pairing information from the watch, re-pair it with your phone.

- 🔗 [Deleting Pairing Information from the Watch](#)
- 🔗 ③ [Pair the watch with a phone.](#)

## Changing to a Different Phone Model

**Q1** Connecting the current watch to another phone.

Delete the pairing information from your watch and then pair it with the phone you want to connect with.

🔗 [If you purchase another phone](#)

## Auto Time Correction by Bluetooth Connection

**Q1** When does the watch correct its time?

The watch connects with the phone and perform auto time correction at around 12:30 a.m., 6:30 a.m., 12:30 p.m. and 6:30 p.m. The connection is automatically terminated after auto time correction is complete.

**Q2** Auto time correction is not performed at a scheduled time.

Is auto time correction not being performed according to its normal schedule?

Note that auto time correction is not performed for 24 hours after swapping of the Home Time and World Time, or after the time setting is corrected manually on the watch. Auto time correction will resume 24 hours after either of the above operations is performed.

Is a timer countdown operation in progress?

Auto time correction will not start at the scheduled times if a timer countdown operation is in progress. Stop the timer countdown operation.

[Using the Timer](#)

Is auto time correction enabled?

Auto time correction is not performed at the scheduled times if it is not enabled. Enable auto time correction.

[Using the Watch in a Medical Facility or Aircraft](#)

**Q3** The watch does not connect with a phone and correct its time when I press (D).

The watch will not adjust its time if you press (D) while a timer countdown operation is in progress. Stop the timer countdown operation and then press (D) again.



**Q4** Time is not displayed correctly.

If your phone is unable to receive a signal because you are outside its service range or for some other reason, the watch may not be able to display the correct time. If this happens, connect the phone to its network and then correct the time setting.

## Alarm and Hourly Time Signal

**Q1** An alarm does not sound.

Is the watch's battery charged?

Keep the watch exposed to light until it recharges sufficiently.

[Charging](#)

Other than the above.

The alarm's settings may not be configured. Configure the alarm settings.

[Configuring Alarm Settings](#)

**Q2** The hourly time signal does not sound.

Is the watch's battery charged?

Keep the watch exposed to light until it recharges sufficiently.

[Charging](#)

Other than the above.

The hourly time signal may be disabled. Enable the hourly time signal.

[Enabling the Hourly Time Signal](#)

## Charging

**Q1** The watch does not work even though it is exposed to light.

The watch stops operating whenever the battery goes dead. Keep the watch exposed to light until it recharges sufficiently.

[Dead Battery](#)

**Q2** [RECOVER] displayed.

The watch is in the charge recovery mode. Wait until the recovery process is complete (about 15 minutes). The watch recovers more quickly if you place it in a brightly lit location.

- If an alarm, hourly time signal, illumination and/or other power-intensive functions are used within a short period of time, the charging capacity of the battery will drop and cause the watch to go into a charge recovery mode. Function availability are temporarily limited, but functionality returns after the battery recovers.

[Dead Battery](#)



**Q3** [LOW] displayed.

The charge level of the watch is extremely low. Immediately expose the watch to light to charge it.

[Low Battery](#)

## Other

**Q1** I can't find the information I need here.

Visit the website below.

<https://world.casio.com/support/>

## Precautions

### Operating Precautions

#### ● Water Resistance

- The information below applies to watches with WATER RESIST or WATER RESISTANT marked on the back cover.

#### Water Resistance Under Daily Use

Marking on watch front or on back cover	No BAR mark
---	-------------

#### Example of Daily Use

Hand washing, rain	Yes
Water-related work, swimming	No
Windsurfing	No
Skin diving	No

#### Enhanced Water Resistance Under Daily Use

##### 5 Atmospheres

Marking on watch front or on back cover	5BAR
---	------

#### Example of Daily Use

Hand washing, rain	Yes
Water-related work, swimming	Yes
Windsurfing	No
Skin diving	No

##### 10 Atmospheres

Marking on watch front or on back cover	10BAR
---	-------

#### Example of Daily Use

Hand washing, rain	Yes
Water-related work, swimming	Yes
Windsurfing	Yes
Skin diving	Yes

##### 20 Atmospheres

Marking on watch front or on back cover	20BAR
---	-------

#### Example of Daily Use

Hand washing, rain	Yes
Water-related work, swimming	Yes
Windsurfing	Yes
Skin diving	Yes

- Do not use your watch for scuba diving or other types of diving that requires air tanks.

- Watches that do not have WATER RESIST or WATER RESISTANT marked on the back cover are not protected against the effects of sweat. Avoid using such a watch under conditions where it will be exposed to large amounts of sweat or moisture, or to direct splashing with water.

- Even if a watch is water resistant, note the usage precautions described below. Such types of use reduce water resistance performance and can cause fogging of the glass.

- Do not operate the crown or buttons while your watch is submersed in water or wet.
- Avoid wearing your watch while in the bath.
- Do not wear your watch while in a heated swimming pool, sauna, or any other high temperature/high humidity environment.
- Do not wear your watch while washing your hands or face, while doing housework, or while performing any other task that involves soaps or detergents.

- After submersion in seawater, use plain water to rinse all salt and dirt from your watch.

- To maintain water resistance, have the gaskets of your watch replaced periodically (about once every two or three years).

- A trained technician will inspect your watch for proper water resistance whenever you have its battery replaced. Battery replacement requires the use of special tools. Always request battery replacement from your original retailer or from an authorized CASIO service center.

- Some water-resistant watches come with fashionable leather bands. Avoid swimming, washing, or any other activity that causes direct exposure of a leather band to water.

- The inside surface of the watch glass may fog when the watch is exposed to a sudden drop in temperature. No problem is indicated if the fogging clears up relatively quickly. Sudden and extreme temperature changes (such as coming into an air conditioned room in the summer and standing close to an air conditioner outlet, or leaving a heated room in the winter and allowing your watch to come into contact with snow) can cause it to take longer for glass fogging to clear up. If glass fogging does not clear up or if you notice moisture inside of the glass, immediately stop using your watch and take it to your original retailer or to an authorized CASIO service center.

- Your water-resistant watch has been tested in accordance with International Organization for Standardization regulations.

#### ● Band

- Tightening the band too tightly can cause you to sweat and make it difficult for air to pass under the band, which can lead to skin irritation. Do not fasten the band too tightly. There should be enough room between the band and your wrist so you can insert your finger.

- Deterioration, rust, and other conditions can cause the band to break or come off of your watch, which in turn can cause band pins to fly out of position or to fall out. This creates the risk of your watch falling from your wrist and becoming lost, and also creates the risk of personal injury. Always take good care of your band and keep it clean.

- Immediately stop using a band if you even notice any of the following: loss of band flexibility, band cracks, band discoloration, band looseness, band connecting pin flying or falling out, or any other abnormality. Take your watch to your original retailer or to a CASIO service center for inspection and repair (for which you will be charged) or to have the band replaced (for which you will be charged).

## ● Temperature

- Never leave your watch on the dashboard of a car, near a heater, or in any other location that is subject to very high temperatures. Do not leave your watch where it will be exposed to very low temperatures. Temperature extremes can cause your watch to lose or gain time, to stop, or otherwise malfunction.
- Leaving your watch in an area hotter than +60 °C (140 °F) for long periods can lead to problems with its LCD. The LCD may become difficult to read at temperatures lower than 0 °C (32 °F) and greater than +40 °C (104 °F).

## ● Impact

- Your watch is designed to withstand impact incurred during normal daily use and during light activity such as playing catch, tennis, etc. Dropping your watch or otherwise subjecting it to strong impact, however, can lead to malfunction. Note that watches with shock-resistant designs (G-SHOCK, BABY-G, G-MS) can be worn while operating a chain saw or engaging in other activities that generate strong vibration, or while engaging in strenuous sports activities (motocross, etc.)

## ● Magnetism

- Though a digital watch normally is not affected by magnetism, very strong magnetism (from medical equipment, etc.) should be avoided because it can cause malfunction and damage to electronic components.

## ● Electrostatic Charge

- Exposure to very strong electrostatic charge can cause your watch to display the wrong time. Very strong electrostatic charge even can damage electronic components.
- Electrostatic charge may cause temporary blotching in blank areas of the LCD.

## ● Chemicals

- Do not allow your watch to come into contact with thinner, gasoline, solvents, oils, or fats, or with any cleaners, adhesives, paints, medicines, or cosmetics that contain such ingredients. Doing so can cause discoloration of or damage to the resin case, resin band, leather, and other parts.

## ● Storage

- If you do not plan to use your watch for a long time, thoroughly wipe it free of all dirt, sweat, and moisture, and store it in a cool, dry place.

## ● Resin Components

- Allowing your watch to remain in contact with other items or storing it together with other items for long periods while it is wet can cause color on resin components to transfer to the other items, or the color of the other items to transfer to the resin components of your watch. Be sure to dry off your watch thoroughly before storing it and make sure it is not in contact with other items.
- Leaving your watch where it is exposed to direct sunlight (ultraviolet rays) for long periods or failure to clean dirt from your watch for long periods can cause it to become discolored.
- Friction caused by certain conditions (strong external force, sustained rubbing, impact, etc.) can cause discoloration of painted components.
- If there are printed figures on the band, strong rubbing of the printed area can cause discoloration.
- Leaving your watch wet for long periods can cause fluorescent color to fade. Wipe the watch dry as soon as possible after it becomes wet.
- Semi-transparent resin parts can become discolored due to sweat and dirt, and if exposed to high temperatures and humidity for long periods.
- Daily use and long-term storage of your watch can lead to deterioration, breaking, or bending of resin components. The extent of such damage depends on usage conditions and storage conditions.

## ● Leather Band

- Allowing your watch to remain in contact with other items or storing it together with other items for long periods while it is wet can cause the color of the leather band to transfer to the other items or the color of the other items to transfer to the leather band. Be sure to dry off your watch thoroughly with a soft cloth before storing it and make sure it is not in contact with other items.

- Leaving a leather band where it is exposed to direct sunlight (ultraviolet rays) for long periods or failure to clean dirt from a leather band for long periods can cause it to become discolored.

### CAUTION:

Exposing a leather band to rubbing or dirt can cause color transfer and discoloration.

## ● Metal Components

- Failure to clean dirt from metal components can lead to formation of rust, even if components are stainless steel or plated. If metal components exposed to sweat or water, wipe thoroughly with a soft, absorbent cloth and then place the watch in a well-ventilated location to dry.
- Use a soft toothbrush or similar tool to scrub the metal with a weak solution of water and a mild neutral detergent, or with soapy water. Next, rinse with water to remove all remaining detergent and then wipe dry with a soft absorbent cloth. When washing metal components, wrap the watch case with kitchen plastic wrap so it does not come into contact with the detergent or soap.

## ● Bacteria and Odor Resistant Band

- The bacteria and odor resistant band protects against odor generated by the formation of bacteria from sweat, which ensures comfort and hygiene. In order to ensure maximum bacteria and odor resistance, keep the band clean. Use an absorbent soft cloth to thoroughly wipe the band clean of dirt, sweat, and moisture. A bacteria and odor resistant band suppresses the formation of organisms and bacteria. It does not protect against rash due to allergic reaction, etc.

## ● Liquid Crystal Display

- Display figures may be difficult to read when viewed from an angle.

Note that CASIO Computer Co., Ltd. assumes no responsibility for any damage or loss suffered by you or any third party arising through the use of your watch or its malfunction.

## User Maintenance

### ● Caring for Your Watch

Remember that you wear your watch next to your skin, just like a piece of clothing. To ensure your watch performs at the level for which it is designed, keep it clean by frequently wiping with a soft cloth to keep your watch and band free of dirt, sweat, water and other foreign matter.

- Whenever your watch is exposed to sea water or mud, rinse it off with clean fresh water.
- For a metal band or a resin band with metal parts, use a soft toothbrush or similar tool to scrub the band with a weak solution of water and a mild neutral detergent, or with soapy water. Next, rinse with water to remove all remaining detergent and then wipe dry with a soft absorbent cloth. When washing the band, wrap the watch case with kitchen plastic wrap so it does not come into contact with the detergent or soap.
- For a resin band, wash with water and then wipe dry with a soft cloth. Note that sometimes a smudge like pattern may appear on the surface of a resin band. This will not have any effect on your skin or clothing. Wipe with a cloth to remove the smudge pattern.
- Clean water and sweat from a leather band by wiping with a soft cloth.
- Not operating a watch crown, buttons, or rotary bezel could lead to later problems with their operation. Periodically rotate the crown and rotary bezel, and press buttons to maintain proper operation.

### ● Dangers of Poor Watch Care

#### Rust

- Though the metal steel used for your watch is highly rust-resistant, rust can form if your watch is not cleaned after it becomes dirty.
  - Dirt on your watch can make it impossible for oxygen to come into contact with the metal, which can lead to breakdown of the oxidization layer on the metal surface and the formation of rust.
- Rust can cause sharp areas on metal components and can cause band pins to fly out of position or to fall out. If you ever notice any abnormality immediately stop using your watch and take it to your original retailer or to an authorized CASIO service center.
- Even if the surface of the metal appears clean, sweat and rust in crevasses can soil the sleeves of clothing, cause skin irritation, and even interfere with watch performance.

#### Premature Wear

- Leaving sweat or water on a resin band or bezel, or storing your watch an area subject to high moisture can lead to premature wear, cuts, and breaks.

#### Skin Irritation

- Individuals with sensitive skin or in poor physical condition may experience skin irritation when wearing a watch. Such individuals should keep their leather band or resin band particularly clean. Should you ever experience a rash or other skin irritation, immediately remove your watch and contact a skin care professional.

## Battery

- The special rechargeable battery used by your watch is not intended to be removed or replaced by you. Use of a rechargeable battery other than the special one specified for your watch can damage your watch.
- The rechargeable (secondary) battery is charged when the solar panel is exposed to light, so it does not require regular replacement as the primary battery requires. Note, however, that long use or operating conditions can cause the capacity or charging efficiency of the rechargeable battery to deteriorate. If you feel that the amount of operation provided by charging is too short, contact your original retailer or CASIO service center.

## Mobile Link Precautions

### ● Legal Precautions

- This watch complies with or has received approval under the radio laws of various countries and geographical areas. Using this watch in an area where it does not comply with or has not received approval under applicable radio laws may be a criminal offense. For details, visit the CASIO Website.


<https://world.casio.com/ce/BLE/>

- Use of this watch inside of aircraft is restricted under the aviation laws of each country. Be sure to follow the instructions of airline personnel.

### ● Precautions when using Mobile Link

- When using this watch in combination with a phone, keep the watch and phone close to each other. A range of two meters is recommended as a guideline, but the local environment (walls, furniture, etc.), the structure of a building, and other factors may require a much closer range.
- This watch can be affected by other devices (electrical devices, audio-visual equipment, office equipment, etc.) In particular, it can be affected by operation of a microwave oven. The watch may not be able to communicate normally with a phone if a microwave oven is operating nearby. Conversely, this watch may cause noise in radio reception and the video image of a TV.
- Bluetooth of this watch uses the same frequency band (2.4 GHz) as wireless LAN devices, and use of such devices in close proximity of this watch may result in radio interference, slower communication speeds and noise for the watch and the wireless LAN device, or even communication failure.


### ● Stopping Radio Wave Emission by This Watch

The watch is emitting radio waves whenever  is flashing or displayed.

In addition, the watch also connects phone automatically four times a day to correct its time setting.

When in a hospital, on an aircraft, or in any other area where the use of radio waves is not allowed, use the operation below to stop radio wave generation.

- Stopping Radio Wave Generation  
Press any button to terminate the Bluetooth connection.



- Disabling Auto Time Correction  
Configure CASIO WATCHES phone app settings to disable synchronization between the watch and phone.  
[Using the Watch in a Medical Facility or Aircraft](#)