



PARTS MANUAL

VRH RESTAURANT OVENS

MODELS:

VRH8 ML-152020

VRH88 ML-152021



Vulcan-Hart Food Holding and Transport Equipment is produced with quality workmanship and material. Proper installation, usage and maintenance will result in many years of satisfactory performance.

Before performing maintenance on the Oven, thoroughly read the Service Manual and carefully follow all instructions in the order given. Refer to the Installation and Operation Manual for detailed operating instructions.

This manual is applicable only to models listed on the cover page.

To obtain Service and Parts information, contact the Vulcan-Hart Service Department at the address listed on the front cover of this manual or refer to our website: www.vulcanequipment.com.

Technical Service 1-800-814-2028

Service Parts 1-866-628-0485

When calling for Technical Service or Parts, have the model number and serial number available.

NOTES:

VRH-SERIES (RESTAURANT SERIES)	
DESCRIPTION	VULCAN #
BLOCK, TERMINAL (INTERNAL DISTRIBUTION)	00-960506
CASTER, 5" RIGID	00-960519
CASTER, 5" SWIVEL	00-960520
CORD, POWER 208/240V	00-960537
ELEMENT, OVEN 1900W	00-960567
EXTRUSION W/GASKET, SIDE (1001/VRH OVENS)	00-960571
EXTRUSION W/GASKET, TOP (1001/VRH OVENS)	00-960579
FAN, COOLING 208/240V	00-960590
GASKET, DOOR (PER FOOT)	00-960598
HANDLE, 7" BLACK RECESSED	00-960606
HINGE, DOOR	00-960616
HOLDER, PROBE (THERMOSTAT)	00-960524
HOUSING, BLOWER WHEEL (THROUGH 2015)	00-960621
KNOB, THERMOSTAT	00-960644
LATCH, DOOR	00-960663
LIGHT, INDICATOR ROUND 240V	00-960672
MOTOR, BLOWER (THROUGH 2015)	00-960677
MOTOR, BLOWER (2016-PRESENT)	00-913102-00243
PAN, CAKE STYLE SHEET	00-960690
RACK, SIDE (EACH)	00-960706
RELAY, CONTACTOR	00-960708
SHELF, WIRE	00-960707
STRAIN RELIEF, POWER CORD	00-960721
SWITCH, ROCKER	00-960726
THERMOMETER, DIAL	00-960737
THERMOSTAT, COOK	00-960749
THERMOSTAT, HOLD	00-960741
THERMOSTAT, COOLING FAN W/BRACKET	00960-743
THERMOSTAT, HIGH-LIMIT	00-960748
TIMER, MECHANICAL	00-960750
VENT, SCREEN	00-960713
WHEEL, BLOWER (THROUGH 2015)	00-960795

