

Model: SLR700 | **Brand:** AYL | **Color:** Green

Overview

The AYL Starlight 700 is a battery-powered LED lantern designed for outdoor activities such as camping, hiking, and emergency situations. It utilizes four COB (Chip-on-Board) LED bulbs to produce up to 1300 lumens of light. The lantern is constructed with a water-resistant and shockproof plastic housing, making it suitable for use in various weather conditions. A built-in hook at the bottom allows for hanging, and a removable convex reflector provides either 360-degree or focused lighting.



Key Specifications

Light Source	4 COB LEDs (Light Emitting Diode)
Brightness	1300 Lumens (max)
Power Source	3 D batteries (not included)
Battery Life	Up to 6 days (on low mode, with fresh batteries)
Dimensions	4 x 4 x 7.2 inches (L x W x H)
Weight	14.56 ounces (approx. 413 g)
Material	Plastic (water-resistant, shockproof)
Water Resistance	IPX4 (splash resistant)
Lighting Modes	Low, High, Flashing Strobe

What's in the Box

- 1 x AYL Starlight 700 LED Lantern

Features

Lighting Modes

The lantern offers three distinct lighting modes that can be cycled through using the power switch:

- **Low:** Provides a lower brightness level for extended battery life (up to 6 days).
- **High:** Delivers maximum brightness (1300 lumens) for full illumination.
- **Flashing Strobe:** Emits a flashing light, suitable for emergency signaling.

360° & Focused Lighting

The lantern comes with a removable convex reflector cap. When attached, it provides 360-degree ambient lighting. Removing the cap allows the light to be focused in a single direction for task lighting.



Durable & Weather-Resistant Build

The housing is made from a combination of plastic and rubber molding, designed to be shockproof and water-resistant (IPX4). This protects the lantern from impacts and splashes, making it reliable for outdoor use.

Built-in Hook

A sturdy hook is integrated into the bottom of the lantern. This allows you to hang the lantern from a tent ceiling, tree branch, or any other suitable anchor point for overhead lighting.



Long Battery Life

Powered by three standard D-cell batteries, the lantern can operate continuously for up to 6 days on the low setting, reducing the need for frequent battery changes during extended trips.

Use Guide

Installing Batteries

1. Ensure the lantern is turned off.
2. Locate the battery compartment cover on the bottom or side of the lantern.
3. Open the cover by sliding or unscrewing it (refer to the markings on the product).
4. Insert three fresh D-cell batteries, observing the correct polarity (+ and -) as indicated inside the compartment.
5. Close and secure the battery compartment cover.

Note: Batteries are not included. Use only fresh, high-quality D-cell batteries for optimal performance.

Operating the Lantern

1. Press the power switch button to turn the lantern on.
2. Cycle through the lighting modes (Low → High → Flashing Strobe) by pressing the switch repeatedly.
3. To turn the lantern off, continue cycling until the light turns off, or press and hold the switch (if applicable).



Using the Reflector

- **360° Mode:** Keep the convex reflector cap attached to the top of the lantern for wide-area illumination.
- **Focused Mode:** Gently pull the reflector cap upwards to remove it. The bare LEDs will then provide a more directional beam.

Hanging the Lantern

1. Locate the folding hook at the bottom of the lantern.
2. Flip the hook outwards until it locks into place.
3. Hang the lantern from a suitable support, such as a tent ridge pole, tree branch, or a hook.



Emergency Use

In an emergency, use the **Flashing Strobe** mode to attract attention. The lantern's water-resistant and shockproof design makes it suitable for use during power outages, hurricanes, or other severe weather events.

Technical Specifications

Brand	AYL
Model Number	SLR700
Light Source Type	Light Emitting Diode (LED)
Power Source	Battery Powered (3 x D batteries)
Brightness	1300 Lumens
Lighting Modes	Low, High, Flashing Strobe
Battery Life	Up to 6 days (on low mode)
Water Resistance Level	Water Resistant (IPX4)
Material	Plastic
Item Dimensions	4 x 4 x 7.2 inches
Item Weight	14.56 ounces
Color	Green
Mounting Type	Tabletop Mount / Hanging Hook
Included Components	Electric Lantern
Manufacturer Part Number	8G-M9NN-KN12
UPC	610098849865

Warranty and Support

The manufacturer provides a warranty for this product. For specific warranty terms and conditions, please refer to the documentation included inside the product packaging.

Manufacturer: AYL

Manufacturer Warranty Description: Inside product.

For support, please contact the seller or manufacturer through the original point of purchase.

Warning

This content is compiled from multiple sources and is provided for reference purposes only. It may not be complete or fully applicable to all situations. If you are unable to resolve your issue, please contact the product manufacturer or an authorized service provider for official support.

Document generated by [ManualsFile](#)