

1. Overview

The INALSA Master Vac 25 is a heavy-duty wet and dry vacuum cleaner designed for versatile cleaning in homes, offices, garages, workshops, and hotels. It features a 1700W motor, a 25-litre stainless steel tank, and a HEPA filtration system.



2. Features and Specifications

2.1 Key Features

- **Wet and Dry Operation:** Cleans both dry dust and wet spills.
- **Powerful Suction:** 1700W motor delivering 22 KPA suction power.

- **Large Capacity:** 25-litre stainless steel (SS) tank.
- **HEPA Filtration:** Removes at least 99.97% of particles down to 0.3 microns.
- **Blower Function:** Can be used for drying and cleaning hard-to-reach areas.
- **Extra Large Drain Port:** For easy disposal of collected liquid waste.
- **Portable Design:** Includes a 5m power cord, top carry handle, and 4 wheels.

2.2 Technical Specifications

- **Model:** Master Vac 25
- **Motor Power:** 1700 Watts
- **Suction Power:** 22 KPA
- **Tank Capacity:** 25 litres
- **Tank Material:** Stainless Steel
- **Voltage:** 240 Volts
- **Noise Level:** 80 Decibels
- **Power Cord Length:** 5 meters
- **Hose Length:** 2.3 meters
- **Item Weight:** 6000 Grams
- **Dimensions (L x W x H):** 36 x 36 x 55 cm



3. Package Contents

- 1 x Main Vacuum Unit
- 1 x 2.3m Flexible Hose
- 1 x Metal Telescopic Tube with Hook
- 1 x Round Brush
- 1 x Crevice Nozzle
- 1 x Wet and Dry Squeezing Brush
- 1 x HEPA Filter
- 1 x Sponge Filter
- 1 x Stainless Steel Container (Tank)
- 4 x Wheels
- 1 x Instruction Manual and Warranty Card

Ensure all parts are present before use.

4. Assembly and Setup

4.1 Initial Setup

1. Place the main unit on a flat, stable surface.
2. Attach the four wheels to the base of the unit as per the provided instructions.
3. Insert the stainless steel tank into the main unit housing.
4. For dry vacuuming, install the HEPA filter onto the motor head inside the tank. For wet vacuuming or using the blower function, use the sponge filter or no filter as instructed.
5. Connect the flexible hose to the suction port on the main unit.
6. Attach the metal telescopic tube to the end of the hose.
7. Select the desired cleaning tool (round brush, crevice nozzle, squeezing brush) and attach it to the end of the telescopic tube.

4.2 Power Connection

Plug the 5-meter power cord into a standard 240V electrical outlet. Ensure the outlet is properly grounded and the cord is not damaged.

WARNING: Do not use the vacuum cleaner if the power cord or plug is damaged. Do not handle the plug or vacuum with wet hands. Ensure the unit is switched off before plugging in or unplugging.

5. Operating Instructions

5.1 Dry Vacuuming

1. Ensure the HEPA filter is correctly installed.
2. Ensure the tank is empty and securely locked.
3. Switch the unit on using the power button.
4. Use the appropriate accessory for the surface (round brush for floors, crevice tool for edges).
5. When the tank is full or suction reduces, switch off and unplug the unit.
6. Empty the collected dry debris from the tank.
7. Clean or tap the HEPA filter to remove fine dust if necessary.

5.2 Wet Vacuuming

1. Remove the HEPA filter. Install the sponge filter or use no filter as per instructions for wet pickup.
2. Ensure the tank is empty and the drain port is closed.
3. Switch the unit on.
4. Use the wet and dry squeezing brush or appropriate nozzle for liquid spills.
5. Do not submerge the hose or nozzle completely in liquid.
6. When finished, switch off and unplug the unit.
7. To empty, place the unit near a drain. Open the large drain port at the bottom of the tank to dispose of liquid waste.
8. Rinse the tank and allow all parts to dry completely before storage or subsequent dry use.



VACUUM CLEANER

MASTER VAC 25



1700W
Motor



22 Kpa
Suction
Power



25 Litre
Capacity



Hepa
Filtration



Water
Drain Plug

5.3 Using the Blower Function

1. Remove all filters from the unit.
2. Attach the hose to the blower port (usually marked or opposite the suction inlet).
3. Attach the desired tube and nozzle.
4. Switch the unit on. Air will be expelled from the hose for drying or clearing debris.

NOTE: For effective blowing results, do not use any filter in the vacuum cleaner.

6. Maintenance and Cleaning

6.1 Regular Maintenance

- **Empty the Tank:** Empty the tank after each use, especially after wet pickup, to prevent odors and mold.
- **Clean Filters:**
 - **HEPA Filter:** Tap gently to remove dust. Do not wash. Replace if damaged or excessively clogged.
 - **Sponge Filter:** Rinse with water, squeeze out excess water, and let it dry completely before reuse.
- **Check Hose and Accessories:** Clear any blockages in the hose, tubes, or nozzles.
- **Inspect Power Cord:** Regularly check for cuts or abrasions.

6.2 Cleaning the Stainless Steel Tank

Wash the tank with mild soap and water. Rinse thoroughly and dry completely before reassembly to prevent rust and ensure proper suction.

7. Troubleshooting

Problem	Possible Cause	Solution
Unit does not turn on	No power supply; faulty outlet; damaged cord.	Check power outlet; inspect cord for damage; ensure plug is fully inserted.
Loss of suction power	Full tank; clogged filter, hose, or nozzle; incorrect filter for task.	Empty tank; check and clean filters, hose, and nozzles; ensure correct filter is installed.
Unusual noise or vibration	Foreign object in impeller; loose part; damaged fan.	Switch off and unplug immediately. Check for blockages in hose and inlet. Inspect for loose components.
Liquid leaking from unit	Tank not seated properly; drain port not closed; overfilled tank.	Ensure tank is correctly locked; close drain port securely; do not exceed tank capacity.
Motor overheats	Filter clogged; continuous extended use.	Clean or replace filter; switch off and allow motor to cool down.

8. Warranty and Support

The INALSA Master Vac 25 comes with a 2-year warranty from the date of purchase, provided by the brand INALSA.

Manufacturer/Importer Contact Information:

Tuareg Marketing Pvt. Ltd.

Khasra No- 1189, Bhalswa, New Delhi-110033, IND.

Contact: 9773982065

For warranty claims or support, please have your proof of purchase ready and contact the manufacturer at the details above.

Warning

This content is compiled from multiple sources and is provided for reference purposes only. It may not be complete or fully applicable to all situations. If you are unable to resolve your issue, please contact the product manufacturer or an authorized service provider for official support.

Document generated by [ManualsFile](#)

