


Installation Guide

Electric wall ovens with separate grill

models: EXC614 (S/W), EXC624 (S/W)

Oven dimensions



	A	B	C
Flush fit	600	893	581 min
Proud fit	565	885	560 min


C = from face of cabinet/door to rear of enclosure.

Cabinet construction for your appliance


For the best integration within a kitchen, install this appliance in a standard 600mm wide cupboard that gives a flush fit with the surrounding cupboard fronts. A recess of 20mm is ideal.

It can also be installed using a proud fit with the surrounding cupboard.

Flush fit (top view)



Proud fit (top view)




Electric underbench ovens with separate grill

models: EGC624 (S/W), EGC634 (S/W)

Oven dimensions






	A	B	C
Flush fit	600	731	581 min
Proud fit	565	718	560 min

C = from face of cabinet/door to rear of enclosure.


Cabinet construction for your appliance





Separate grill underbench oven installation requires kitchen kick panel to be rebated (see diagram on the left).


For the best integration within a kitchen, install this appliance in a standard 600mm wide cupboard that gives a flush fit with the surrounding cupboard fronts. A recess of 20mm is ideal. It can also be installed using a proud fit with the surrounding cupboard.



Chef electric underbench ovens

models: EOC614 (S/W), EOC624 (S/W), EOC644 (S/W)

Oven dimensions




	A	B	C
Flush fit	600	600	581 min
Proud fit	565	590	560 min

C = from face of cabinet/door to rear of enclosure.

Cabinet construction for your appliance

For the best integration within a kitchen, install this appliance in a standard 600mm wide cupboard that gives a flush fit with the surrounding cupboard fronts. A recess of 20mm is ideal.

It can also be installed using a proud fit with the surrounding cupboard.



Warning

This content is compiled from multiple sources and is provided for reference purposes only. It may not be complete or fully applicable to all situations. If you are unable to resolve your issue, please contact the product manufacturer or an authorized service provider for official support.