



National Park Foundation™

TRAVELSCOPE 60 INSTRUCTION MANUAL

CELESTRON SUPPORTS THE NATIONAL PARK FOUNDATION
IN ITS MISSION TO PRESERVE AMERICA'S NATIONAL PARKS

Model #22005



WHAT'S IN THE BOX

We recommend saving your telescope box so it can be used to store the telescope when it is not in use. Unpack the box carefully as some parts are small. Use the parts list below to verify that all parts and accessories are present.

PARTS LIST



OTHER INCLUDED ACCESSORIES:

Compass
1.25" moon filter,
20 mm eyepiece
8 mm eyepiece
3x Barlow lens
Travel backpack.

! SOLAR WARNING

Never look directly at the Sun with the naked eye or with a telescope unless you have the proper solar filter. Permanent and irreversible eye damage may result.

Never use your telescope to project an image of the Sun onto any surface. Internal heat build-up can damage the telescope and any accessories attached to it.

Never use an eyepiece solar filter or a Herschel wedge. Internal heat build-up inside the telescope can cause these devices to crack or break, allowing unfiltered sunlight to pass through to the eye.

Do not leave the telescope unsupervised, especially when children or adults unfamiliar with the correct operating procedures of your telescope are present.

ASSEMBLY

Set up your Travelscope indoors the first time and familiarize yourself with the correct assembly procedure before attempting it outdoors.

SETTING UP THE TRIPOD


1. The tripod comes preassembled. Stand the tripod upright and pull the tripod legs outward until each leg is fully extended.
2. You can raise the tripod legs to the height you desire. At the lowest level, the height is about 16" (41 cm) and extends to about 49" (125 cm).
3. To raise the height of the tripod, unlock the tripod leg lock clamps at the bottom of each tripod leg by opening the clamp for each section and pulling outward. Once a clamp is unlocked, pull the tripod leg out as far as it will go, and then close the leg lock to secure it. Continue doing this for each tripod leg and each section to raise the height to the level you desire.
4. If you want to raise the tripod height up further, use the central column locking knob. Turn the locking knob counterclockwise until loose. Then, pull up on the head of the tripod. Continue pulling to the height you desire and then tighten the locking knob.



ATTACHING THE TELESCOPE OPTICAL TUBE TO THE TRIPOD

The telescope optical tube attaches to the tripod using the mounting bracket on the bottom of the optical tube and the mounting platform of the tripod. Before starting, make sure all of the knobs on the tripod are locked.

1. Remove the protective paper covering the optical tube.
2. Loosen the top right knob by turning it counterclockwise. This allows you to tilt the tripod platform up 90°. After tilting the platform up, tighten the knob to secure it in place.
3. The images show the bottom of the optical tube, the tripod platform, and where they will attach to each other.
4. Under the center of the tripod platform, you will see a knob that contains a 1/4 x 20 screw to attach the platform to the telescope optical tube.
5. You can put the 1/4 x 20 screw into the threaded hole of the TravelScope 60 in the mounting bracket of the telescope optical tube. Hold the optical tube with one hand while threading the screw clockwise until tight with the other hand.
6. Lastly, loosen the knob for the tripod platform and lower the platform down to the level position. Then, tighten the knob securely.



MOVING THE TRAVELSCOPE MANUALLY

The TravelScope is easy to move wherever you want to point it. The up and down (altitude) is controlled by the pan handle. The side-to-side (azimuth) motion is controlled by the azimuth locking knob. Both knobs are loosened when turned counterclockwise and tightened when turned clockwise. When both knobs are loose, you can find objects easily and then lock the controls.

INSTALLING THE DIAGONAL AND EYEPIECE

The diagonal is a prism that diverts the light at a right angle to the light path of the telescope. This allows you to observe in a position that is more comfortable than if you had to look straight through. The TravelScope diagonal is an erect image model that corrects the image to be right side up and oriented correctly left-to-right which is much easier to use for terrestrial observing. The diagonal can be rotated to any position.

To install the diagonal and eyepiece:


1. Make sure the two thumbscrews on the rear of the telescope tube do not protrude into the opening before installation. Remove the plug up cap from the opening at the rear of the telescope tube, and the caps from the barrels on the diagonal. Insert the small barrel of the diagonal all the way into the rear opening of the telescope tube. Then tighten the two thumbscrews.
2. Put the chrome barrel end of one of the eyepieces into the diagonal and tighten the thumb screw. When doing this, make sure the thumbscrew is not protruding into the diagonal.



ALIGNING THE FINDERSCOPE

1. Locate a distant daytime object and center it in the low power (20 mm) eyepiece in the main telescope.
2. Look through the eyepiece end of the finderscope and take notice of the position of the same object.
3. Without moving the main telescope, turn the adjustment thumbscrews located around the finderscope bracket until the crosshairs of the finderscope are centered on the object chosen with the main telescope.
4. If the image through the finderscope is out of focus, rotate the eyepiece of the finderscope for a clear view.

NOTE: Objects viewed through a finderscope are upside down and backwards, which is normal.



TELESCOPE BASICS

FOCUSING

To focus your TravelScope turn the focus knob located near the rear of the telescope.

NOTE: Remove the front lens cap of the TravelScope optical tube prior to attempting your observation.


NOTE: If you wear glasses, you may want to remove them when observing with an eyepiece attached to the telescope. However, if you have astigmatism, corrective lenses should be worn at all times.

INSTALLING & USING THE BARLOW LENS

Your telescope also comes with a 3x Barlow lens which triples the magnifying power of each eyepiece. To use the Barlow lens, remove the diagonal and insert the Barlow directly into the focuser tube. Then insert an eyepiece into the Barlow lens for viewing.

NOTE: Start by using a low power eyepiece as it will be easier to focus.

To use the moon filter, simply thread the filter to the chrome barrel of the eyepiece.



GENERAL OBSERVING HINTS

When using any optical instrument, there are a few things to remember to ensure you get the best possible image.

- Never observe through window glass. Glass found in household windows is optically imperfect and may vary in thickness from one part of a window to the next. This inconsistency can and will affect the ability to focus your telescope. In most cases you will not be able to achieve a truly sharp image, while in some cases you may actually see a double image.
- Never look across or over objects that are producing heat waves. This includes asphalt parking lots on hot summer days or building rooftops.
- Hazy skies, fog and mist can also make it difficult to focus when viewing terrestrially. The amount of detail seen under these conditions is greatly reduced.

NOTE: Your telescope was designed for terrestrial observation as well as celestial viewing.

For more tips for about astronomical observing please visit
ExploreTheSky.com

There you will find comprehensive tips to help you get the most from your new telescope including:

- How to observe the planets
- How to locate and observe stars, double stars, star clusters
- How to observe deep-sky objects such as nebulae and galaxies
- How to choose a good location for astronomical observing
- How to evaluate sky conditions

BONUS SOFTWARE

Your purchase includes software for your computer. You don't need to download this software to use your telescope, but it can enhance your experience.



Celestron Starry Night Astronomy Software

Celestron Starry Night, the premier astronomy software on the market, takes you on a guided tour of our Solar System's past, present, and future. It can help you learn about the night sky and plan your next observing session. Use Starry Night to model exactly how the night sky will appear from your backyard, a neighboring town, or anywhere on Earth.

MINIMUM SYSTEM REQUIREMENTS

Windows:

- Windows 7 or higher
- 500MHz or higher processor
- 128 MB RAM
- 850 MB hard disk space
- 32 MB OpenGL-capable graphics card
- Monitor with 1024x768 pixel resolution (recommended)

Mac:

- Universal binary (PPC/Intel-compatible)
- OS X 10.4 or higher (10.5 or higher for Elementary)
- G3 450 MHz or higher processor
- 128 MB RAM
- 850 MB hard disk space
- 32 MB OpenGL-capable graphics card
- Monitor with 1024x768 pixel resolution (recommended)

SAFETY INSTRUCTIONS

- There is a risk of explosion if the battery is replaced with an incorrect type.
- The included battery is not rechargeable.
- Only use the battery as originally intended to avoid a short circuit. Connecting the conductive material directly to the battery's positive and negative sides will cause a short circuit.
- Do not use a damaged battery.
- Do not store the battery in an extremely cold or hot environment. Doing so can reduce battery life.
- Remove batteries if drained or if product is to be left unused for a long time.
- When replacing the battery, refer to the instruction manual and ensure the positive and negative sides are oriented correctly.
- Do not put the battery in fire.
- Dispose of the battery according to local regulations.



SOLAR WARNING: Never attempt to view the sun through any telescope.



celestron.com/pages/warranty

NEED ASSISTANCE? Contact Celestron Technical Support

celestron.com/pages/technical-support

Product design and specifications are subject to change without prior notification.

This product is designed and intended for use by those 14 years of age and older.




©2024 Celestron. Celestron and Symbol are trademarks of Celestron, LLC.

All rights reserved. • Celestron.com

US: Celestron, 2835 Columbia Street, Torrance, CA 90503 USA

UK: Celestron Global Ltd., Unit 2 Transigo, Gables Way, Thatcham RG19 4JZ, United Kingdom

Made in China | 09-24



Points de collecte sur www.quefairedesdechets.fr
Privilégiez la réparation ou le don de votre appareil !



Separate waste collection. Check your local municipal guidelines.

Raccolta differenziata. Verifica le disposizioni del tuo Comune.